

The Dependence of Protostellar Luminosity on Environment in the Cygnus-X Star-Forming Complex

E. Kryukova¹, S. T. Megeath¹, J. L. Hora², R. A. Gutermuth³, S. Bontemps^{4,5}, K. Kraemer⁶, M. Hennemann⁷, N. Schneider^{4,5}, Howard A. Smith², F. Motte⁷

ABSTRACT

The Cygnus-X star-forming complex is one of the most active regions of low and high mass star formation within 2 kpc of the Sun. Using mid-infrared photometry from the IRAC and MIPS *Spitzer* Cygnus-X Legacy Survey, we have identified over 1800 protostar candidates. We compare the protostellar luminosity functions of two regions within Cygnus-X: CygX-South and CygX-North. These two clouds show distinctly different morphologies suggestive of dissimilar star-forming environments. We find the luminosity functions of these two regions are statistically different. Furthermore, we compare the luminosity functions of protostars found in regions of high and low stellar density within Cygnus-X and find that the luminosity function in regions of high stellar density is biased to higher luminosities. In total, these observations provide further evidence that the luminosities of protostars depend on their natal environment. We discuss the implications this dependence has for the star formation process.

Subject headings: infrared: stars, stars: protostars, stars: formation, stars: luminosity function

¹Ritter Astrophysical Observatory, Department of Physics and Astronomy, University of Toledo, Toledo, OH; megeath@physics.utoledo.edu

²Harvard-Smithsonian Center for Astrophysics, Cambridge, MA

³Department of Astronomy, University of Massachusetts, Amherst, MA

⁴Univ. Bordeaux, LAB, UMR 5804, F-33270, Floirac, France.

⁵CNRS, LAB, UMR 5804, F-33270, Floirac, France

⁶Institute for Scientific Research, Boston College, 140 Commonwealth Avenue, Chestnut Hill, MA 02467, USA

⁷Laboratoire AIM, CEA/IRFU - CNRS/INSU - Université Paris Diderot, Service d'Astrophysique, Bât. 709, CEA-Saclay, 91191 Gif-sur-Yvette Cedex, France

1. Introduction

Cygnus-X is a highly obscured area of the sky which encompasses some of the most active regions of star formation in our galaxy known to date. It contains multiple OB associations, including the massive Cygnus OB2 association which hosts 65 known O stars, hundreds of B stars, and tens of thousands of low mass stars (e.g. Comerón & Pasquali 2012, Wright et al. 2010, Knödlseider 2000, Massey & Thompson 1991), as well as numerous well-studied sites of ongoing massive star-formation including S106, W75, and DR 21 and at least 40 massive protostars (Schneider et al. 2007, Motte et al. 2007). Cygnus-X is found near the galactic tangent at $l = 80^\circ$, and hence kinematic velocities cannot be used to estimate distances of individual regions. Due to the large number of HII regions and star-forming regions within Cygnus-X, it has been long debated whether Cygnus-X is a superposition of multiple clouds along the line of sight or a single star formation complex (Reipurth & Schneider 2008, and references therein). A recent study of the velocity structure in the CO gas by Schneider et al. (2006) supported the view that Cygnus-X is mostly a single complex surrounding the Cygnus OB2 association at a distance of 1.7 kpc. Further evidence for the “single complex” view has been found in a maser parallax studies of five regions in Cygnus-X by Rygl et al. (2012); they found that 4 out of 5 regions are at a common distance of 1.4 kpc. (We adopt the 1.4 kpc distance from the maser parallax study, which is considered more reliable than the 1.7 kpc distance derived from main sequence fitting).

Due to its proximity and concentration of massive star-forming regions, Cygnus-X has emerged as a key target in studies of high mass star formation, the interaction between molecular clouds and OB associations, and studies of star and planet formation in the OB association environment (see for example Zapata et al. 2012, Davis et al. 2007, Wright et al. 2012a;b). With a mass of $7.3 \times 10^5 M_\odot$ (Schneider et al. 2006), about seven times that of Orion molecular clouds (Wilson et al. 2005), Cygnus-X provides us with a nearby region that is comparable in mass, spatial scale and luminosity to the giant star-forming regions identified in external galaxies.

Large scale surveys of the Cygnus-X region at IR and millimeter wavelengths show extensive populations of young stars and protostars embedded within the molecular gas. Motte et al. (2007) surveyed the two primary molecular gas clouds in Cygnus-X: the CygX-North cloud, which contains DR21 and W75 among other regions, and the CygX-South cloud, which shows multi-parsec long pillars interacting with the Cyg OB2 association (Schneider et al 2012). They discovered 129 massive cores with masses ranging from 4-950 $M_\odot$, 42 of which contained massive protostars. The *Spitzer* Cygnus-X Program (P.I. Hora) mapped a 24 deg^2 field toward the complex with the IRAC and MIPS instruments onboard the *Spitzer Space Telescope*. Beerer et al. (2010) studied the CygX-North cloud using the *Spitzer* survey data

and found 670 protostars and 7,249 pre-main sequence stars with disks in this region alone. The *Spitzer* survey has been supplemented with near-IR photometry from the 2MASS all sky survey and the UKIDSS galactic plane survey resulting in eight band photometry from 1.2 to 24 μm for many sources (Lucas et al. 2008). Most recently, Herschel mapped Cygnus-X in the far-IR with the PACS and SPIRE instruments, revealing extended filamentary structures (Hennemann et al. 2012).

In this paper, we make the first systematic survey of *Spitzer*-identified protostars in the Cygnus-X region. We employ the methodology of Kryukova et al. (2012) (hereafter, KMG12), who studied a sample of *Spitzer*-identified protostars in nine nearby (< 1 kpc) star-forming regions. KMG12 used IRAC and *Spitzer* 24 μm photometry to identify protostars and to estimate their bolometric luminosity. After constructing the protostellar luminosity functions for each of the nine clouds, they found significant differences between the protostellar luminosity functions of clouds which form high mass stars and clouds which do not. In addition, by comparing the luminosity functions of protostars found in regions of high surface densities of young stellar objects (YSOs) to those in regions of low YSO surface densities, KMG12 found that the luminosity function in the denser regions extended to higher luminosities than those for lower density regions. This final result suggested that regions with higher YSO densities preferentially form more luminous protostars, and potentially more massive stars.

Although more distant than the regions studied in KMG12, the Cygnus-X cloud complex provides a much richer sample of protostars in a more extreme range of environments. In this paper, we employ a slightly modified version of the analysis developed by KMG12 to identify protostars, determine their mid-infrared (mid-IR) and bolometric luminosities, construct protostellar luminosity functions and correct the luminosity functions for contamination. We also perform an analysis of the spatially varying incompleteness of the protostars. Taking into account this incompleteness, we compare different regions within Cygnus-X to search for variations in the protostellar luminosity function between clouds within the complex. Furthermore, we compare regions of high and low YSO density to test whether the protostellar luminosity function extends to higher luminosities in dense regions, as found for Orion by KMG12. With these results, we argue that the protostellar luminosity function in Cygnus-X depends on the environment in which the protostars form.

2. Protostar Identification

2.1. Near- & Mid-Infrared Photometry

The Cygnus-X complex was the target of the Cygnus-X *Spitzer* Legacy Survey¹, which mapped 24 deg² of the complex with the Infrared Array Camera (IRAC, Fazio et al. 2004) and Multiband Imaging Photometer for *Spitzer* (MIPS, Rieke et al. 2004) instruments on board the *Spitzer Space Telescope*². We used IRAC aperture photometry and MIPS 24 μ m point-spread function (PSF) photometry from Data Release 1 Point Source Catalog with no alteration. The PSF photometry extraction at the MIPS 24 μ m wavelength is used to minimize source confusion due to nebulosity. However, the brightest sources are saturated in the 24 μ m image and the photometry is not available for these sources. Thus, our study excludes the sources with the brightest m_{24} magnitudes in Cygnus-X.

The photometry in the five *Spitzer* bands is augmented by photometry at near-IR J, H, and K-bands. This photometry is preferentially from the UKIRT Infrared Deep Sky Survey (UKIDSS) (Lucas et al. 2008), but for sources for which UKIDSS data do not exist, we use available photometry from the Two Micron All-Sky Survey (2MASS, Cutri et al. 2003, Skrutskie et al. 2006).

2.2. Protostar Candidate Selection

Mid-infrared colors can be used to identify infrared young stellar objects (YSOs) by the excess infrared emission radiated by their dusty disks and envelopes (e.g., Greene et al. 1994, Bontemps et al. 2001, Allen et al. 2004, Megeath et al. 2004, Muzerolle et al. 2004, Whitney et al. 2004, Robitaille et al. 2006, Harvey et al. 2007, Winston et al. 2007, Gutermuth et al. 2009). We use the criteria of KMG12 to identify protostars in the Cygnus-X point source catalog. These criteria are based on identification of protostars with flat and rising spectral energy distributions (SEDs) between 4.5 and 24 μ m. We use the spectral index $\alpha = \delta \log(\lambda F_\lambda) / \delta(\log(\lambda))$ calculated between 3.6 and 24 μ m, to determine this slope. Following the approach of KMG12, we search for protostars with in-falling protostellar envelopes by identifying sources with both flat SEDs ($-0.3 < \alpha < 0.3$), which correspond to flat spectrum protostars, and rising SEDs ($0.3 > \alpha$), which correspond to Class 0/I protostars

¹From <http://irsa.ipac.caltech.edu/data/SPITZER/Cygnus-X/>

²Data delivery document can be found at <http://irsa.ipac.caltech.edu/data/SPITZER/Cygnus-X/docs/CygnusDataDelivery1.pdf>

(Lada & Wilking 1984, Calvet et al. 1994, Winston et al. 2007, Enoch et al. 2009). KMG12 implemented this approach by converting the spectral indices into a series of color criteria involving the four IRAC bands and the MIPS 24 μm band. They require that all protostars show a detection in the 24 μm band.

While most of our protostar selection criteria is the same as that of KMG12, we adjust one set of criteria. Normally protostar candidates are selected in part by their red [3.6] - [4.5] color; however, due to the large amount of scattered light in the 3.6 and 4.5 μm bands, some protostars have a very red [4.5] - [24] color but a [3.6] - [4.5] color between 0.7 and 0 *mag*. KMG12 selected these sources by the criteria in their Equation 3. However, due to the distance and bright nebulosity of Cygnus-X, nebulous knots may be mis-identified as protostars by the same criteria. These knots are distinguished by their bright PAH emission at 3.6 μm and weak emission at 4.5 μm , which results in a [3.6] - [4.5] color less than 0 *mag*. We subject the sources which fit Equation 3 of KMG12 to the following additional condition:

$$[3.6] - [4.5] \geq 0 \quad (1)$$

which eliminates 15 likely nebulous knots with very blue [3.6] - [4.5] colors due to their bright 3.6 μm PAH emission. In comparison, only one of the protostar candidates found in the sample of nearby clouds by KMG12 satisfies the criteria shown in their Equation 3, but fails the criterion in Equation 1 above.

The color-color and color-magnitude diagrams we use to identify protostar candidates are shown in Figure 1 and Figure 2. Sources that satisfy any of the criteria in Table 1 are considered protostar candidates. We give the number of rising and flat SED protostars, distinguished by $\alpha > 0.3$ as rising SED protostars and $0.3 > \alpha > -0.3$ as flat SED protostars, in Table 2.

The spatial distribution of these sources is overlaid on the extinction map of the region shown in Figure 3. Note that most of the protostar candidates are concentrated in high extinction regions. To further minimize contamination, we require that protostar candidates must lie in locations where the visual extinction measured toward background stars is > 3 , as determined from the extinction map shown in Figure 3. This extinction map, covering the *Spitzer*-mapped region, is derived using *A_vMAP* from Sylvain Bontemps (private communication; see Schneider et al. 2011). The resulting coverage area with $A_V > 3$ is 21.75 deg^2 . For comparison, Figure 4 shows the ^{13}CO J = 1→0 velocity integrated intensity map also from Schneider et al. (2011). By requiring a minimum A_V , we limit the area in which we search for protostars to regions which are known to contain molecular gas. Since protostars will be concentrated in regions with high column densities of gas while contaminating

objects will be more evenly spread throughout the sky, this has the advantage of reducing the amount of contamination.

Table 1: Number of protostar candidates identified by selection criteria

Equation	Selection Criteria Colors	Number	Number $A_V > 3$
(1) ^a , (2) ^a	[4.5]-[24], [3.6]-[4.5]	1781	1611
(3) ^a , (1) ^b	[4.5]-[24], [5.8]-[8.0], [3.6]-[4.5]	127	111
(4) ^{a,c}	[5.8]-[24], [3.6]-[5.8]	179	143
(5) ^{a,d}	[8.0]-[24], [3.6]-[8.0]	170	142

^a Criteria given from KMG12.

^b Criteria from KMG12 that were modified in this work

^c Only for sources without 4.5 μm detections.

^d Only for sources without 4.5 and 5.8 μm detections.

All protostar candidates selected using these criteria must also satisfy a 24 μm magnitude cutoff. This cutoff is imposed to eliminate galaxies with colors similar to YSOs, but which have fainter m_{24} mag (Megeath et al. 2009). We determine the m_{24} magnitude cutoff using the method of KMG12. In this method, we first determine the spatial density of galaxies with colors similar to protostars using the point source catalog from the *Spitzer* Wide-Area Infrared Extragalactic Survey Legacy Program (SWIRE, Lonsdale et al. 2003)³. We compare the distribution of m_{24} for the Cygnus-X protostar candidates in the region where $A_V > 3$ and for the SWIRE sample which satisfies the protostar candidate selection criteria. The SWIRE histogram is scaled up to account for the larger angular extent of the $A_V > 3$ region. We do not apply reddening to the SWIRE sample making our cutoff more conservative than necessary. However, for an $A_V > 3$ the extinction at 24 μm is only $A_{24} > 0.3$ (Chapman & Mundy 2009), hence extinction may not have a large effect on the cutoff. The m_{24} cutoff of $m_{24} = 7.5$ mag is shown in Figures 2 and 5. Below this m_{24} cutoff we find 2007 protostar candidates projected on regions with $A_V > 3$. In comparison, there are 77.7 SWIRE galaxies that fit our protostar selection criteria colors after accounting for the larger angular extent of the $A_V > 3$ area, resulting in a contamination rate of 4.2%. Another potential source of contamination are HII regions and reflection nebulosity in the molecu-

³We used the 4.2 deg^2 Elais-N2 field from <http://swire.ipac.caltech.edu/swire/swire.html>

lar cloud complex. Because we require that the sources in our catalog be point sources in the IRAC and MIPS bands, these would have to be very ultracompact HII regions or very small reflection nebulae with sizes ≤ 7000 A.U., the spatial resolution at the distance of Cygnus-X. Future, higher resolution near-IR observations may provide an effective means of further eliminating such compact HII regions and nebulae from our sample of protostars. The number of protostar candidates within and throughout the $A_V > 3$ regions are given in Table 2. Note that since we do not consider the effect of extinction on the magnitudes of the SWIRE galaxy, we are probably overestimating the number of contaminating galaxies. The near and mid-infrared photometry of the 2007 protostar candidates projected on $A_V > 3$ are listed in Table 4.

Table 2: Cygnus-X YSOs

	Area [deg ²]	Class II ^a	Protostars Flat SED ^b	Rising SED ^b	Contamination red/edge-on/galaxy ^{c,d}
Cygnus-X	21.75	4946	512/486/408.4	1495/1352/1169.0	60.8/121.7/78.0
CygX-North	3.72	2521	150/138/124.9	360/295/256.6	12.3/26.0/13.0
CygX-South	4.87	1829	120/115/101.1	341/320/283.1	8.0/25.7/17.0

^a Class II sources in regions with $A_V > 3$ and de-reddened $m_{24} < \text{cutoff}$ and RMEDSQ < 10.41 .

^b All protostar candidates projected on $A_V > 3/A_V > 3$ nebosity filtered protostars (see Section 2.3.1)/ $A_V > 3$ nebosity filtered protostars after contamination removal. Nebosity filtered protostars are defined in Sec. 2.3.1.

^c Displayed are the mean numbers for the three forms of contaminations shown in the following order: reddened disk sources, edge-on disks sources, and extra-galactic sources.

^d Uncertainties in these numbers are equal to the square root of the number of sources.

In addition, we look for more evolved pre-main sequence stars with disks, or Class II objects, to estimate the contamination in our protostar luminosity functions (Section 2.3) and to measure the density of all detectable, dusty young stellar objects (Section 3.2). To identify such sources, we use the criteria of Gutermuth et al. (2009). We find 254 candidate Class II sources with $[4.5] - [24] < 2$; these sources show an excess at IRAC bands but do not have m_{24} excesses found toward Class II sources. Since we expect that any source exhibiting an IR-excess in the IRAC bands will also exhibit an excess in the MIPS $24 \mu\text{m}$ band (e.g. Megeath et al. 2012), the sources without $24 \mu\text{m}$ excesses are likely to be pure photospheric sources, such as background stars, contaminated by nebosity. To eliminate these sources, we require that sources satisfy an additional criterion for Class II candidate selection:

$$[4.5] - [24] \geq 2 \tag{2}$$

which all Class II sources with detections at 4.5 and 24 μm must satisfy. We eliminate these potential contaminants from our Class II sample. The Class II sources are also shown in Figures 1 and 2. Listed in Table 2 are the number of Class II sources we find in regions of $A_V > 3$ as well as the number of protostar candidates in these regions.

2.3. Building the Protostellar Luminosity Function

To determine the protostellar luminosity function in Cygnus-X, we must first estimate bolometric luminosities for each of our protostar candidates. Since the majority of the flux from a protostar is emitted at wavelengths longward of the photometry bands available in this study, we use the relationship between mid-IR luminosity (calculated from 1-24 μm), the SED slope, and the bolometric luminosity developed by KMG12. This relationship was determined using a sample of low- to intermediate-luminosity protostars ($0.03 L_\odot$ to $19.6 L_\odot$). We calculate the mid-IR luminosity of the protostar candidates using Equation 6 from KMG12. Once determined, we use the mid-IR luminosity and SED slope with Equations 7 and 8 from KMG12 to find the bolometric luminosity. The median slope of Cygnus-X protostar candidates is 0.75, and 90% of Cygnus-X protostar candidates have slopes less than 1.57.

The range of luminosity we find for the protostar candidates in Cygnus-X extends from $0.1 L_\odot$ to $3370 L_\odot$, with 89% of the protostar candidates having luminosities below $19.6 L_\odot$. Objects with luminosities $> 3000 L_\odot$ are missing due to saturation in the 24 μm band. Since the luminosity depends both on the flux in all the 3.6 through 24 μm bands and the slope of the SED, a definite saturation luminosity cannot be established. Future work analyzing Herschel and WISE data may establish the number of luminous sources missed in the Spitzer survey. Motte et al. (2007) find the presence of 25 massive protostars in their study of the Cygnus-X; we expect the number of missing sources to be of this order of magnitude.

The systematic uncertainties in the luminosities determined by this method are described by KMG12; they find the log of the ratio of the well-determined bolometric luminosity to the estimated bolometric luminosity has a mean value of 0.06 with a standard deviation of 0.35. We expect that neither the systematic uncertainties nor the uncertainties from the fluxes used in determining L_{MIR} should affect the gross properties of the displayed luminosity functions. Furthermore, even if systematic uncertainties affect the conversion of the measured L_{MIR} into bolometric luminosities, such uncertainties would presumably affect

all sources in the same way, and thereby leave the comparisons unaffected. The bolometric luminosities of the protostar candidates are listed in Table 4.

2.3.1. Completeness at m_{24}

The derived protostellar luminosity function is affected by spatially varying completeness (KMG12, Megeath et al. 2012). Since we require of our protostars a detection in m_{24} , we are primarily concerned with the completeness in this band, and in comparison to the 3.6 and 4.5 μm bands the nebulosity will have the most effect at 24 μm . We follow the approach of Megeath et al. (2012) to determine the completeness as a function of the fluctuations due to nebulosity and confusion from other point sources.

The completeness in the *Spitzer* images is spatially varying primarily due to the bright, highly structured nebulosity found in *Spitzer* images of star-forming regions. Instead of measuring the completeness independently at each position, we measure the completeness as a function of source magnitude and the RMEDSQ, a measure of the fluctuations in the signal due to nebulosity and neighboring point sources in an annulus immediately surrounding a point source. Megeath et al. (2012) define $RMEDSQ = \sqrt{\text{median}[(S_{ij} - \text{median}(S_{ij}))^2]}$, where S_{ij} is the signal in $\text{DN s}^{-1} \text{ pix}^{-1}$ at a given pixel position i,j . The median values are determined for an annulus centered on each source; this annulus typically extends from 6 to 11 pixels but is increased for more luminous sources (Megeath et al. 2012). Thus, we first assign to each of our sources a RMEDSQ.

To measure the completeness to point sources as a function of the RMEDSQ, we create an overlay of PSFs arranged in a 3×3 grid and add it to the *Spitzer* 24 μm mosaic. The grid is created by using the MIPS 24 μm PSF scaled to varying magnitudes, including $m_{24} = 3.125, 3.625, 4.125, 4.625, 5.125, 5.625, 6.125, 6.625$, and 7.125, spaced 25 pixels from one another. This grid is then repeatedly added to the Cygnus-X 24 μm image at intervals of 151 pixels across the mosaic so that the entire image is covered by the repeating grid. The mosaic has a pixel size of $1.''2$. We use *PhotVis* (Gutermuth et al. 2008) to find all the 24 μm point sources in the mosaic and perform aperture photometry on the sources. We consider an input PSF recovered if a point source is found within $2.''5$ of the input PSF’s position with a magnitude within 0.25 *mag* of the input PSF’s magnitude. The RMEDSQ is determined around each of the input PSFs. For each input magnitude, these sources are then binned by RMEDSQ. Figure 6 shows the fraction of recovered sources as a function of the $\log(RMEDSQ)$ for each of the input magnitudes.

To mitigate the incompleteness in extended regions of bright nebulosity and extreme

source crowding, we first measure the incompleteness in the region surrounding each protostar. To do so, we use the average RMEDSQ value of YSOs (protostar candidates projected on $A_V > 3$ regions and Class II sources) within a critical distance, $D_c = 0.62$ pc (see Section 3.2), of each protostar, which we denote $\langle \text{RMEDSQ} \rangle_{D_c}$ value for that protostar. Using the mean RMEDSQ value for nearby YSOs provides a more representative measurement of the typical fluctuations in the regions surrounding each protostar than using only the RMEDSQ value for the protostar. The $\langle \text{RMEDSQ} \rangle_{D_c}$ value is listed for each protostar candidate in Table 4.

In Figure 7, we show the $\langle \text{RMEDSQ} \rangle_{D_c}$ value vs. bolometric luminosity for each protostar candidate in Cygnus-X, CygX-North, and CygX-South. This figure shows that incompleteness can result in a clear bias in our determination of the luminosity functions in that luminous protostars can be found in regions with high RMEDSQ where lower luminosity protostars cannot be detected. To eliminate this bias, we filter out sources with either high values of RMEDSQ or low values of luminosity. We first determine a cutoff RMEDSQ value such that 90% of the YSOs, including other protostar candidates and Class II sources within $D_c = 0.62$ pc of a protostar candidate, have $\langle \text{RMEDSQ} \rangle_{D_c}$ values below this cutoff; the value of the cutoff is 10.41. Using the curves from Figure 6, we interpolate between curves to find a limiting m_{24} that corresponds to a 90% completeness at the cutoff RMEDSQ value. The resulting limiting m_{24} is 5.07 mag. The corresponding limiting m_{24} is converted to a luminosity using Equation 6 of KMG12 assuming the entire mid-IR luminosity is given by the 24 μm flux and assuming an SED slope larger than that of 90% of the protostar candidates in Cygnus-X. The corresponding cutoff luminosity is $2.16 L_\odot$. Thus, we find that we are 90% complete at a luminosity cutoff of $L_{\text{cut}} = 2.16 L_\odot$ and an $\langle \text{RMEDSQ} \rangle_{D_c} = 10.41$. Most of the protostars will be in regions that have smaller $\langle \text{RMEDSQ} \rangle_{D_c}$ values and hence higher levels of completeness at $2.16 L_\odot$.

The RMEDSQ cutoff and L_{cut} are also shown in Figure 7. There are 1838 protostar candidates with $\langle \text{RMEDSQ} \rangle_{D_c}$ values less than 10.41; we refer to these protostars as the “nebosity filtered” sample in the remaining text. We only use sources below this cutoff and luminosity greater than $L_{\text{cut}} = 2.16 L_\odot$ when comparing the luminosity functions. The regions around the sample nebosity filtered protostars are 99.7% complete at L_{cut} .

2.3.2. Protostellar Luminosity Functions

In Figure 8, we show the luminosity functions of the protostar candidates. We display the luminosity functions for the entire region, the CygX-North region, and the CygX-South region, as defined by Schneider et al. (2006) (see Section 3.0). To probe the differences be-

tween the various star-forming environments, we compare luminosity functions of protostars in different regions. However, there are yet multiple sources of contamination which are not eradicated by the protostar selection criteria of Section 2.2, which include edge-on disks (Crapsi et al. 2008), highly reddened Class II sources where the extinction results in a rising SED (Evans et al. 2009, McClure et al. 2010), and galaxies with m_{24} brighter than our m_{24} cutoff.

For each type of contamination, we generate multiple realizations of their luminosity functions using the Monte Carlo method described in Section 4 of KMG12. For sources with edge-on disks, the ratio of edge-on disks to all Class II objects and the luminosities of the edge-on disks sources are determined from a sample of likely edge-on disks in the Cep OB3b cluster as described by KMG12. To estimate the number of edge-on disks, we multiple this ratio by the number of Class II sources with $\langle \text{RMEDSQ} \rangle_{D_c} < 10.41$. The highly reddened Class II sources are identified using the same technique as in KMG12, but utilizing a fiducial sample of low-AV Class II sources with $\langle \text{RMEDSQ} \rangle_{D_c} < 10.41$ from Cygnus-X. These are reddened using the extinctions toward the sample of protostars and YSOs with $A_V > 3$ and $\langle \text{RMEDSQ} \rangle_{D_c} < 10.4$ (see KMG12 for the details of this process). The method of estimating galaxy contamination is unchanged from KMG12 and utilizes the same SWIRE sample as a galaxy sample. The methods for determining the luminosity functions of the edge-on sources and highly reddened Class II sources require us to use the number of Class II sources with $\langle \text{RMEDSQ} \rangle_{D_c}$ below 10.41.

For each Monte Carlo realization, we determine a sample of contaminants as described by KMG12. We calculate the luminosity of each contaminant using the mid-IR luminosity and SED slope; this may not be the actual luminosity of the contaminating source, but instead the luminosity we would assign to the source given its mid-IR photometry. We then remove a source from the protostar luminosity function which has the closest luminosity to the contaminant, requiring that the difference is less than 0.2 dex. If no protostar candidate has such a luminosity, then no source is removed. We repeat this process for each of the 1000 realizations. We stress that we are not identifying protostar candidates as contamination and removing them, instead we predict the luminosities for ensembles of contaminating sources as generated by the Monte Carlo code and remove those luminosities from the protostellar luminosity function. The resulting mean luminosity distributions of edge-on disks, galaxies, and reddened Class II sources found over the 1000 trials of the Monte Carlo code are shown in Figure 8, along with the luminosity function of the protostar candidates. The protostellar luminosity functions with the contamination removed are shown in Figure 9; these have been averaged over the 1000 trials. The luminosity functions for the total region, the CygX-North region, and the CygX-South region are shown; the above procedure was run for each of these regions independently. The m_{24} cutoff, along with the number of contaminants, protostar

candidates, Class II sources with $A_V > 3$, and flat and rising SED protostars are listed in Table 2.

We find that the contaminants account for only 14.2% of our total 1838 protostar candidates. The most common type of contamination is due to edge-on disk sources. However, because Cygnus-X is both in the Galactic plane and a more distant cloud than those studied in KMG12, there may be additional sources of Galactic contamination such as more distant star-forming regions or more evolved stars. We have attempted to minimize that contamination by only including protostar candidates projected on regions of $A_V > 3$.

3. Protostellar Environment and Luminosity

The distribution of protostars and their relationship to the distribution of molecular gas, as delineated by the A_V map or the ^{13}CO velocity integrated intensity map, is shown in Figures 3 and 4. The locations of the most luminous protostar candidates are shown circled in red. These maps show that the Cygnus-X complex is dominated by two cloud complexes, the CygX-North and CygX-South complex. Schneider et al. (2006) argued that CygX-North and CygX-South are at a similar distance as the Cyg OB2 association and that Cygnus-X is mostly a coherent complex rather than a superposition of clouds at varying distances. More recently, Rygl et al. (2012) found that DR 21, DR 20, W75N, and IRAS 20290+4052, all within the northern cloud, are consistent with a distance of 1.4 kpc, but AFGL 2591, which is located within our boundary for CygX-South, is at a distance of 3.33 ± 0.11 kpc. However, given the evidence that CygX-South is interacting with the Cyg OB2 association, we will assume that the CygX-North and CygX-South clouds are at 1.4 kpc, although there is some contamination with more distant regions (Schneider et al. 2012).

The CygX-North and CygX-South molecular clouds exhibit different morphologies in their mid-IR emission and in the distribution of protostars relative to the molecular gas. Maps of the mid-IR emission with the position of the protostars overlaid are shown in Figures 10 and 11. We see in Figure 3 and Figure 4 that within our chosen boundary for CygX-North, the spatial distribution of protostars tends to follow the cloud structure apparent in both the A_V map and ^{13}CO map. The central cloud is filamentary in structure containing rich, multi-parsec chains of protostar candidates. These are particularly apparent in DR 21, DR 22, DR 23 and W75; the filament containing DR21 and W75 is perhaps the most active star-forming region in the CygX-North (Beerer et al. 2010, Schneider et al. 2010). Although there are UV illuminated features on the side of the cloud facing Cyg OB2 (Schneider et al. 2006), the DR21/W75 filament is not associated with extended, bright IR nebulosity. The lack of nebulosity indicates that this filament is not being directly illuminated

by the Cyg OB2 association. We also do not find an excess of luminous protostar candidates on the edge of the CygX-North cloud closest to Cyg OB2; although, the most luminous protostar candidates are primarily found in the half of the CygX-North region closest to Cyg OB2. This suggests that much of the star formation in the CygX-North is not being directly influenced by the UV radiation and winds from Cyg OB2.

In CygX-South, the protostars tend to be located toward the outer parts of the cloud on both maps, with fewer protostar candidates being found toward the center of the cloud. Compared to CygX-North, the cloud morphology in CygX-South is less dominated by filamentary structures. The CygX-South appears to be more strongly interacting with the Cyg OB2 association and contains prominent pillars extending towards and illuminated by Cyg OB2, which is 40 *pc* north of the heads of the pillars (Figure 11, Schneider et al. 2012). The part of the CygX-South region facing Cyg OB2 has an abundance of protostar candidates. In contrast, there are relatively few protostar candidates located in some of the densest regions of the ^{13}CO map in the central and southern parts of CygX-South. The concentration of protostars near Cyg-OB2 suggest that a wave of star formation is being driven into CygX-South by the direct compression of the cloud surfaces by Cyg OB2. This direct compression may be result from the photoevaporation of the cloud surfaces by the UV field from Cyg OB2 (e.g. Megeath & Wilson 1997, Deharveng et al. 2010). The different spatial distributions of protostars and gas in the CygX-South and CygX-North regions are evidence that both radiatively triggered and a more spontaneous star formation are currently operating in Cygnus-X.

3.1. Protostellar Luminosity Functions of CygX-North and CygX-South: Evidence for Variations

In the previous section, we showed that the spatial distribution of protostars and the morphologies of their parental clouds appear to be different in the CygX-North and CygX-South. Here we test whether the protostellar luminosity functions of these sub-regions are similar.

We first comment on the shape of the Cygnus-X, CygX-North, and CygX-South luminosity functions of the nebulosity filtered protostars (Figure 9). None of these luminosity functions has a peak above $L_{cut} = 2.16 L_{\odot}$, but rather in each case, the luminosity functions increase toward lower luminosity, though the Cygnus-X and CygX-North luminosity functions rise more steeply than the CygX-South luminosity function. The CygX-North luminosity function has an excess of sources near $100 L_{\odot}$ relative to the Cygnus-X or CygX-South luminosity functions. Above $L_{cut} = 2.16$, the Cygnus-X luminosity function has a maximum

luminosity of $3370 L_{\odot}$ (close to the saturation limit), a median value of $6.8^{+8.4}_{-3.8} L_{\odot}$, a mean value of $30.5^{+37.8}_{-16.9} L_{\odot}$ and standard deviation of $144.2^{+178.6}_{-79.8} L_{\odot}$. The uncertainties for the mean and median are due to those in the determination of L_{bol} , where the standard deviation of the log of the luminosity integrated over the SED of sources with far-IR photometry over that estimated from L_{MIR} (i.e. $\log [L_{bol}(SED)/L_{bol}(MIR)]$) is 0.35. The CygX-North luminosity function has a maximum luminosity of $280^{+347}_{-155} L_{\odot}$, a median of $7.3^{+9.0}_{-4.0} L_{\odot}$, a mean of $26.6^{+33.0}_{-14.7} L_{\odot}$, and standard deviation of $46.2^{+57.2}_{-25.6} L_{\odot}$. In CygX-South, the maximum luminosity is $276^{+342}_{-153} L_{\odot}$, with a median of $7.4^{+9.2}_{-4.1} L_{\odot}$, a mean of $19.0^{+23.5}_{-10.5} L_{\odot}$, and standard deviation of $34.9^{+43.2}_{-19.3} L_{\odot}$. The CygX-North and CygX-South regions have similar numbers of protostars, with CygX-North containing 157 nebulosity filtered protostars and CygX-South containing 169 nebulosity filtered protostars with $L_{cut} > 2.61 L_{\odot}$.

A statistical comparison using a two sample Kolmogorov-Smirnov (K-S) test allows us to determine the probability that any two luminosity functions are from the same parent distribution. To take into account uncertainties in the correction for contamination, we use an ensemble of 1000 distributions of each luminosity function, each of which is a realization from the Monte Carlo method used to estimate contamination. We perform the K-S test 1000 times between realization 1 from luminosity function A with realization 1 from luminosity function B, and realization 2 from luminosity function A with realization 2 from luminosity function B, and so on (see KMG12). We then take the median probability from the 1000 realizations. Only nebulosity filtered sources above L_{cut} are used in the test.

We first compare the luminosity function of the entire Cygnus-X sample with both the individual CygX-North and CygX-South luminosity functions. The median probabilities from the K-S test comparing the CygX-North and CygX-South luminosity function to the entire Cygnus-X cloud luminosity function are listed in Table 3. These results indicate that the CygX-North luminosity function is not drawn from the same parent distribution as the entire Cygnus-X cloud luminosity function. In comparison, the Cygnus-X luminosity function and CygX-South luminosity function are likely drawn from the same parent distribution. Comparing the CygX-North and CygX-South luminosity functions, we find that the protostellar luminosity function of CygX-North has a median probability $\log(prob) = -7.47$ of being from the same parent distribution as the luminosity function of the protostars in CygX-South (Table 3). If we increase L_{cut} to $3 L_{\odot}$, the probability decreases to $\log(prob) = -9.4$ that CygX-North and CygX-South are drawn from the same distribution.

Could differences we observe be an artifact resulting from the superposition of multiple star-forming regions at different distances? Our determination of the protostellar luminosity adopts a single distance for each of our samples; the presence of multiple distances may result in a shift of the luminosity function or a broader spread of luminosities. However,

Schneider et al. (2006) argue on the basis of their ^{13}CO data that the CygX-North and CygX-South are coherent cloud regions and that they are both associated with Cygnus-X. The degree of contamination from larger distances is likely small, particularly if we limit ourselves to the CygX-North and CygX-South regions. The maser parallaxes of Rygl et al. (2012) show only one out of five regions is a background region located at a larger distance of 3 kpc. This more distant region, AFGL 2591, is spatially enclosed in the CygX-South region, but is at a distance approximately twice that of the CygX-South region (Schneider et al. 2006). We do not include this source in our protostar candidate list because it is saturated at m_{24} , and thus it does not affect the CygX-South luminosity function.

Furthermore, a small difference in distances for CygX-North and CygX-South is unlikely to affect our comparison. Even if CygX-North and CygX-South are on the opposite sides of the Cyg OB2 association, they would be separated by 100 pc, resulting in a small shift in $\log(L [L_{\odot}])$ of 0.06 (Schneider et al. 2006). Thus, because the evidence favors the CygX-North and CygX-South regions as containing coherent clouds at nearly the same distance, we conclude that the differences in the luminosity functions between these regions are very likely to be real. Over the entire Cygnus-X region, there may be a higher degree of contamination from protostars at different distances; this may potentially contribute to the dissimilarity between the Cygnus-X and CygX-North luminosity functions. Hence, we are not as confident of differences between the CygX-North and the Cygnus-X regions.

Table 3: K-S Test probabilities

Region	CygX-North	CygX-South	High/Low Density	HMSFC ^a	LMSFC ^b
Cygnus-X	-9.93 ^c	0.9085	-3.19 ^c	0.6343	0.0200
CygX-North	-	-7.47 ^c	-5.42 ^c	-5.88 ^c	-4.33 ^c
CygX-South	-7.47 ^c	-	0.0135	0.8123	0.0111

^a HMSFC are high mass star-forming clouds, see Sec. 3.3.

^b LMSFC are low mass star-forming clouds, see Sec. 3.3.

^c Given as $\log(prob)$.

3.2. Protostellar Luminosity and Stellar Density

KMG12 found a dependence of the protostellar luminosity function on the density of YSOs in the Orion molecular clouds, with the luminosity function being biased to higher luminosities in regions of high stellar density. We now repeat this analysis for the Cygnus-X region to see if the same dependence is apparent. To sort protostars by the local surface

density of YSOs, we use the nearest-neighbor distance. This distance is found to the 4th nearest YSO, which we designate “nn4 distance” following the approach of KMG12. We include both the nebulosity filtered protostar candidates projected on $A_V > 3$ regions and Class II sources without A_V or RMEDSQ cutoffs as YSOs. Figure 12 shows the distribution of bolometric luminosity vs. nn4 distance for the entire cloud sample, CygX-North sample, and CygX-South sample. Similar to what KMG12 found for nearby high mass star-forming clouds, we find that in each sample the maximum nn4 distance of the protostar candidates tends to decrease with increasing luminosity (except for the most luminous protostar candidate in the Cygnus-X sample). This trend is particularly pronounced in the CygX-North region. At low luminosities near our completeness limit, $L_{cut} = 2.16 L_{\odot}$, we find protostar candidates at both large and small nn4 distances. The spatial distribution of the protostars in these two environments are shown in Figures 3 and 4, with the blue and green symbols marking the positions of protostars in low and high stellar density environments, respectively. Note this analysis does not account for the saturated protostars missing from our sample which will be more luminous than the sample of observed protostars.

We now seek to compare luminosity functions of protostars in high and low stellar density environments. To determine if a protostar candidate is in a high or low stellar density environment, we use the median nn4 distance, denoted D_c , for the Cygnus-X cloud nebulosity filtered sample. This provides an equal number of protostar candidates in high and low stellar density regions in Cygnus-X, which is optimal for statistical comparisons between the two samples. We find $D_c = 0.62$ pc, which is equivalent to a surface density of 4.15 YSOs pc^{-2} . In comparison, this number is less dense than the definitions of a cluster given by Carpenter (2000), Gutermuth et al. (2009), and Bressert et al. (2010), even though Carpenter (2000) and Gutermuth et al. (2009) find that approximately half of YSOs are found in clusters. The D_c used for Cygnus-X is also larger than the D_c used for nearby molecular clouds by KMG12 (0.08 to 0.4 pc). However, the Cygnus-X region is more distant than the regions in the above studies and hence is more incomplete to lower mass Class II objects and protostars. For this reason, a larger value of D_c is appropriate for Cygnus-X.

In Figure 13, we show the $\log(\langle \text{RMEDSQ} \rangle_{D_c})$ deviation as a function of nn4 distance, with the sources having luminosities above $10 L_{\odot}$ marked. We find the most luminous protostars tend to be in high stellar density environments with high values of $\langle \text{RMEDSQ} \rangle_{D_c}$. These plots also show that the regions where $nn4 < D_c$ have preferentially higher $\langle \text{RMEDSQ} \rangle_{D_c}$ values. This demonstrates why we must only consider nebulosity filtered protostars even though many of the higher luminosity sources are excluded from the analysis. By ignoring regions where the $\langle \text{RMEDSQ} \rangle_{D_c}$ is above our adopted threshold, our sample of protostars in the remaining regions is 90% complete at our luminosity cutoff, $L_{cut} = 2.61 L_{\odot}$.

We note that although there are equal number of protostars in high and low stellar density regions for the entire sample, that is not true for the individual clouds. CygX-North has a notably larger percentage of nebulosity filtered protostar candidates with luminosities above L_{cut} in high stellar density environments (67.3%) as does the CygX-South region (60.4%). Furthermore, the percentage of sources in high stellar density regions increase for more luminous sources. In CygX-North, 77.2% of the nebulosity filtered protostar candidates with luminosity greater than $10 L_{\odot}$ are in high stellar density environments, in CygX-South this number is 69.6%, and across the entire Cygnus-X sample, we find 68.4% of high luminosity protostars in high stellar density environments. This shows that the sources with luminosities exceeding $10 L_{\odot}$ are more likely to be in crowded regions than lower luminosity sources.

We compare the luminosity functions of the protostars in higher stellar density environments with luminosity functions of protostars in lower stellar density environments in Figure 14. We see an excess of high luminosity sources in high stellar density regions above L_{cut} in each of the Cygnus-X, CygX-North, and CygX-South luminosity functions. To determine if this difference is statistically significant, we run the K-S test on the 1000 realizations of each luminosity function and thus retain a distribution of 1000 K-S probabilities. Only nebulosity filtered protostars above L_{cut} are used in the test. The median K-S probabilities are given in Table 3. In the entire Cygnus-X sample and the CygX-North sample the probabilities are low enough to rule out that the high and low stellar density luminosity functions are from the same parent distribution. In CygX-South, the probability that they are from the same distribution is 0.0135, equivalent to a 2.47σ difference in Gaussian statistics. If we increase the value of L_{cut} to $3 L_{\odot}$, the resulting probabilities that the high and low density regions change to $\log(prob) = -2.7$, $\log(prob) = -5.7$, and $prob = 0.10$ for the total region, CygX-North and CygX-South, respectively. Thus, the difference remains highly significant in the total Cygnus-X region and CygX-North, but the result for CygX-South is no longer significant.

The $24 \mu\text{m}$ magnitude distribution for Class II sources can be used to test whether spatially varying incompleteness can affect our comparison of high and low stellar density regions. Figure 15 shows the m_{24} distributions of protostars in high and low stellar density environments for the entire Cygnus-X region. Based on the K-S test, the probability that the high and low stellar density m_{24} distributions are from the same parent distribution is $\log(prob) = -3.29$; this is similar to the probability returned by the K-S test for the high and low stellar density luminosity functions. Since the m_{24} distribution of Class II objects, which depend on the masses and ages of the stars and the evolving properties of their disks, are not expected to strongly depend on environment, the Class II objects can be used as a control sample to test for the effects of incompleteness. Class II sources are identified

in Cygnus-X using the same technique as KMG12. This technique selects Class II sources within D_c of a protostar candidate and classifies them as high or low stellar density based on the classification of the nearest protostar candidate as residing in a high or low density environment. Since we are unable to apply the equations estimating protostar luminosity to the Class II sources, we do not determine Class II luminosities and therefore we do not impose L_{cut} in this comparison. Instead we use our 90% completeness limiting magnitude, $m_{24} = 5.07 \text{ mag}$, and reject sources with m_{24} fainter than this limit in the comparison. We perform this comparison of the Class II objects for only the entire Cygnus- X cloud YSO sample since there are only a few Class II sources in the CygX-North and CygX-South regions with $A_V > 3$ and $m_{24} < 5.07 \text{ mag}$.

A K-S test comparing the distributions of m_{24} of Class II sources with $A_V > 3$ within D_c of a protostar candidate in a high or low stellar density environment reveals a probability of 0.46 that the Class II high and low stellar density m_{24} distributions are from the same parent distribution. This suggests that incompleteness is not affecting our analysis of the protostars. However, the number of Class II objects is 48/63 in high/low density regions, respectively; this is much smaller than the 386/245 protostars found in high/low density regions. To assess the effect of the smaller numbers on the Class II sample, we run a K-S test between the m_{24} distributions of protostars in high and low stellar density environments, but we randomly select from the full sample of protostars sub-samples for both the high and low density samples equal to the number of Class II in high and low density environments, respectively. We repeated this 100 times using different randomly chosen protostar candidates; from these 100 trials the median probability returned by the KS test was 0.13. Thus, the probability for the reduced protostars sample is smaller than that for the Class II sample, but the K-S test for a smaller sample of protostars would result in a much less significant difference between high and low density region. In conclusion, the lack of variation of the Class II m_{24} distribution with environment is consistent with our interpretation that the luminosity function of protostars is different between high and low density environments, and not the result of biases in the data. However, given the smaller sample size for the Class II objects, the use of the Class II objects as a control sample does not provide a definitive statistical test.

Another consideration is whether extinction can play a role. As noted in KMG12, the extinction does effect the luminosity of individual sources, but a correction for the extinction to a protostar cannot be reliably determined. However, the extinction is higher in denser, more crowded regions. Specifically, in our high YSO density regions, 10% of the sources are projected on regions with $A_V > 10$, 3.2% on $A_V > 20$ and 0.8% on $A_V > 30$. In comparison, for the low density regions, 6.5% of the protostars are projected on regions of $A_V > 10$, 1.3% on regions of $A_V > 20$ and none have $A_V > 30$. Since crowded regions have higher extinction

they should contain sources with systematically underestimated luminosities. Consequently, extinction cannot explain the higher protostellar luminosities in the dense environments.

We conclude that in the total Cygnus-X sample and the CygX-North region there are significant differences in the 2-1000 $L_{\odot}$ luminosity functions between regions of high and low stellar density, with the luminosity function in regions of high stellar density biased to higher luminosities. In the CygX-South region, the evidence for such a change is inconclusive. We note that some the highest luminosity sources are saturated and are not included in this work; thus, we cannot address the possibility of variations in the very high end of the luminosity function above 1000 $L_{\odot}$.

3.3. Comparison With Star-Forming Clouds Within 1 Kpc

How does the protostellar luminosity functions of the Cygnus-X star formation complex compare with the less massive clouds within 1 kpc of our Sun? KMG12 determined the luminosity functions of protostars toward 9 molecular clouds out to a distance of 830 pc. Their sample consists of clouds that formed both high and low mass stars (Orion, Cep OB3, and Mon R2, hereafter: HMSFC) as well as clouds containing only low mass protostars (Serpens, Perseus, Ophiuchus, Lupus, Chamaeleon, and Taurus, hereafter: LMSFC). KMG12 combined these luminosity functions into two composite luminosity functions, one for the clouds with high mass stars and one for the clouds without high mass stars. Since these were made using a technique similar to that used to determine the Cygnus-X protostellar luminosity function, these two luminosity functions provide the means to compare Cygnus-X to local star formation.

First we compare the shape of the luminosity functions. The luminosity functions for Cygnus-X, CygX-North, CygX-South, and those for the LMSFC, HMSFC, and Orion from KMG12 are shown in Figure 16. The combined luminosity function of HMSFCs from KMG12 rises toward our completeness limit for Cygnus-X, $L_{cut} = 2.16 L_{\odot}$, and has a tail extending toward luminosities above 100 $L_{\odot}$. The LMSFC luminosity function also rises toward our Cygnus-X completeness limit, $L_{cut} = 2.16 L_{\odot}$, but does not show a tail at higher luminosities. We see that the Cygnus-X, CygX-North, and CygX-South protostellar luminosity functions rise toward lower luminosity as well. At the high luminosity end of the distributions, we see tails extending toward luminosities above 1000 $L_{\odot}$, most noticeably in CygX-North.

For each of the nine regions in KMG12 we also have 1000 realizations of the protostellar luminosity functions. Each of the 1000 realizations are used because of the uncertainty in the reddened disk contamination removal. We use only the luminosities above L_{cut} , above

which neither the HMSFC luminosity function nor the LMSFC luminosity function show a peak. It should be noted that the LMSFC luminosity function has only 32 protostars with luminosities above L_{cut} and does not contain protostars with luminosity above $100 L_{\odot}$. The HMSFC luminosity function contains 150 protostars above L_{cut} , 11 of which are above $100 L_{\odot}$. KMG12 found that a K-S test suggests a real difference between the high mass SF cloud and low mass SF cloud luminosity functions when using a luminosity cutoff less than $0.05 L_{\odot}$; however, it should be noted that above $L_{cut} = 2.16 L_{\odot}$ the HMSFC and LMSFC luminosity functions give a median probability of 0.8971 of coming from the same parent distribution.

The results of K-S tests comparing the luminosity functions of the Cygnus-X, CygX-North, and CygX-South protostar samples with the HMSFC and LMSFC luminosity functions are given in Table 3. The Cygnus-X luminosity function has a higher median probability when compared to the HMSFC luminosity function (0.6573) than when compared to the LMSFC luminosity function (0.0360). In CygX-North, we find lower probabilities (< 0.01) when comparing the protostar luminosity function with those of the HMSFC and LMSFC, and can rule out the possibility that the luminosity function from CygX-North is from the same parent distribution as either the HMSFC or LMSFC luminosity function. In CygX-South there is a low probability (0.0111) that the CygX-South luminosity function is from the same parent distribution as the LMSFC luminosity function, but a fairly large probability (0.8123) that it is from the same parent distribution as the HMSFC luminosity function.

Neither the Cygnus-X nor the CygX-South protostellar luminosity function has a high probability of being from the same parent distribution as the LMSFC protostellar luminosity function of KMG12, though there is a greater than 60% probability that both are like the HMSFC luminosity function. The CygX-North protostellar luminosity function shows a very low probability of being from the same parent distribution as any of the other protostar samples given in this work or KMG12.

4. Discussion on Protostar Luminosity and Environment

The fundamental question addressed by this paper is whether the properties of protostars are influenced by their environment. This was motivated by the work of KMG12, who compared luminosity functions of protostars in nearby (< 1 kpc) star-forming clouds in different environments and found evidence that the luminosity function did depend in environment (see Section 1). In this work, we sought to determine whether the luminosity functions of protostars in Cygnus-X and within sub-regions of Cygnus-X vary across the

cloud complex. This study identifies and utilizes the largest sample of protostars within 1.5 kpc that are found at a common distance. It not only includes a larger protostar candidate population than KMG12, but also studies a cloud complex with more extreme star formation conditions than found in the KMG12 sample.

Within the Cygnus-X complex, the star-forming regions show distinct morphologies suggestive of different star-forming environments. In particular, the CygX-North and CygX-South regions exhibit different distributions of gas, stars and mid-IR nebulosity. The most luminous protostar candidates ($L > 10 L_{\odot}$) in CygX-South are concentrated near the edges of the molecular cloud closest to Cyg OB2 where the bright mid-IR nebulosity shows that the cloud is directly interacting with the Cyg OB2 association; these may be sites of triggered star formation. In comparison, the most luminous protostar candidates in CygX-North are found clustered in filamentary cloud structures located throughout the region, and are often in regions which do not show the bright nebulosity that would be expected from cloud surfaces directly illuminated by the OB association. Motte et al. (2007) also noted a difference between the CygX-North and Cyg-South regions. They found that a higher fraction of the mass in the CygX-North region was concentrated into cores and dense structures than in Cyg-South; suggesting that the formation of cores was 5 times more efficient in CygX-North. The lack of dense gas may explain why much of the CygX-South cloud is comparatively quiescent, with the star formation concentrated on the edges of the clouds where potentially dense gas can be created by the compression of the cloud surfaces. The CygX-North regions, in contrast, contains a dense, massive ridge of gas which appears to accreting gas from surrounding filamentary structures (Schneider et al. 2010, Hennemann et al. 2012). The distinctive morphologies of these regions suggests that both triggered and spontaneous modes of star formation are operating in Cygnus-X.

We observe not only morphological differences between these two regions (Figures 3, 4, 10, and 11), but also statistically significant differences in the luminosity functions of protostars in these two regions (see Section 3.1). These differences in the luminosity functions of protostars in dissimilar environments suggest that the properties of the protostars do indeed depend on their environment.

We also examine the effect of stellar density on protostellar luminosity by comparing the samples of protostars found in high and low stellar density regions. Again, we find statistically significant differences in the luminosity functions of protostars as a function of their environment. As found in KMG12 for in the Orion molecular clouds, the luminosity function in regions of high stellar density is biased to higher luminosities in the Cygnus-X and CygX-North samples. Thus, two separate analyses, the comparison of the CygX-South and CygX-North regions and the comparison of regions of high and low stellar density,

demonstrate that there is a dependence of protostellar luminosity on environment in Cygnus-X.

Compared to the molecular clouds within 1 kpc of the Sun studied by KMG12, we find that none of the luminosity functions found in Cygnus-X are similar to the luminosity functions of the < 1 kpc molecular clouds without massive stars. The Cygnus-X and CygX-South are similar to the luminosity functions of < 1 kpc clouds with massive stars, this result reinforces the dichotomy between low mass and high mass star-forming clouds found by KMG12. Furthermore, the CygX-North luminosity function is different from the other Cygnus-X regions and all < 1 kpc clouds; suggesting that the conditions for star formation in CygX-North must be different than these other regions to create such a different population of protostars.

Do these differences imply differences in the masses of the emerging stars? Since protostellar luminosity is a combination of intrinsic stellar luminosity and accretion luminosity, there is not a direct relationship between luminosity and either the instantaneous or the final mass of the protostar. Although the intrinsic luminosity will increase with mass (e.g. Hartmann et al. 1997, Palla & Stahler 1993), the accretion luminosity depends on both the accretion rate and the mass of the star. Hence a high accretion luminosity implies a higher stellar mass or a higher accretion rate. Given that the final mass of a protostar depends on the accretion rate and the duration of the accretion, a higher accretion rate does not necessarily lead to a more massive star. Instead, differences in the observed luminosity functions may be due to differences in ultimate masses of the stars, or they may simply result from differences in the duration of the protostellar accretion phase.

Do current models predict that we should see more luminous protostars primarily in high stellar density regions? KMG12 compared the HMSFC luminosity function, which is similar in shape to the Orion luminosity function, with turbulent core, two-component turbulent core, and competitive accretion models from Offner & McKee (2011). They found that the competitive accretion model fit the HMSFC luminosity function best. While the competitive accretion model did not predict well the height of the peak of the HMSFC luminosity function, it did predict the location of the peak and width of the luminosity function. The competitive accretion model (Bonnell et al. 2004) also predicts that the most massive protostars (and hence the most luminous protostars) are found toward the dense centers of clusters. Alternatively, Gutermuth et al. (2011) found that regions with a high surface density of YSOs have higher gas column densities and higher star formation efficiencies. Hence, the high stellar density regions in Cygnus-X likely contain higher column density of molecular gas; these higher column densities in turn would imply higher infall rates and masses (see Krumholz et al. 2010, McKee & Tan 2003). Regardless, of the specific models,

these observations suggest a scenario where protostars in regions of increasingly higher stellar density and gas density can have higher accretion rates, potentially leading to the formation of more massive stars. The high accretion rates may in turn be fed by gas flowing through sub-filaments feeding into highly active star-forming regions, as observed in the DR21 filament by Schneider et al. (2010). They also suggests that searches for variations on the IMF should concentrate on comparing high and low stellar density regions. Interestingly, both simulations and observations now suggest that the IMF may be different for the large number of stars forming outside of large clusters in more diffuse, less strongly gravitationally bound, star-forming regions (Clark et al. 2008, Bonnell et al. 2011, Hsu et al. 2012; 2013).

5. Conclusions

We identify over 1800 protostar candidates in the Cygnus-X star-forming cloud complex. These candidates, as shown in Figures 3 and 4, are distributed throughout the complex of molecular clouds observed towards Cygnus-X. We estimate luminosities for these protostar candidates and create luminosity functions corrected for contamination due to reddened Class II sources, edge-on disk sources, and galaxies. We present contamination-subtracted luminosity functions for the entire Cygnus-X cloud complex and for the protostars found within either the CygX-North or CygX-South molecular clouds. Using the median nn4 distance, the distance from any protostar candidate to the 4th nearest-neighbor Class II or protostar candidate, we designate half our protostar candidate sample as residing in a “high stellar density environment” and half as residing in a “low stellar density environment” (Figures 3 and 4). Contamination subtracted luminosity functions are then constructed for the low and high density regions. Our results are listed below.

- We find that the entire Cygnus-X protostar sample luminosity function increases toward lower luminosity down past our completeness limit near $2 L_{\odot}$, and exhibits a tail leading toward luminosities above $1000 L_{\odot}$. The CygX-North and CygX-South luminosity functions also show these general characteristics, though the CygX-South rises less steeply toward lower luminosity.
- The spatial distribution of protostars in CygX-South and CygX-North exhibit distinct differences. The CygX-South cloud shows many of its protostar candidates at the edges of the cloud, particularly the protostars with luminosities above $10 L_{\odot}$, while the CygX-North cloud shows the protostars concentrated in large filamentary structures.
- We compare the Cygnus-X, CygX-North, and CygX-South protostar luminosity functions using a Kolmogorov-Smirnov (K-S) test. We can rule out the possibility that the

CygX-North protostar luminosity function is from the same parent distribution as the CygX-South or full Cygnus-X protostar sample luminosity function. We are not able to rule out the possibility that the Cygnus-X and CygX-South protostar luminosity functions are from the same parent distribution.

- We also compare the Cygnus-X, CygX-North, and CygX-South protostar luminosity functions to the luminosity functions of protostars in nearby (< 1 kpc) molecular clouds (KMG12). The K-S tests show a low probability that the Cygnus-X or CygX-South luminosity function comes from the same parent distribution as either the low mass star-forming cloud (LMSFC) luminosity function, but these tests cannot statistically distinguish Cygnus-X or CygX-South luminosity functions from the high mass star-forming cloud (HMSFC) luminosity function. A K-S test comparing the CygX-North luminosity function with the HMSFC and LMSFC luminosity functions rules out the possibility that they share the same parent distribution.
- Finally, we perform a K-S test comparing the luminosity functions of protostars in high stellar density environments with luminosity functions of protostars in low stellar density environments for each Cygnus-X, CygX-North, and CygX-South protostar samples. In the case of CygX-North and Cygnus-X, we are able to conclude that it is very unlikely that these two luminosity functions are from the same parent distribution; for CygX-South the results are inconclusive. In agreement with what was found in the Orion molecular clouds by KMG12, the Cygnus-X and CygX-North protostars found in regions of high stellar densities are biased to higher luminosities. This is further evidence that the properties of protostars depend on environment, and in particular on the column density of stars and/or gas.
- Our study of the protostellar luminosity function supports one of the primary results of KMG12, that the luminosity function of protostars varies within molecular complexes and is dependent on the local environment in which protostars are found. These results motivate comparative studies of ensembles of protostars in different environments with the goal of understanding how environmental factors influence the infall and accretion of gas onto protostars and the eventual initial mass function of the protostars.

These observations set the stage for future analyses combining PACS and SPIRE photometry from Herschel surveys of the Cygnus-X region. By extending the photometry into the far-IR, the Herschel data promise more robust luminosities for the Cygnus-X protostars, detect protostars not identified by Spitzer as well as reliably producing maps of the dense molecular gas from which they are forming (e.g. Fischer et al. 2010, Hennemann et al. 2012, Deharveng et al. 2012, Stutz et al. 2013).

This work is based in part on observations made with the *Spitzer Space Telescope*, which is operated by the Jet Propulsion Laboratory, California Institute of Technology under a contract with NASA. Support for the work of STM, EK, RAG, JH and KK was provided by NASA through an award issued by JPL/Caltech. HAS acknowledges partial support for this work from NASA grant NNX12AI55G. This publication makes use of data products from the Two Micron All Sky Survey, which is a joint project of the University of Massachusetts and the Infrared Processing and Analysis Center/California Institute of Technology, funded by the National Aeronautics and Space Administration and the National Science Foundation. N.S. and S.B. acknowledge support by the ANR-11-BS56-010 project “STARFICH”




Fig. 1.— Color-color diagram for *Spitzer*-identified protostars. The rising spectrum protostars are shown in red and flat spectrum protostars are in green. The sources we identify as Class II sources are shown in blue. The remaining sources, shown as black dots, are stars without disks, AGN, and star-forming galaxies.




Fig. 2.— Color-magnitude diagrams for *Spitzer* identified protostars. The colored symbols are the same as in Figure 1. The solid lines show the m_{24} cutoff and the $[4.5] - [24]$ color cutoff. The value of m_{24} is corrected for distance but not reddening. Galaxies comprise a distinct clump of fainter (at m_{24}) and highly red sources, located near $[4.5] - [24] = 6$.




Fig. 3.— Cygnus-X A_V map with IRAC and MIPS coverage area. The A_V map is rendered in a greyscale with the $A_V = 3$ contour displayed. Shown are protostar candidates towards regions with $A_V > 3$ and in either high stellar density environments (green dots) or low stellar density environments (blue dots). Protostar candidates projected on regions with $A_V < 3$ (orange dots) are not used in this analysis. Protostar candidates with luminosity $> 10 L_\odot$ are marked in red circles. The CygX-North and CygX-South sub-regions are bordered in the salmon boxes.




Fig. 4.— Cygnus-X ^{13}CO J = 1→0 *velocity integrated intensity map* from Schneider et al. (2011) with IRAC and MIPS coverage area. The markers and boxes are the same as in Figure 3.




Fig. 5.— The distributions of m_{24} for all sources which fit the protostar selection criteria and which are in regions with $A_V > 3$ (black) and for SWIRE galaxy sources fitting the protostar criteria (green). The SWIRE distribution is scaled so to represent the distribution of galaxies for a field equivalent in size to the Cygnus-X survey. The vertical lines shows our choice of the m_{24} cutoff (vertical blue bar), $m_{24} = 7.5$.




Fig. 6.— Fraction of fake stars recover at each test magnitude vs. $\log(\text{RMEDSQ})$. The curves are for magnitude (from the leftmost curve) $m_{24} = 7.125, 6.625, 6.125, 5.125, 4.625, 4.125$. The $m_{24} = 3.125$ and $m_{24} = 3.325$ test magnitudes did not show a decrease at high RMEDSQ and are not shown. The measured points are given by the asterisks and the lines are linear interpolations between those points. The horizontal bar shows 90% completeness and vertical bar shows $\text{RMEDSQ} = 10.41$. The m_{24} cutoff corresponding to $\text{RMEDSQ} = 10.41$, $m_{24} = 5.07$, is shown as a filled circle. We find that the fraction of sources detected declines with increasing RMEDSQ.




Fig. 7.— $\text{Log}(\langle \text{RMEDSQ} \rangle_{D_c})$ vs. $\text{log}(L_{\text{bol}}/L_{\odot})$ for protostar candidates in the full Cygnus-X sample (left), CygX-North sample (middle), and CygX-South sample (right). All protostar candidates projected on regions with $A_V > 3$ are shown in black or green. The luminosity cutoff L_{cut} and corresponding $\langle \text{RMEDSQ} \rangle_{D_c}$ cutoff are shown by the red lines. The sources below the $\langle \text{RMEDSQ} \rangle_{D_c}$ decrease are the nebulosity filtered sample. The nebulosity filtered sources which are above L_{cut} are used in our comparison of the luminosity functions; these are colored in green.




Fig. 8.— Luminosity functions for nebulosity filtered protostar candidates with contamination in the full Cygnus-X sample (left), CygX-North sample (middle), and CygX-South sample (right). Protostellar luminosity functions for the protostellar candidates which contain some contamination, are shown in black. The color histograms show the estimated luminosity functions of contamination from reddened Class II contamination (red), edge-on Class II sources (green), and star-forming galaxies (blue).




Fig. 9.— Luminosity functions of nebulosity filtered protostars with estimated luminosities of contamination from reddened disk sources, edge-on Class II sources, and background galaxies removed for the Cygnus-X sample (left), CygX-North sample (middle), and CygX-South sample (right). The vertical line shows the limiting L_{bol} (L_{cut}) found as the 90% completeness limit in Section 2.3.1.




Fig. 10.— *Spitzer* 3.6 μm (blue), 4.5 μm (green), and 24 μm (red) image of CygX-North. Protostar candidates projected on regions with $A_V > 3$ are shown as green filled circles; those with luminosities above $10 L_{\odot}$ are shown with blue centers.




Fig. 11.— *Spitzer* 3.6 μm (blue), 4.5 μm (green), and 24 μm (red) image of CygX-South. Protostar candidates projected on regions with $A_V > 3$ are shown as green filled circles; those with luminosities above $10 L_\odot$ are shown with blue centers.




Fig. 12.— Nearest neighbor distances (for 4th nearest-neighbor YSO) and calculated bolometric luminosity for the nebulosity filtered protostar candidates ($\langle \text{RMEDSQ} \rangle_{D_c} < 10.41$) in the entire Cygnus-X sample (left), CygX-North sample (middle), and CygX-South sample (right). The median protostar nn4 distance D_c is shown as a vertical red line, separating the sample into high and low stellar density populations.




Fig. 13.— $\langle \text{RMEDSQ} \rangle_{D_c}$ vs. nn4 distance for the entire Cygnus-X protostar candidate sample (left), CygX-North protostar candidate sample (middle), and CygX-South protostar candidate sample (right). The horizontal bar indicates the location of our RMEDSQ cut above which we reject sources due to nebulosity discussed in Section 2.3.1. The vertical bar shows D_c , the division between high and low stellar density populations. The protostar candidates with luminosity greater than $10 L_{\odot}$ are shown in green. We find the sources with highest $\langle \text{RMEDSQ} \rangle_{D_c}$, regardless of luminosity, in regions of higher stellar density.




Fig. 14.— Contamination subtracted luminosity functions of the nebulosity filtered protostars ($\langle \text{RMEDSQ} \rangle_{D_c}$ less than 10.41) in high (green) and low (blue) stellar density environments in the entire Cygnus-X cloud sample (left), CygX-North sample (middle), and CygX-South (right). The vertical line is L_{cut} , the 90% completeness limit. Each distribution is the average of the 1000 Monte Carlo trials of the contamination subtraction.




Fig. 15.— The distributions of m_{24} for YSOs in Cygnus-X. **Left:** Distributions of m_{24} for Class II sources within 0.62 pc (D_c) of nebulosity filtered protostars with $A_V > 3$ in high stellar density (green) or low stellar density (blue) environments. **Right:** the distributions of m_{24} for nebulosity filtered protostars with $A_V > 3$ in high stellar density (green) and low stellar density (blue) environments.




Fig. 16.— Luminosity functions for Cygnus-X, CygX-North, CygX-South (top row), low mass star-forming clouds within 1 kpc of the Sun (LMSFC), high mass star-forming cloud within 1 kpc of the Sun (HMSFC), and the Orion molecular clouds (bottom row). The HMSFC, LMSFC, and Orion luminosity functions are from KMG12. The red bars show the completeness limit in each region.

REFERENCES

- Allen, L. E., Calvet, N., D’Alessio, P., et al. 2004, *ApJS*, 154, 363
- Beerer, I. M., Koenig, X. P., Hora, J. L., et al. 2010, *ApJ*, 720, 679
- Bressert, E., Bastian, N., Gutermuth, R., et al. 2010, *MNRAS*, 409, L54
- Bonnell, I. A., Vine, S. G., & Bate, M. R. 2004, *MNRAS*, 349, 735
- Bonnell, I. A., Smith, R. J., Clark, P. C., & Bate, M. R. 2011, *MNRAS*, 410, 2339
- Bontemps, S., André, P., Kaas, A. A., et al. 2001, *A&A*, 372, 173
- Bontemps, S., Motte, F., Csengeri, T., & Schneider, N. 2010, *A&A*, 524, A18
- Calvet, N., Hartmann, L., Kenyon, S. J., & Whitney, B. A. 1994, *ApJ*, 434, 330
- Carpenter, J. M. 2000, *AJ*, 120, 3139
- Chapman, N. L., & Mundy, L. G. 2009, *ApJ*, 699, 1866
- Clark, P. C., Bonnell, I. A., & Klessen, R. S. 2008, *MNRAS*, 386, 3
- Comerón, F., & Pasquali, A. 2012, *A&A*, 543, A101
- Crapsi, A., van Dishoeck, E. F., Hogerheijde, M. R., Pontoppidan, K. M., & Dullemond, C. P. 2008, *A&A*, 486, 245
- Cutri, R. M., Skrutskie, M. F., van Dyk, S., et al. 2003, The IRSA 2MASS All-Sky Point Source Catalog, NASA/IPAC Infrared Science Archive
- Davis, C. J., Kumar, M. S. N., Sandell, G., et al. 2007, *MNRAS*, 374, 29
- Deharveng, L., Schuller, F., Anderson, L. D., Zavagno, A., Wyrowski, F., Menten, K. M., Bronfman, L., Testi, L., Walmsley, C. M. & Wienen, M. 2010 *A&A*, 523, 6
- Deharveng, L., Zavagno, A., Anderson, L. D., Motte, F., Abergel, A., André, P., Bontemps, S., Leleu, G., Roussel, H. and Russeil, D. 2012 *A&A*, 546, 74.
- Dickel, H. R., Wendker, H., & Bieritz, J. H. 1969, *A&A*, 1, 270
- Enoch, M. L., Evans, N. J., II, Sargent, A. I., & Glenn, J. 2009, *ApJ*, 692, 973
- Evans, N. J., II, Dunham, M. M., Jørgensen, J. K., et al. 2009, *ApJS*, 181, 321

- Fazio, G. G., Hora, J. L., Allen, L. E., et al. 2004, *ApJS*, 154, 10
- Fischer, W. J., Megeath, S. T., Ali, B., Tobin, J. J., Osorio, M., Allen, L. E., Kryukova, E., Stanke, T., Stutz, A. M., Bergin, E., Calvet, N., di Francesco, J., Furlan, E. Hartmann, L., Henning, T., Krause, O., Manoj, P., Maret, S., Muzerolle, J., Myers, P., Neufeld, D., Pontoppidan, K., Poteet, C. A., Watson, D. M. Wilson, T. 2010 *A&A*518, 122
- Greene, T. P., Wilking, B. A., Andre, P., Young, E. T., & Lada, C. J. 1994, *ApJ*, 434, 614
- Gutermuth, R. A., Pipher, J. L., Megeath, S. T., et al. 2011, *ApJ*, 739, 84
- Gutermuth, R. A., Megeath, S. T., Myers, P. C., et al. 2009, *ApJS*, 184, 18
- Gutermuth, R. A., et al. 2008, *ApJ*, 674, 336
- Hanson, M. M. 2003, *ApJ*, 597, 957
- Hartmann, L., Cassen, P., & Kenyon, S. J. 1997, *ApJ*, 475, 770
- Harvey, P., Merín, B., Huard, T. L., et al. 2007, *ApJ*, 663, 1149
- Hennemann, M., Motte, F., Schneider, N., et al. 2012, *A&A*, 543, L3
- Hsu, W.-H., Hartmann, L., Allen, L., et al. 2012, *ApJ*, 752, 59
- Hsu, W.-H., Hartmann, L., Allen, L., et al. 2012, *ApJ*, 764, 114
- Knödlseeder, J. 2000, *A&A*, 360, 539
- Krumholz, M. R., Cunningham, A. J., Klein, R. I., & McKee, C. F. 2010, *ApJ*, 713, 1120
- Kryukova, E., Megeath, S. T., Gutermuth, R. A., et al. 2012, *AJ*, 144, 31
- Lada, C. J., & Wilking, B. A. 1984, *ApJ*, 287, 610
- Landecker, T. L. 1984, *AJ*, 89, 95
- Lonsdale, C. J., Smith, H. E., Rowan-Robinson, M., et al. 2003, *PASP*, 115, 897
- Lucas, P. W., Hoare, M. G., Longmore, A., et al. 2008, *MNRAS*, 391, 136
- McClure, M. K., Furlan, E., Manoj, P., et al. 2010, *ApJS*, 188, 75
- McKee, C. F., & Tan, J. C. 2003, *ApJ*, 585, 850

- Massey, P., & Thompson, A. B. 1991, *AJ*, 101, 1408
- Megeath, S. T. & Wilson, T. L. 1997, *AJ*114, 1106
- Megeath, S. T., Allen, L. E., Gutermuth, R. A., et al. 2004, *ApJS*, 154, 367
- Megeath, S. T., Allgaier, E., Young, E., et al. 2009, *AJ*, 137, 4072
- Megeath, S. T., Gutermuth, R., Muzerolle, J., Kryukova, E., Flaherty, K., Hora, J., Allen, L. E., Hartmann, L., Myers, P. C., Pipher, J. L., Stauffer, J., Young, E. T., Fazio, G. G., et al. 2012, *AJ*, 144, 192
- Motte, F., Bontemps, S., Schilke, P., et al. 2007, *A&A*, 476, 1243
- Muzerolle, J., Megeath, S. T., Gutermuth, R. A., et al. 2004, *ApJS*, 154, 379
- Offner, S. S. R., & McKee, C. F. 2011, *ApJ*, 736, 53
- Palla, F., & Stahler, S. W. 1993, *ApJ*, 418, 414
- Polychroni, D., Schisano, E., Elia, D., Roy, A., Molinari, S., Martin, P., Andre, P., Tur-rini, D., Rygl, K. L. J., Benedettini, M., Busquet, G., di Giorgio, A. M., Pestalozzi, M., Pezzuto, S., Arzoumanian, D., Bontemps, S., Di Francesco, J., Hennemann, M., Hill, T., Konyves, V., Menshchikov, A., Motte, F., Nguyen-Luong, Q., Peretto, N., Schneider, N. and White, G. 2013arXiv1309.2332P
- Rieke, G. H., Young, E. T., Engelbracht, C. W., et al. 2004, *ApJS*, 154, 25
- Reipurth, B., & Schneider, N. 2008, *Handbook of Star Forming Regions*, Volume I, 36
- Robitaille, T. P., Whitney, B. A., Indebetouw, R., Wood, K., & Denzmore, P. 2006, *ApJS*, 167, 256
- Rygl, K. L. J., Brunthaler, A., Sanna, A., et al. 2012, *A&A*, 539, A79
- Schneider, N., Güsten, R., Tremblin, P., et al. 2012, *A&A*, 542, L18
- Schneider, N., Bontemps, S., Simon, R., et al. 2011, *A&A*, 529, A1
- Schneider, N., Csengeri, T., Bontemps, S., Motte, F., Simon, R., Hennebelle P., Federrath, C. & Klessen, R., *A&A*, 520, A49
- Schneider, N., Simon, R., Bontemps, S., Comerón, F., & Motte, F. 2007, *A&A*, 474, 873
- Schneider, N., Bontemps, S., Simon, R., et al. 2006, *A&A*, 458, 855

- Skrutskie, M. F., Cutri, R. M., Stiening, R., et al. 2006, *AJ*, 131, 1163
- , Stutz, A. M., Tobin, J. J., Stanke, T., Megeath, S. T., Fischer, W. J., Robitaille, T., Henning, T. Ali, B., di Francesco, J., Furlan, E., Hartmann, L., Osorio, M., Wilson, T. L., Allen, L., Krause, O. and Manoj, P. 2013 *ApJ*, 767, 36.
- Whitney, B. A., Indebetouw, R., Bjorkman, J. E., & Wood, K. 2004, *ApJ*, 617, 1177
- Wilson, B. A., Dame, T. M., Mashedier, M. R. W., & Thaddeus, P. 2005, *A&A*, 430, 523
- Winston, E., Megeath, S. T., Wolk, S. J., et al. 2007, *ApJ*, 669, 493
- Wright, N. J., Bouy, H., Drake, J. J., et al. 2012, *arXiv:1208.0211*
- Wright, N. J., Drake, J. J., Drew, J. E., et al. 2012, *ApJ*, 746, L21
- Wright, N. J., Drake, J. J., Drew, J. E., & Vink, J. S. 2010, *ApJ*, 713, 871
- Zapata, L. A., Loinard, L., Su, Y.-N., et al. 2012, *ApJ*, 744, 86

Table 4. Properties of Protostar Candidates

UKIDSS/2MASS					IRAC			MIPS		α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu m$ (unc)	$4.5 \mu m$ (unc)	$5.8 \mu m$ (unc)	$8.0 \mu m$ (unc)	$24 \mu m$ (unc)			
20:16:09.96	42:05:01.28	...	...	...	13.98±0.01	12.87±0.01	12.13±0.04	11.35±0.06	6.28±0.05	0.760	1.141	-0.25
20:16:29.75	39:26:32.98	14.73±0.04	13.13±0.03	12.09±0.02	10.13±0.01	9.20±0.01	8.40±0.01	7.54±0.01	4.24±0.02	-0.13	1.141	0.827
20:16:33.22	39:26:27.78	...	...	14.33±0.09	13.17±0.01	11.56±0.01	10.26±0.01	9.24±0.02	5.64±0.05	0.550	1.383	0.199
20:16:43.74	39:23:20.45	...	...	...	8.40±0.01	6.56±0.01	5.41±0.01	4.56±0.01	0.66±0.01	0.600	0.989	2.132
20:16:48.80	39:22:08.67	...	...	...	14.26±0.02	12.83±0.01	12.45±0.05	12.86±0.40	5.07±0.03	1.410	2.053	0.309
20:16:53.48	39:22:06.50	...	...	...	14.08±0.03	12.68±0.02	11.62±0.04	10.75±0.09	5.46±0.04	1.150	2.839	0.194
20:16:59.12	39:21:03.93	...	...	...	11.27±0.02	8.62±0.01	6.82±0.01	5.43±0.01	0.09±0.01	2.170	1.882	2.724
20:16:59.49	39:29:53.36	...	14.50±0.07	12.85±0.04	10.90±0.01	9.86±0.01	8.88±0.01	7.76±0.01	3.53±0.02	0.610	2.906	0.935
20:17:03.11	39:20:44.97	...	...	...	13.61±0.02	12.53±0.04	11.59±0.05	10.50±0.06	5.79±0.11	0.830	2.017	0.004
20:17:21.57	39:20:50.38	...	...	...	14.01±0.04	13.11±0.03	12.22±0.11	11.16±0.20	6.96±0.26	0.480	4.382	-0.53
20:17:22.52	39:18:12.11	...	...	...	13.81±0.02	12.95±0.02	12.22±0.09	11.43±0.26	6.41±0.33	0.660	11.83	-0.34
20:17:28.25	41:58:24.79	...	14.95±0.11	13.46±0.06	11.52±0.02	10.26±0.01	9.21±0.04	8.54±0.09	3.18±0.06	1.030	10.18	1.092
20:17:29.31	41:58:35.04	14.78±0.03	13.19±0.03	12.13±0.02	10.73±0.01	9.92±0.01	9.25±0.01	8.49±0.04	4.12±0.14	0.270	10.81	0.637
20:17:40.11	39:21:28.06	14.26±0.05	12.49±0.03	11.24±0.03	9.54±0.01	8.77±0.01	8.06±0.01	7.37±0.03	3.59±0.08	-0.06	10.31	1.015
20:17:40.17	39:20:37.37	...	15.06±0.08	13.49±0.04	11.87±0.01	11.20±0.01	10.68±0.03	9.96±0.10	5.46±0.58	0.200	19.60	0.054
20:17:40.37	39:21:11.79	...	...	...	13.50±0.04	11.55±0.01	10.20±0.03	9.22±0.05	3.26±0.09	1.850	19.57	1.270
20:17:43.45	39:20:17.39	13.36±0.02	...	...	11.43±0.03	11.18±0.03	9.61±0.13	7.97±0.14	3.43±0.09	1.110	0.948	1.153
20:17:45.90	39:20:40.12	...	14.73±0.07	13.03±0.04	10.43±0.01	8.96±0.01	7.95±0.01	7.36±0.03	2.86±0.04	0.590	1.537	1.162
20:17:47.16	39:20:18.80	...	...	...	10.53±0.01	9.65±0.01	8.98±0.03	8.22±0.06	4.40±0.12	0.010	76.68	0.530
20:17:54.59	41:24:13.98	...	...	...	14.23±0.02	13.54±0.01	12.63±0.03	10.94±0.02	7.46±0.07	0.410	35.79	-0.67
20:18:00.79	41:55:16.93	...	15.01±0.09	13.02±0.03	10.24±0.01	8.75±0.01	7.74±0.01	6.98±0.01	3.04±0.06	0.410	30.67	1.083
20:18:01.96	41:55:16.14	...	...	13.27±0.06	9.37±0.01	7.91±0.01	6.98±0.01	6.09±0.01	2.01±0.03	0.500	35.25	1.499
20:18:19.50	40:56:41.93	...	...	...	...	...	11.31±0.09	9.55±0.09	5.25±0.07	0.890	30.26	0.202
20:18:24.72	40:56:52.16	...	...	...	12.53±0.01	...	...	7.72±0.04	3.94±0.08	1.170	4.278	0.937
20:18:28.33	41:55:06.36	12.93±0.02	12.19±0.02	11.78±0.02	11.20±0.01	10.89±0.01	9.60±0.06	8.02±0.07	3.70±0.04	0.850	0.475	1.201
20:18:34.70	40:59:12.78	...	...	...	...	11.97±0.01	...	7.47±0.02	3.25±0.02	1.700	1.003	1.357
20:18:34.90	40:59:59.02	...	...	...	13.01±0.03	...	...	8.60±0.06	4.81±0.16	1.000	1.069	0.503
20:18:36.17	40:59:44.40	...	...	...	...	13.90±0.04	11.19±0.03	9.47±0.03	5.00±0.14	1.640	-100.	0.642
20:18:36.40	41:35:13.68	...	...	...	14.14±0.01	13.43±0.01	13.18±0.05	12.58±0.06	7.38±0.16	0.380	0.886	-0.88
20:18:41.85	41:01:30.15	16.51±0.14	14.84±0.09	13.61±0.04	11.42±0.01	10.64±0.01	9.69±0.01	8.44±0.01	5.82±0.23	-0.22	0.300	0.311
20:18:43.18	42:09:04.00	...	...	...	14.65±0.07	13.66±0.03	12.39±0.10	11.20±0.20	7.21±0.24	0.650	51.87	-0.52
20:18:53.59	41:13:08.95	...	...	...	...	14.01±0.07	...	...	5.39±0.07	1.840	43.56	0.291
20:18:53.70	41:13:09.76	...	...	...	...	...	11.10±0.08	9.23±0.08	5.39±0.07	0.630	37.84	0.092
20:18:55.40	41:13:21.10	...	...	...	14.65±0.05	...	...	10.27±0.06	6.40±0.20	1.030	37.84	-0.13
20:19:03.24	41:13:09.28	...	...	...	...	...	...	8.81±0.06	4.24±0.03	0.840	34.18	0.474
20:19:05.19	42:16:07.84	...	...	...	14.73±0.07	13.55±0.02	12.87±0.17	11.58±0.31	7.01±0.33	0.770	-49.7	-0.49
20:19:07.30	40:55:14.27	...	...	...	...	...	...	8.52±0.03	4.68±0.33	0.250	2.094	0.053
20:19:15.62	42:13:41.07	...	...	12.78±0.05	9.92±0.01	9.24±0.01	6.67±0.02	4.98±0.03	1.15±0.02	1.370	1.646	2.222
20:19:19.22	40:05:46.20	...	...	...	12.99±0.01	11.94±0.01	11.03±0.01	9.98±0.03	6.48±0.04	0.170	1.815	-0.29
20:19:22.30	41:01:11.92	...	...	...	...	...	...	11.45±0.04	6.88±0.42	0.850	1.594	-0.57
20:19:22.61	40:48:02.28	...	...	...	13.65±0.01	12.90±0.01	12.19±0.05	11.42±0.12	6.99±0.14	0.310	1.734	-0.68
20:19:24.45	41:06:11.10	16.24±0.10	14.48±0.05	13.38±0.04	11.70±0.01	10.93±0.01	10.17±0.01	9.13±0.02	6.14±0.07	-0.25	1.906	0.183
20:19:35.47	40:07:37.48	16.10±0.12	15.37±0.14	14.53±0.12	13.95±0.04	13.45±0.03	12.53±0.10	10.81±0.12	6.14±0.05	0.980	1.191	0.141
20:19:39.15	41:11:02.52	...	...	...	13.87±0.03	12.09±0.01	11.28±0.04	10.77±0.17	3.54±0.02	1.930	2.190	1.125
20:19:45.47	39:44:01.49	12.98±0.02	11.83±0.01	10.97±0.01	9.25±0.01	8.42±0.01	7.78±0.01	6.85±0.01	3.27±0.01	-0.04	0.243	1.189
20:19:46.94	40:55:24.50	...	...	...	...	...	...	9.11±0.05	4.44±0.16	0.940	0.328	0.428
20:19:47.26	41:05:08.77	...	...	...	14.24±0.04	11.88±0.01	10.60±0.03	9.61±0.05	5.76±0.13	0.860	0.287	0.227
20:19:48.75	40:52:20.89	13.84±0.04	12.72±0.03	12.28±0.02	11.69±0.01	11.35±0.01	10.82±0.03	9.85±0.05	3.61±0.09	1.140	0.514	1.124
20:19:49.77	42:00:11.20	...	...	...	15.82±0.12	14.98±0.06	14.12±0.24	12.01±0.23	6.82±0.10	1.530	0.164	-0.23
20:19:53.59	39:43:06.87	...	...	14.29±0.08	12.56±0.01	11.64±0.01	10.82±0.01	9.93±0.04	6.34±0.08	0.050	0.362	-0.16

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:19:57.91	41:16:16.80	...	...	14.10±0.12	11.37±0.01	10.20±0.01	9.17±0.01	8.24±0.01	3.76±0.02	0.700	0.317	0.819	
20:20:05.69	40:50:30.30	16.20±0.10	14.39±0.06	12.94±0.03	10.99±0.01	10.14±0.01	9.31±0.04	8.23±0.06	3.63±0.08	0.650	0.297	0.869	
20:20:06.65	40:19:18.61	...	...	...	...	...	9.89±0.03	8.85±0.06	3.13±0.02	1.530	0.239	1.177	
20:20:06.73	40:19:17.51	...	...	...	13.50±0.01	11.14±0.01	...	...	3.13±0.02	1.880	0.323	1.234	
20:20:15.30	41:03:02.53	...	...	...	...	...	...	10.27±0.06	5.90±0.14	0.680	-42.4	-0.24	
20:20:16.17	41:04:30.12	...	...	...	14.19±0.08	12.88±0.02	11.70±0.14	...	5.36±0.06	1.290	1.960	0.187	
20:20:16.90	40:15:19.91	16.95±0.19	14.48±0.06	12.26±0.02	10.49±0.01	9.34±0.01	8.29±0.01	7.43±0.01	3.81±0.02	0.220	0.273	0.800	
20:20:17.83	41:10:19.90	15.32±0.05	12.85±0.03	11.37±0.02	10.07±0.01	9.18±0.01	8.39±0.01	7.56±0.01	3.48±0.02	0.240	0.184	0.909	
20:20:18.55	41:10:14.31	...	13.85±0.06	12.47±0.03	10.74±0.01	9.73±0.01	8.97±0.01	8.27±0.04	4.49±0.07	0.040	0.184	0.589	
20:20:18.82	41:10:33.12	...	...	...	14.40±0.04	13.29±0.03	12.78±0.09	12.08±0.23	4.92±0.10	1.670	0.222	0.466	
20:20:19.08	40:58:02.18	...	...	...	14.12±0.02	12.90±0.01	11.74±0.03	10.67±0.06	6.28±0.09	0.800	1.960	-0.14	
20:20:21.25	40:48:13.82	...	...	...	...	...	12.41±0.09	...	6.44±0.18	0.930	1.570	-0.46	
20:20:24.54	41:19:31.11	11.25±0.02	11.09±0.02	10.95±0.02	10.32±0.01	9.79±0.01	8.89±0.02	7.22±0.03	1.34±0.01	1.570	0.259	2.162	
20:20:27.33	41:15:54.90	...	15.85±0.16	14.14±0.07	12.07±0.02	11.35±0.01	10.54±0.08	9.36±0.15	5.19±0.12	0.440	2.508	0.195	
20:20:29.63	41:23:08.19	...	15.81±0.16	13.71±0.05	11.65±0.01	10.57±0.01	9.60±0.01	8.66±0.03	4.19±0.06	0.640	1.946	0.643	
20:20:31.78	40:55:44.19	...	...	...	...	...	...	11.85±0.06	6.65±0.07	1.370	0.482	-0.30	
20:20:32.02	41:23:54.09	...	...	...	13.11±0.02	11.65±0.01	10.91±0.03	10.84±0.12	3.86±0.02	1.440	0.482	0.830	
20:20:34.29	41:15:13.53	...	...	...	12.61±0.01	11.76±0.01	10.45±0.01	8.75±0.01	5.45±0.03	0.560	0.482	0.261	
20:20:35.54	39:56:03.98	...	...	...	14.75±0.06	13.85±0.03	13.22±0.18	12.26±0.36	7.24±0.12	0.720	0.386	-0.66	
20:20:35.78	41:56:53.98	...	...	...	...	...	...	10.63±0.05	6.35±0.10	0.610	2.047	-0.46	
20:20:36.15	40:57:53.58	...	...	...	13.68±0.01	12.55±0.01	11.57±0.02	10.61±0.05	6.67±0.09	0.400	2.152	-0.41	
20:20:38.92	39:38:17.83	...	...	...	12.07±0.11	10.08±0.04	8.43±0.03	7.03±0.03	1.43±0.08	2.050	1.827	2.107	
20:20:42.32	42:19:09.66	...	...	14.86±0.12	13.31±0.01	12.60±0.01	11.84±0.03	10.74±0.07	6.71±0.12	0.300	2.031	-0.46	
20:20:42.73	41:12:57.95	...	...	...	...	13.70±0.07	...	...	5.76±0.27	1.460	0.386	-0.00	
20:20:43.37	42:19:39.27	...	...	...	14.96±0.05	13.95±0.03	13.04±0.13	12.12±0.30	7.43±0.20	0.690	1.724	-0.70	
20:20:43.61	39:35:49.17	...	...	...	13.31±0.11	11.94±0.03	10.72±0.21	9.54±0.43	4.82±0.42	1.100	2.242	0.496	
20:20:44.56	39:35:20.82	14.47±0.06	12.46±0.05	11.13±0.03	9.09±0.02	7.80±0.01	6.82±0.03	5.87±0.06	2.02±0.11	0.390	0.467	1.509	
20:20:44.78	39:35:13.02	...	13.78±0.05	12.31±0.04	10.77±0.04	9.63±0.01	8.80±0.12	7.67±0.24	3.03±0.25	0.780	2.071	1.156	
20:20:45.75	41:25:04.04	...	...	...	15.21±0.08	13.78±0.02	13.70±0.32	...	5.19±0.12	1.970	1.573	0.449	
20:20:46.58	41:25:13.95	16.06±0.09	14.05±0.04	12.64±0.02	11.86±0.01	10.54±0.01	9.56±0.01	8.51±0.02	3.65±0.03	0.970	2.272	0.994	
20:20:49.83	39:34:30.48	10.20±0.02	9.78±0.01	9.55±0.01	9.42±0.01	9.24±0.01	8.92±0.03	7.51±0.05	1.71±0.05	1.020	1.636	2.148	
20:20:51.55	41:22:04.76	...	...	...	13.73±0.02	12.70±0.01	11.82±0.03	10.24±0.04	7.05±0.06	0.290	0.141	-0.51	
20:20:54.81	40:58:18.95	...	...	...	12.85±0.01	11.29±0.01	10.07±0.01	9.18±0.02	4.84±0.03	0.800	0.321	0.455	
20:20:58.39	39:35:42.44	...	...	...	15.66±0.33	13.94±0.07	...	...	5.68±0.14	1.810	36.32	0.178	
20:21:03.27	37:54:17.71	...	...	14.79±0.14	13.60±0.01	12.10±0.01	10.88±0.01	9.81±0.03	4.93±0.03	1.160	24.18	0.482	
20:21:04.22	39:50:43.21	...	...	...	12.30±0.01	10.89±0.01	9.49±0.01	8.03±0.01	3.68±0.02	1.160	24.18	1.027	
20:21:04.57	40:17:35.95	...	14.95±0.06	13.51±0.05	12.05±0.01	11.30±0.01	10.46±0.01	9.26±0.01	5.85±0.02	0.090	28.05	0.085	
20:21:08.45	40:33:43.26	...	...	...	15.32±0.05	14.19±0.03	13.51±0.08	12.21±0.14	5.79±0.05	1.710	0.309	0.162	
20:21:18.55	42:08:14.72	16.15±0.12	15.15±0.10	14.47±0.08	13.87±0.02	13.83±0.02	12.98±0.14	11.36±0.14	6.42±0.12	0.910	6.135	0.047	
20:21:18.68	41:19:58.86	...	...	...	...	14.56±0.07	...	11.43±0.19	7.28±0.20	1.010	0.473	-0.54	
20:21:23.32	37:53:48.88	...	...	...	...	...	...	12.00±0.06	5.87±0.11	2.140	0.352	0.278	
20:21:23.78	41:26:10.74	...	...	...	...	14.72±0.06	...	...	5.95±0.09	1.910	3.975	0.097	
20:21:29.06	41:15:33.31	...	...	...	...	...	11.90±0.09	10.03±0.09	5.91±0.10	0.820	0.239	-0.06	
20:21:35.45	41:03:08.01	16.26±0.10	15.04±0.09	14.57±0.11	13.74±0.03	13.61±0.02	12.70±0.10	11.22±0.14	6.20±0.17	0.920	0.396	0.090	
20:21:35.70	37:25:20.92	...	...	...	11.60±0.08	10.69±0.04	8.07±0.08	6.38±0.09	1.64±0.10	1.920	0.268	2.068	
20:21:39.20	37:39:56.92	...	...	13.84±0.06	11.71±0.01	10.79±0.01	10.15±0.01	9.41±0.04	5.42±0.12	0.080	0.787	0.115	
20:21:42.46	38:04:48.03	...	...	...	14.38±0.02	13.11±0.01	12.28±0.02	11.58±0.04	5.71±0.02	1.210	0.997	0.059	
20:21:45.75	37:30:44.26	...	...	...	12.81±0.10	11.78±0.05	...	...	2.41±0.09	2.160	0.802	1.626	
20:21:47.90	37:30:17.31	...	...	...	9.94±0.01	7.86±0.01	6.43±0.01	5.52±0.02	0.58±0.03	1.360	0.773	2.283	
20:21:50.37	37:30:11.04	...	...	13.68±0.06	11.77±0.07	10.53±0.05	...	...	0.34±0.05	2.640	0.787	2.666	

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:21:50.96	37:30:20.83	...	...	...	12.86±0.22	10.78±0.07	8.98±0.19	7.42±0.23	0.87±0.06	2.720	0.917	2.546	
20:21:53.49	39:59:36.69	...	...	12.55±0.03	9.52±0.01	8.38±0.01	7.47±0.02	6.65±0.03	2.18±0.03	0.560	0.929	1.394	
20:21:54.25	40:14:52.29	10.76±0.02	10.12±0.01	9.78±0.01	9.59±0.01	9.44±0.01	9.30±0.03	8.15±0.07	2.38±0.06	0.770	0.089	1.831	
20:21:54.75	40:19:18.38	...	...	...	14.81±0.03	13.96±0.02	13.19±0.06	11.83±0.05	7.40±0.13	0.690	0.746	-0.66	
20:21:54.92	41:58:48.09	...	...	...	...	...	12.10±0.09	10.11±0.08	5.70±0.06	1.070	0.929	0.084	
20:21:54.96	39:59:45.08	15.35±0.07	12.41±0.03	9.83±0.01	6.93±0.01	5.49±0.01	4.48±0.01	3.66±0.01	0.22±0.01	0.170	0.704	2.259	
20:21:55.09	37:29:53.94	...	...	...	10.64±0.01	9.45±0.01	8.46±0.01	7.69±0.01	3.47±0.02	0.460	0.847	0.861	
20:21:56.33	41:00:49.74	...	...	...	...	...	10.97±0.03	...	4.58±0.07	1.200	1.230	0.380	
20:21:57.75	37:27:22.22	...	...	14.35±0.09	10.85±0.01	10.18±0.01	9.48±0.01	8.76±0.01	4.76±0.03	0.040	1.046	0.362	
20:21:59.04	40:33:46.48	15.92±0.07	14.61±0.06	13.42±0.04	11.24±0.01	10.41±0.01	9.45±0.01	7.92±0.01	5.17±0.02	0.010	1.041	0.461	
20:21:59.29	39:56:27.40	...	...	...	14.20±0.03	12.88±0.01	13.33±0.23	...	5.99±0.12	1.080	0.223	-0.15	
20:21:59.39	37:29:29.69	14.71±0.03	13.28±0.03	12.52±0.02	11.98±0.01	11.63±0.01	11.24±0.04	10.34±0.08	3.25±0.05	1.470	0.288	1.233	
20:22:01.03	41:40:24.03	...	...	...	...	...	...	11.21±0.04	7.04±0.13	0.520	0.358	-0.77	
20:22:01.39	39:25:39.62	...	...	...	...	13.87±0.06	...	...	6.21±0.21	1.300	0.358	-0.25	
20:22:02.85	37:29:11.81	...	15.70±0.14	14.09±0.07	12.02±0.01	10.95±0.01	10.07±0.02	9.23±0.04	5.55±0.08	0.140	0.371	0.112	
20:22:03.67	37:29:09.47	...	...	...	14.34±0.05	12.50±0.01	11.33±0.04	10.73±0.08	5.91±0.12	0.940	0.299	0.025	
20:22:06.10	39:57:18.07	...	...	...	12.39±0.05	11.23±0.02	10.14±0.12	8.91±0.20	4.55±0.12	0.830	0.425	0.552	
20:22:07.90	40:06:38.13	...	...	...	12.39±0.01	11.72±0.01	11.19±0.06	10.34±0.14	4.89±0.04	0.770	0.409	0.255	
20:22:08.10	40:07:14.56	16.04±0.08	13.97±0.03	12.37±0.02	10.53±0.01	9.47±0.01	8.66±0.01	7.97±0.02	4.37±0.04	-0.02	0.508	0.679	
20:22:10.34	40:46:59.93	13.30±0.02	12.16±0.01	11.57±0.01	10.64±0.01	9.98±0.01	9.33±0.01	7.99±0.01	4.32±0.02	0.180	0.466	0.809	
20:22:14.41	37:28:27.35	...	...	...	14.20±0.05	12.35±0.01	10.93±0.02	9.82±0.03	4.48±0.02	1.610	0.227	0.749	
20:22:15.31	40:06:26.03	15.07±0.04	13.04±0.02	11.63±0.01	9.48±0.01	8.62±0.01	7.84±0.01	7.03±0.01	3.37±0.02	0.010	0.276	1.042	
20:22:16.24	37:28:23.58	...	...	...	10.49±0.01	8.96±0.01	7.64±0.01	6.74±0.01	3.19±0.02	0.440	136.9	1.101	
20:22:16.78	37:30:58.55	...	...	14.38±0.09	12.17±0.01	11.39±0.01	9.66±0.01	8.02±0.01	2.62±0.01	1.770	0.192	1.531	
20:22:19.13	37:28:28.89	...	...	...	12.47±0.02	11.62±0.02	10.83±0.02	10.13±0.04	6.04±0.04	0.170	0.131	-0.21	
20:22:19.57	40:05:51.25	...	...	...	13.27±0.04	11.81±0.01	11.01±0.07	10.37±0.18	5.58±0.07	0.670	161.2	0.040	
20:22:20.03	39:58:22.96	...	...	...	10.95±0.01	9.25±0.01	8.09±0.03	7.47±0.08	2.54±0.33	0.960	0.195	1.362	
20:22:20.31	41:18:24.16	...	...	...	11.85±0.01	10.54±0.01	10.03±0.03	10.08±0.13	2.44±0.02	1.550	193.1	1.410	
20:22:21.52	38:02:00.36	...	...	...	13.47±0.01	11.38±0.01	9.86±0.01	8.46±0.01	3.69±0.01	1.590	0.332	1.130	
20:22:21.97	41:18:11.71	...	...	...	...	10.84±0.01	...	...	5.58±0.12	-0.02	209.7	-0.35	
20:22:22.13	41:16:22.63	...	...	...	14.74±0.07	13.12±0.02	11.67±0.05	10.64±0.09	5.86±0.10	1.230	0.245	0.133	
20:22:22.61	41:43:46.50	...	...	...	...	...	12.79±0.07	...	7.18±0.24	0.700	0.190	-0.85	
20:22:24.04	39:57:26.30	...	...	14.66±0.11	12.08±0.06	10.80±0.02	9.74±0.16	8.65±0.33	3.20±0.25	1.320	0.772	1.139	
20:22:24.72	40:04:55.97	15.74±0.07	13.10±0.02	11.09±0.01	8.72±0.01	7.35±0.01	6.01±0.01	4.87±0.01	1.70±0.02	0.340	0.197	1.718	
20:22:25.37	39:57:59.41	...	...	...	11.13±0.04	9.46±0.01	8.39±0.10	7.68±0.28	2.51±0.03	1.090	1.156	1.379	
20:22:28.73	41:47:43.53	...	...	...	15.60±0.11	14.40±0.05	12.77±0.09	11.55±0.13	7.50±0.15	0.930	11.03	-0.52	
20:22:30.98	41:28:47.62	16.18±0.10	13.44±0.03	11.44±0.01	9.47±0.01	8.48±0.01	7.31±0.01	6.20±0.01	2.77±0.02	0.270	11.03	1.217	
20:22:40.78	41:07:46.35	...	...	...	...	...	13.10±0.09	11.36±0.07	6.98±0.16	0.940	0.210	-0.47	
20:22:43.38	41:03:25.27	...	...	...	...	13.47±0.10	...	8.46±0.03	4.60±0.04	1.730	1.399	0.903	
20:22:45.07	41:45:17.98	...	...	...	14.59±0.05	13.55±0.03	12.29±0.09	10.90±0.14	7.09±0.35	0.680	0.157	-0.43	
20:22:46.42	41:20:13.83	...	...	...	...	...	...	10.91±0.04	6.27±0.38	0.920	1.520	-0.30	
20:22:46.84	41:06:59.87	...	...	...	15.42±0.05	14.45±0.03	13.32±0.07	11.97±0.05	7.10±0.09	1.120	1.520	-0.44	
20:22:48.68	38:35:35.85	...	...	14.76±0.12	13.62±0.01	12.78±0.01	12.24±0.03	11.63±0.07	7.23±0.06	0.150	18.99	-0.62	
20:22:52.66	40:37:21.25	...	...	...	...	...	...	10.83±0.03	6.09±0.06	1.000	1.399	-0.20	
20:22:56.18	37:30:07.19	...	...	...	...	11.72±0.01	10.70±0.01	9.95±0.03	5.75±0.02	0.350	0.209	-0.18	
20:22:58.43	37:33:17.01	...	...	...	...	11.91±0.01	11.93±0.03	11.08±0.06	6.76±0.06	0.110	0.164	-0.58	
20:22:59.86	38:00:13.15	...	...	...	15.18±0.05	14.19±0.03	13.15±0.06	11.92±0.04	7.48±0.06	0.790	0.120	-0.65	
20:22:59.91	37:23:57.86	...	...	...	14.78±0.04	13.37±0.02	12.66±0.06	11.80±0.10	6.91±0.07	0.780	0.127	-0.47	
20:23:00.46	37:24:22.41	...	...	...	10.25±0.01	8.95±0.01	7.84±0.01	6.85±0.01	2.85±0.01	0.560	0.548	1.192	
20:23:01.40	41:10:11.69	...	...	...	15.07±0.07	13.68±0.03	12.43±0.06	11.17±0.05	7.29±0.15	0.740	1.288	-0.48	

33
|

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:23:01.55	37:22:48.32	...	...	...	13.39±0.01	12.59±0.01	11.84±0.03	10.87±0.04	7.05±0.09	0.140	0.117	-0.58	
20:23:02.46	37:25:32.11	...	...	...	14.99±0.04	12.92±0.01	11.84±0.02	11.00±0.03	6.50±0.03	0.930	0.678	-0.16	
20:23:02.60	37:23:00.65	...	...	...	13.36±0.01	12.06±0.01	11.25±0.01	10.47±0.02	5.97±0.03	0.550	0.295	-0.13	
20:23:04.18	37:20:55.76	...	...	...	12.19±0.01	11.42±0.01	10.69±0.01	9.81±0.01	5.01±0.03	0.570	0.260	0.198	
20:23:04.33	41:22:45.39	...	...	...	...	...	12.47±0.06	10.57±0.02	7.09±0.12	0.390	0.260	-0.66	
20:23:05.80	38:33:39.38	...	...	...	11.73±0.01	9.67±0.01	8.38±0.01	7.59±0.01	2.71±0.01	1.200	4.100	1.387	
20:23:05.97	37:22:50.24	...	...	...	...	12.19±0.02	...	...	4.31±0.02	1.430	3.775	0.557	
20:23:08.41	42:01:02.21	14.85±0.04	12.78±0.03	11.55±0.03	10.35±0.01	9.63±0.01	8.97±0.01	7.93±0.02	3.87±0.02	0.240	8.656	0.788	
20:23:08.78	37:28:42.28	...	16.08±0.19	14.65±0.11	12.66±0.01	11.74±0.01	11.07±0.01	10.35±0.03	6.46±0.04	0.040	0.773	-0.23	
20:23:09.15	37:28:32.67	...	15.72±0.15	14.46±0.09	12.59±0.01	11.79±0.01	11.09±0.01	10.19±0.03	6.18±0.03	0.180	35.74	-0.18	
20:23:09.73	37:29:57.76	...	...	...	14.83±0.04	12.92±0.01	11.61±0.02	10.49±0.03	6.15±0.02	1.070	35.74	0.032	
20:23:09.82	38:34:11.80	...	...	...	14.05±0.04	12.37±0.02	11.24±0.02	10.11±0.04	3.28±0.01	2.200	0.737	1.346	
20:23:10.51	41:35:10.15	...	...	...	15.17±0.25	13.56±0.05	12.90±0.22	...	6.53±0.52	1.160	35.02	-0.32	
20:23:11.14	41:35:09.93	...	...	...	13.61±0.07	12.59±0.02	11.67±0.10	10.65±0.22	5.53±0.19	0.970	45.94	0.111	
20:23:11.76	41:23:56.37	...	...	...	...	...	10.96±0.02	9.11±0.02	4.58±0.04	1.090	9.782	0.526	
20:23:12.00	41:12:23.15	...	...	...	...	...	...	10.66±0.08	7.37±0.20	-0.21	0.448	-0.88	
20:23:14.18	39:58:41.32	12.33±0.02	11.66±0.02	11.32±0.01	11.08±0.01	10.88±0.01	10.47±0.03	9.29±0.06	3.85±0.03	0.750	0.502	1.219	
20:23:14.67	37:34:48.91	...	...	...	16.10±0.10	14.16±0.03	12.93±0.09	11.93±0.14	7.12±0.04	1.210	10.12	-0.37	
20:23:15.46	37:42:41.70	...	...	...	13.77±0.01	13.01±0.01	11.44±0.01	9.85±0.01	7.01±0.04	0.360	10.21	-0.36	
20:23:18.72	37:36:09.73	...	...	...	14.67±0.04	12.80±0.01	12.22±0.06	12.07±0.23	5.19±0.02	1.470	1.121	0.318	
20:23:19.04	37:35:01.14	...	...	...	12.82±0.01	11.65±0.01	11.00±0.02	10.26±0.05	6.53±0.11	0.030	1.121	-0.30	
20:23:19.05	37:29:56.37	...	...	...	13.24±0.01	12.30±0.01	11.69±0.03	11.10±0.05	6.60±0.10	0.250	0.220	-0.51	
20:23:19.49	37:30:21.36	15.61±0.06	13.65±0.03	12.08±0.02	10.01±0.01	8.94±0.01	7.97±0.01	7.03±0.01	3.58±0.01	0.120	89.31	0.948	
20:23:19.93	37:29:57.72	...	15.15±0.08	13.53±0.04	11.32±0.01	10.45±0.01	9.65±0.01	8.74±0.01	5.24±0.03	-0.01	0.967	0.307	
20:23:20.01	37:33:20.43	...	...	14.27±0.08	11.74±0.01	10.66±0.01	9.67±0.01	8.67±0.01	5.24±0.02	0.150	0.126	0.241	
20:23:21.32	37:35:14.13	...	...	...	...	...	...	7.18±0.08	3.10±0.04	0.450	0.967	0.763	
20:23:21.38	37:35:37.95	...	...	...	13.46±0.04	12.48±0.03	11.52±0.04	10.18±0.03	5.63±0.12	0.870	0.112	0.096	
20:23:21.97	37:34:18.89	...	...	...	...	13.52±0.04	...	12.99±0.34	5.65±0.03	1.670	0.276	0.150	
20:23:22.09	37:35:07.86	...	...	12.65±0.05	10.62±0.03	9.10±0.01	8.03±0.03	7.11±0.04	2.64±0.03	0.800	0.413	1.325	
20:23:22.22	37:33:26.88	...	...	...	13.84±0.05	12.76±0.03	11.75±0.03	10.72±0.04	6.13±0.04	0.770	0.321	-0.13	
20:23:22.52	37:36:55.21	...	...	...	12.31±0.01	10.98±0.01	9.98±0.01	9.29±0.03	5.58±0.02	0.200	0.321	0.044	
20:23:22.96	37:35:48.77	...	...	...	12.08±0.01	10.85±0.01	10.02±0.01	9.10±0.02	4.40±0.02	0.720	13.28	0.528	
20:23:23.10	37:33:24.33	...	15.62±0.17	14.27±0.09	12.56±0.01	11.72±0.02	11.06±0.03	10.20±0.03	6.56±0.04	-0.04	5.478	-0.18	
20:23:23.73	37:35:35.16	...	...	...	11.69±0.11	9.80±0.06	8.88±0.05	8.51±0.05	1.29±0.02	1.930	6.364	2.032	
20:23:24.86	37:34:14.04	...	...	...	13.39±0.01	11.38±0.01	10.17±0.01	9.37±0.02	6.22±0.04	0.270	6.364	-0.08	
20:23:27.33	37:34:53.87	...	14.89±0.13	11.83±0.03	8.31±0.01	6.90±0.01	5.52±0.01	4.25±0.01	0.43±0.01	0.780	6.364	2.290	
20:23:28.46	37:34:21.65	...	15.49±0.11	12.84±0.02	10.10±0.01	9.01±0.01	8.09±0.01	7.26±0.01	4.19±0.04	-0.16	0.105	0.830	
20:23:29.53	40:03:00.20	...	...	...	...	...	...	10.49±0.04	6.46±0.10	0.410	0.117	-0.60	
20:23:32.17	41:25:11.95	...	...	...	14.93±0.21	12.70±0.02	12.17±0.29	...	5.69±0.19	1.320	0.251	0.077	
20:23:32.98	38:14:19.92	...	...	...	13.19±0.01	12.12±0.01	11.30±0.01	10.54±0.01	6.51±0.03	0.240	0.286	-0.40	
20:23:33.54	41:15:40.11	14.27±0.02	12.49±0.02	11.24±0.01	9.38±0.01	8.49±0.01	7.80±0.01	7.03±0.01	3.33±0.02	-0.03	0.286	1.096	
20:23:34.16	41:15:22.63	...	...	...	...	...	12.72±0.07	...	7.32±0.19	0.560	0.208	-0.97	
20:23:34.39	40:15:45.45	...	...	...	...	...	...	11.18±0.08	7.23±0.38	0.340	0.111	-0.95	
20:23:35.81	41:25:23.53	...	...	14.94±0.15	13.04±0.01	11.75±0.01	10.98±0.04	10.11±0.08	5.88±0.16	0.450	0.309	-0.08	
20:23:39.28	41:15:57.21	16.52±0.12	13.95±0.03	12.38±0.02	11.08±0.02	10.12±0.01	9.31±0.09	8.39±0.22	4.11±0.13	0.430	0.127	0.668	
20:23:41.02	37:36:37.27	...	...	...	13.83±0.02	11.66±0.01	9.87±0.01	8.21±0.01	3.53±0.01	1.840	1.575	1.296	
20:23:43.57	40:59:54.99	...	...	...	...	10.92±0.02	9.62±0.02	8.27±0.03	4.34±0.02	0.620	3.177	0.569	
20:23:44.21	41:17:01.97	...	...	...	9.99±0.01	8.56±0.01	7.10±0.01	5.98±0.04	1.48±0.02	1.080	0.965	1.867	
20:23:45.02	41:37:08.15	...	...	...	13.03±0.01	12.13±0.01	11.41±0.04	10.63±0.10	6.24±0.10	0.340	0.275	-0.35	
20:23:45.43	41:17:44.23	...	...	...	12.60±0.02	11.81±0.02	...	9.35±0.22	4.44±0.09	1.070	0.463	0.541	

Table 4—Continued

UKIDSS/2MASS												
IRAC												
MIPS												
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$
20:23:45.55	41:37:02.87	...	...	14.46±0.09	11.75±0.01	10.64±0.01	9.69±0.01	8.78±0.01	5.35±0.03	0.100	7.287	0.215
20:23:45.60	40:59:56.16	...	16.03±0.19	14.12±0.07	12.06±0.01	11.07±0.01	10.31±0.01	9.38±0.01	5.18±0.04	0.380	7.287	0.167
20:23:45.65	42:03:52.21	...	...	...	15.14±0.16	14.15±0.07	12.96±0.13	11.40±0.17	6.76±0.19	1.150	0.278	-0.26
20:23:45.75	41:16:57.93	...	...	...	13.74±0.10	11.58±0.03	10.47±0.07	9.84±0.23	5.15±0.15	0.950	14.63	0.362
20:23:48.85	40:01:43.47	...	...	...	14.82±0.04	...	12.05±0.05	...	6.35±0.09	1.080	16.17	-0.28
20:23:51.58	37:37:33.88	...	...	...	13.34±0.05	11.81±0.02	11.11±0.12	10.89±0.48	4.65±0.20	1.140	3.587	0.451
20:23:52.81	40:07:43.00	...	...	...	...	...	...	9.95±0.08	6.16±0.15	0.200	4.006	-0.53
20:23:56.08	37:37:44.36	...	...	...	10.81±0.01	9.52±0.01	8.57±0.02	7.60±0.04	1.74±0.08	1.420	3.388	1.718
20:23:56.51	37:37:30.82	...	...	14.30±0.07	11.10±0.01	9.81±0.01	8.86±0.01	7.83±0.03	3.63±0.08	0.600	4.656	0.871
20:23:58.60	41:20:25.46	...	...	...	15.56±0.39	13.95±0.08	11.78±0.09	10.58±0.46	5.13±0.13	2.000	4.656	0.625
20:23:59.47	37:38:06.68	...	...	...	14.22±0.15	11.79±0.02	10.35±0.10	9.51±0.25	3.83±0.25	1.800	4.656	1.063
20:24:01.00	38:40:23.62	...	...	...	13.51±0.02	13.07±0.03	10.47±0.04	8.76±0.05	5.60±0.03	0.980	0.477	0.446
20:24:02.83	37:36:37.33	...	14.80±0.07	11.74±0.03	8.32±0.01	7.05±0.01	6.10±0.01	5.19±0.01	0.84±0.01	0.600	7.683	1.965
20:24:03.15	37:50:04.61	...	...	12.70±0.02	9.51±0.01	8.39±0.01	7.51±0.01	6.86±0.01	3.59±0.01	-0.16	1.035	1.036
20:24:03.41	40:04:54.10	...	...	...	12.37±0.01	11.22±0.01	10.08±0.01	9.15±0.02	5.78±0.05	0.180	1.637	0.020
20:24:03.65	39:23:42.41	...	...	...	15.25±0.05	14.17±0.03	13.05±0.06	11.30±0.03	7.46±0.04	0.840	1.637	-0.53
20:24:06.76	42:21:25.52	15.82±0.08	13.69±0.03	12.47±0.02	10.81±0.01	9.89±0.01	8.95±0.01	7.99±0.01	4.25±0.02	0.220	2.440	0.632
20:24:06.91	37:35:43.59	...	...	...	...	12.70±0.02	11.61±0.03	10.88±0.03	5.75±0.07	0.910	3.020	-0.02
20:24:08.69	42:22:40.71	...	14.99±0.10	13.79±0.04	11.70±0.01	10.93±0.01	10.11±0.01	9.48±0.03	5.55±0.07	0.040	2.395	0.130
20:24:11.19	40:15:56.67	...	...	...	...	...	...	11.38±0.09	6.69±0.10	0.950	10.41	-0.46
20:24:11.89	40:17:08.84	...	...	...	...	...	12.79±0.05	11.00±0.04	6.84±0.15	0.800	2.965	-0.45
20:24:12.88	41:17:02.09	...	...	...	13.26±0.04	10.99±0.01	9.44±0.01	8.41±0.06	4.32±0.11	1.110	0.614	0.846
20:24:13.76	42:34:35.63	...	...	15.23±0.15	12.30±0.01	10.52±0.01	9.25±0.01	8.51±0.01	4.21±0.01	0.780	2.869	0.727
20:24:15.79	41:20:12.01	...	...	...	15.15±0.05	...	...	10.71±0.06	6.28±0.20	1.330	0.966	-0.05
20:24:17.35	40:46:35.00	...	...	...	...	...	...	11.90±0.09	7.33±0.07	0.850	1.179	-0.75
20:24:18.06	41:02:11.76	...	...	...	13.35±0.01	12.01±0.01	11.03±0.02	10.44±0.03	7.14±0.07	-0.07	0.340	-0.41
20:24:19.61	41:20:59.69	...	...	...	...	...	...	11.18±0.09	6.61±0.14	0.840	1.335	-0.47
20:24:20.01	42:16:01.90	...	...	...	10.19±0.01	8.07±0.01	6.43±0.01	4.76±0.01	0.19±0.01	1.710	84.04	2.600
20:24:20.09	42:15:41.18	...	...	13.66±0.14	10.81±0.04	9.70±0.02	8.87±0.02	7.97±0.03	3.73±0.05	0.440	2.516	0.749
20:24:20.20	42:07:14.48	...	...	14.78±0.09	8.92±0.01	7.62±0.01	6.47±0.01	5.53±0.01	2.54±0.02	0.040	3.735	1.436
20:24:21.15	42:07:24.56	...	...	...	15.01±0.05	13.73±0.04	...	...	5.13±0.03	1.850	0.456	0.413
20:24:21.37	42:16:05.80	...	16.09±0.21	13.45±0.03	10.06±0.01	8.97±0.01	8.06±0.01	7.18±0.01	2.99±0.01	0.440	2.509	1.051
20:24:21.38	42:15:01.96	...	...	...	14.55±0.10	12.18±0.02	10.81±0.02	10.11±0.04	4.24±0.05	1.770	3.022	0.871
20:24:21.60	40:00:42.66	...	...	...	14.91±0.08	...	12.10±0.09	10.24±0.08	6.28±0.11	1.160	4.122	0.017
20:24:22.36	42:07:55.81	...	15.08±0.09	13.27±0.03	11.16±0.01	10.14±0.01	9.23±0.01	8.31±0.01	4.71±0.02	0.140	4.122	0.452
20:24:22.37	42:15:24.29	...	...	13.68±0.04	10.82±0.01	9.32±0.01	8.14±0.01	7.37±0.01	2.42±0.02	1.010	2.987	1.418
20:24:22.47	42:07:00.41	...	...	...	15.16±0.11	14.28±0.07	...	...	5.59±0.15	1.770	3.692	0.196
20:24:22.72	38:44:30.09	...	...	...	14.00±0.03	13.07±0.02	12.13±0.04	10.43±0.03	6.68±0.04	0.640	0.937	-0.29
20:24:23.32	42:07:12.17	...	...	...	10.70±0.01	10.00±0.01	9.11±0.01	7.99±0.02	3.77±0.02	0.460	2.118	0.716
20:24:23.45	42:07:10.00	16.84±0.19	13.73±0.04	12.13±0.02	10.73±0.01	9.92±0.01	9.20±0.01	8.22±0.01	3.77±0.02	0.460	2.118	0.785
20:24:24.87	37:46:34.64	...	...	...	15.40±0.04	13.85±0.02	13.09±0.05	12.36±0.09	5.89±0.02	1.580	2.118	0.080
20:24:25.56	42:17:04.98	...	...	13.89±0.06	11.13±0.01	10.30±0.01	9.63±0.01	9.14±0.04	5.52±0.06	-0.25	0.738	0.248
20:24:25.85	39:29:39.53	...	...	...	...	...	12.41±0.04	...	6.80±0.05	0.690	0.860	-0.70
20:24:26.37	40:08:14.92	...	...	...	14.33±0.04	13.16±0.02	11.52±0.04	10.11±0.06	6.64±0.08	0.730	11.70	-0.14
20:24:26.44	40:20:59.10	...	...	...	11.27±0.01	10.05±0.01	8.83±0.01	7.50±0.01	4.66±0.02	0.180	2.144	0.565
20:24:26.55	42:32:25.91	...	16.28±0.24	14.85±0.09	13.48±0.01	12.59±0.01	11.85±0.05	10.85±0.12	7.41±0.12	-0.01	4.575	-0.49
20:24:26.58	42:24:10.45	...	15.43±0.13	14.07±0.08	12.40±0.01	11.63±0.01	11.36±0.07	10.58±0.23	5.93±0.24	0.230	0.442	-0.15
20:24:26.63	42:25:27.53	15.51±0.06	13.70±0.03	12.72±0.03	11.63±0.01	10.97±0.01	10.25±0.02	9.43±0.04	5.58±0.04	0.020	3.997	0.275
20:24:27.69	41:04:18.09	...	...	...	14.36±0.02	12.90±0.01	11.77±0.02	10.90±0.05	6.59±0.07	0.700	2.277	-0.28
20:24:29.13	41:04:19.08	...	...	...	...	15.25±0.07	13.75±0.13	12.25±0.10	6.74±0.10	1.710	1.109	-0.16

Table 4—Continued

UKIDSS/2MASS												
IRAC												
MIPS												
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$
20:24:30.43	38:31:01.52	...	...	...	13.29±0.01	12.50±0.01	11.80±0.02	10.88±0.03	7.18±0.09	0.030	0.979	-0.57
20:24:30.49	42:04:09.19	...	13.37±0.03	10.39±0.02	7.42±0.01	6.52±0.01	5.73±0.01	4.74±0.01	0.99±0.02	0.160	0.428	1.871
20:24:30.81	42:23:13.67	...	...	14.91±0.10	13.27±0.01	12.43±0.01	12.03±0.07	11.70±0.23	7.00±0.16	0.090	0.711	-0.56
20:24:31.56	42:04:13.72	...	...	...	10.58±0.02	7.73±0.01	6.08±0.01	5.40±0.01	-0.17±0.02	1.880	10.84	2.718
20:24:32.06	37:51:23.55	...	...	...	13.77±0.03	12.72±0.02	11.76±0.03	10.71±0.04	5.43±0.01	1.100	0.711	0.176
20:24:32.07	38:33:40.42	...	15.17±0.10	13.56±0.06	10.57±0.01	9.55±0.01	8.72±0.01	7.84±0.01	3.69±0.02	0.360	2.913	0.739
20:24:32.54	37:49:49.21	...	...	14.52±0.09	12.17±0.01	10.45±0.01	9.05±0.01	7.81±0.01	3.25±0.01	1.230	2.913	1.211
20:24:32.62	37:51:18.96	...	...	14.44±0.09	12.06±0.01	11.12±0.01	10.27±0.01	9.26±0.02	4.92±0.01	0.520	0.296	0.297
20:24:32.72	37:51:26.12	...	...	...	13.52±0.04	11.95±0.02	10.84±0.03	9.94±0.04	4.63±0.03	1.250	1.099	0.565
20:24:32.80	37:50:25.19	...	...	...	14.86±0.03	12.57±0.01	11.34±0.02	10.03±0.02	3.77±0.01	2.220	0.339	1.188
20:24:32.92	38:33:37.29	...	...	...	13.34±0.04	11.50±0.02	10.17±0.01	9.21±0.03	4.11±0.03	1.350	1.071	0.838
20:24:32.97	37:54:41.51	...	...	...	13.35±0.01	12.14±0.01	11.34±0.01	10.59±0.01	6.55±0.02	0.270	0.986	-0.43
20:24:33.03	37:51:47.07	...	...	...	12.94±0.01	12.10±0.01	11.23±0.01	10.23±0.02	5.20±0.02	0.840	0.819	0.203
20:24:33.42	42:24:58.15	16.73±0.16	14.24±0.04	11.66±0.01	8.36±0.01	7.39±0.01	6.36±0.01	4.54±0.01	0.98±0.04	0.660	0.988	2.044
20:24:33.71	38:33:33.54	...	...	14.84±0.13	12.69±0.01	11.93±0.01	11.48±0.06	11.05±0.15	5.71±0.03	0.470	0.889	-0.13
20:24:33.72	42:21:45.01	...	...	...	12.06±0.01	10.23±0.01	8.88±0.01	7.83±0.01	3.41±0.02	1.070	1.776	1.115
20:24:33.85	38:32:36.99	...	13.72±0.03	11.16±0.01	8.80±0.01	7.92±0.01	7.07±0.01	6.05±0.01	2.54±0.01	0.080	10.08	1.333
20:24:33.94	42:23:16.99	...	...	...	14.34±0.14	12.05±0.04	10.51±0.05	8.74±0.04	3.69±0.03	2.000	15.61	1.239
20:24:34.18	42:23:31.60	...	...	14.15±0.07	10.88±0.01	9.65±0.01	8.65±0.01	7.65±0.02	2.96±0.02	0.840	0.454	1.156
20:24:34.67	37:49:55.86	...	...	13.93±0.06	10.81±0.01	9.61±0.01	8.69±0.01	7.93±0.01	3.78±0.02	0.390	0.652	0.722
20:24:35.11	38:34:16.24	13.97±0.02	12.76±0.02	11.94±0.02	10.84±0.01	10.18±0.01	9.44±0.01	8.08±0.01	4.34±0.01	0.270	9.233	0.686
20:24:35.50	37:50:44.75	...	...	...	13.60±0.01	11.38±0.01	9.92±0.01	8.75±0.01	4.49±0.02	1.210	2.111	0.770
20:24:36.14	37:50:19.31	...	...	...	14.95±0.03	13.55±0.02	12.58±0.03	11.58±0.06	6.65±0.03	1.000	0.381	-0.29
20:24:36.14	40:50:54.70	...	...	...	15.16±0.10	13.64±0.03	12.24±0.14	10.81±0.21	5.58±0.05	1.620	1.611	0.314
20:24:36.21	39:16:18.30	...	...	14.74±0.12	12.00±0.01	10.87±0.01	9.11±0.01	5.42±0.02	0.190	0.674	0.112	0.112
20:24:36.24	40:51:03.89	...	...	...	13.59±0.01	12.50±0.01	11.71±0.03	10.81±0.06	6.43±0.06	0.490	6.945	-0.34
20:24:36.42	40:50:36.99	...	...	...	...	12.23±0.03	9.19±0.10	7.45±0.11	4.10±0.03	1.100	2.263	1.024
20:24:36.69	42:24:48.41	...	15.01±0.08	13.58±0.04	12.29±0.03	11.69±0.01	10.77±0.09	9.90±0.18	4.49±0.22	0.920	2.341	0.563
20:24:36.91	42:24:17.96	...	...	14.24±0.06	12.25±0.02	11.38±0.01	10.92±0.14	10.27±0.42	6.53±0.65	-0.19	0.542	-0.17
20:24:38.23	41:08:16.77	...	...	...	15.67±0.08	14.42±0.04	13.86±0.11	13.23±0.30	7.19±0.08	1.120	2.041	-0.57
20:24:38.81	40:13:12.28	...	...	...	15.23±0.09	14.51±0.07	12.46±0.14	10.88±0.17	6.08±0.16	1.570	2.176	0.141
20:24:39.86	42:24:17.62	...	...	...	15.39±0.15	14.52±0.06	...	...	7.17±0.48	1.090	60.41	-0.68
20:24:41.66	38:31:55.68	...	...	...	14.93±0.04	13.37±0.02	12.79±0.07	13.01±0.21	5.78±0.02	1.360	2.627	0.027
20:24:42.76	42:13:23.39	...	...	...	...	14.64±0.08	...	11.07±0.11	7.37±0.17	0.950	2.627	-0.51
20:24:43.75	41:05:43.11	...	...	...	14.25±0.03	12.58±0.01	11.44±0.01	10.27±0.02	5.89±0.02	0.970	2.318	0.082
20:24:45.24	40:41:09.08	...	...	...	...	13.52±0.02	12.72±0.08	11.46±0.09	7.48±0.22	0.420	0.610	-0.80
20:24:46.79	40:40:59.31	...	...	...	...	12.96±0.04	12.46±0.16	11.76±0.27	6.53±0.19	0.750	47.97	-0.41
20:24:48.48	38:30:46.13	...	...	...	13.16±0.01	11.84±0.01	11.04±0.01	10.28±0.02	6.50±0.02	0.170	2.780	-0.33
20:24:49.00	38:30:38.05	...	...	...	15.11±0.04	13.62±0.02	12.62±0.04	11.77±0.05	5.34±0.03	1.720	53.36	0.352
20:24:49.09	39:13:44.49	...	...	...	15.64±0.06	13.25±0.01	11.78±0.03	10.76±0.05	6.89±0.05	0.990	0.402	-0.17
20:24:49.68	42:02:04.57	...	...	...	12.22±0.01	10.56±0.01	9.57±0.01	8.61±0.03	4.97±0.04	0.400	2.150	0.344
20:24:49.92	42:01:18.56	...	...	15.03±0.12	12.22±0.01	10.62±0.01	9.75±0.01	9.04±0.03	4.67±0.04	0.560	0.478	0.433
20:24:50.80	40:36:55.88	...	...	...	12.55±0.03	11.69±0.01	10.81±0.02	10.01±0.02	6.22±0.09	0.110	4.311	-0.22
20:24:51.39	38:25:13.22	...	...	14.35±0.09	12.75±0.01	11.40±0.01	10.28±0.01	9.15±0.01	4.08±0.02	1.200	0.807	0.800
20:24:51.78	39:15:16.74	...	...	...	...	12.24±0.03	10.81±0.03	9.80±0.04	4.22±0.02	1.450	2.521	0.743
20:24:51.99	38:41:44.38	...	...	...	13.73±0.01	12.95±0.01	12.25±0.03	11.37±0.04	7.39±0.05	0.150	0.709	-0.73
20:24:52.69	40:40:03.28	...	...	...	12.72±0.10	12.51±0.10	9.53±0.07	...	2.90±0.03	1.950	0.808	1.404
20:24:58.21	40:38:45.53	...	...	...	...	...	8.70±0.01	7.19±0.02	3.24±0.02	0.530	0.372	0.879
20:24:59.59	37:22:54.67	...	...	14.71±0.12	12.26±0.01	10.67±0.01	9.47±0.01	8.37±0.01	2.47±0.01	1.710	0.652	1.537
20:25:00.73	39:29:23.79	...	...	...	15.12±0.05	14.35±0.04	13.92±0.10	12.42±0.08	7.03±0.28	1.080	0.836	-0.49

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:25:01.09	41:08:36.56	...	...	13.92±0.06	10.69±0.01	9.47±0.01	8.32±0.01	7.68±0.01	4.21±0.01	0.090	3.011	0.680	
20:25:01.15	39:52:32.63	...	...	14.43±0.09	12.59±0.01	11.82±0.01	11.19±0.02	10.25±0.05	5.95±0.07	0.300	3.011	-0.20	
20:25:02.51	40:02:28.43	...	...	...	14.78±0.10	...	11.75±0.09	9.93±0.09	6.19±0.40	1.110	6.309	0.084	
20:25:06.70	39:28:21.94	14.86±0.03	12.82±0.02	11.46±0.01	12.00±0.01	11.31±0.01	10.45±0.01	9.28±0.01	5.59±0.04	0.210	0.416	0.479	
20:25:06.88	39:24:10.01	...	...	...	14.30±0.03	12.46±0.01	11.39±0.04	10.40±0.08	6.85±0.11	0.470	0.789	-0.34	
20:25:06.92	39:27:37.86	17.01±0.18	15.67±0.13	14.28±0.08	12.66±0.01	11.52±0.01	10.99±0.03	10.67±0.14	6.74±0.10	-0.17	0.999	-0.20	
20:25:07.06	39:28:08.79	...	15.55±0.12	14.96±0.15	13.92±0.02	13.51±0.02	12.96±0.08	11.71±0.09	6.01±0.05	1.050	2.355	0.031	
20:25:07.32	37:21:21.32	...	...	15.03±0.15	13.10±0.01	12.20±0.01	11.54±0.02	10.80±0.04	6.90±0.04	0.040	4.976	-0.44	
20:25:09.64	39:48:11.75	14.53±0.03	13.87±0.03	13.51±0.04	13.12±0.04	12.80±0.07	12.22±0.09	10.87±0.14	5.14±0.05	1.110	4.976	0.625	
20:25:11.42	37:36:03.37	...	...	...	13.99±0.06	13.04±0.05	12.18±0.04	11.94±0.08	6.43±0.03	0.690	1.394	-0.37	
20:25:13.84	41:09:51.37	...	...	...	14.09±0.04	...	11.48±0.03	9.69±0.02	5.84±0.05	0.990	2.355	0.143	
20:25:14.29	39:30:10.27	...	...	...	13.64±0.01	12.84±0.01	12.19±0.02	10.91±0.03	6.37±0.06	0.630	4.538	-0.29	
20:25:14.30	41:02:52.33	...	...	...	12.95±0.02	11.50±0.01	10.20±0.01	9.16±0.03	4.47±0.02	1.070	0.725	0.636	
20:25:14.48	41:10:05.14	...	...	...	...	...	13.10±0.08	11.48±0.07	6.97±0.10	0.970	5.526	-0.47	
20:25:15.83	41:48:41.67	...	...	...	15.90±0.09	14.27±0.02	13.08±0.05	11.55±0.04	7.40±0.06	1.060	1.446	-0.46	
20:25:16.13	38:33:27.62	...	...	...	...	...	...	11.26±0.09	7.22±0.09	0.410	4.094	-0.90	
20:25:16.29	41:10:27.78	...	...	...	14.90±0.04	...	...	10.59±0.03	6.78±0.13	0.960	1.446	-0.30	
20:25:17.92	41:10:31.90	...	...	...	...	...	12.10±0.04	10.38±0.03	6.40±0.08	0.650	0.663	-0.32	
20:25:18.01	37:22:49.35	...	...	...	15.26±0.27	12.76±0.06	11.38±0.19	9.58±0.17	3.08±0.05	2.750	4.651	1.679	
20:25:18.26	41:45:41.09	...	...	...	...	...	...	11.89±0.08	6.95±0.12	1.160	1.039	-0.49	
20:25:18.65	41:45:50.35	...	...	...	...	...	...	11.25±0.09	6.19±0.11	1.250	1.491	-0.16	
20:25:18.70	41:10:20.31	...	...	...	...	...	12.96±0.08	11.11±0.05	7.42±0.13	0.510	3.879	-0.75	
20:25:20.02	39:29:08.61	...	...	...	15.13±0.03	13.58±0.03	13.09±0.07	12.90±0.25	7.08±0.07	0.820	0.601	-0.59	
20:25:20.09	40:08:04.40	...	...	...	13.21±0.04	12.47±0.02	11.83±0.22	11.03±0.66	6.72±0.14	0.230	0.867	-0.54	
20:25:20.70	37:34:45.23	...	...	...	14.59±0.03	13.06±0.01	11.84±0.03	10.79±0.03	6.20±0.02	1.010	0.867	-0.06	
20:25:21.76	37:36:53.42	...	...	14.92±0.14	13.14±0.01	12.43±0.01	11.67±0.02	10.12±0.03	7.05±0.04	0.060	5.252	-0.39	
20:25:22.49	37:24:12.33	...	15.39±0.09	14.28±0.09	12.64±0.06	11.90±0.05	10.88±0.16	9.41±0.19	3.17±0.08	1.760	1.325	1.257	
20:25:22.74	41:07:48.42	...	...	...	...	...	12.06±0.10	...	5.66±0.08	1.210	0.202	-0.04	
20:25:23.02	37:34:49.94	...	...	...	13.09±0.01	11.73±0.01	10.75±0.01	10.24±0.01	6.64±0.03	0.040	0.611	-0.30	
20:25:23.03	41:58:41.98	...	...	...	...	...	...	9.34±0.04	4.98±0.10	0.670	1.273	0.114	
20:25:23.82	37:23:15.56	14.76±0.06	12.62±0.04	...	8.82±0.01	7.65±0.01	6.63±0.01	5.53±0.03	0.28±0.07	1.170	1.189	2.276	
20:25:24.00	41:58:27.06	...	...	...	14.43±0.08	...	11.83±0.07	9.96±0.09	6.11±0.25	1.030	0.417	0.051	
20:25:25.21	39:20:23.89	...	15.94±0.15	13.78±0.05	11.98±0.01	10.65±0.01	9.50±0.01	8.52±0.02	4.88±0.02	0.400	0.587	0.402	
20:25:26.02	41:12:01.94	...	...	...	...	...	...	11.05±0.03	7.37±0.13	0.110	0.416	-0.98	
20:25:26.03	37:15:16.43	...	15.58±0.13	14.52±0.11	12.87±0.01	12.05±0.01	11.22±0.02	10.22±0.04	6.88±0.08	-0.04	0.594	-0.26	
20:25:26.97	39:49:22.97	...	...	...	13.93±0.03	13.13±0.02	12.35±0.08	10.84±0.07	7.04±0.22	0.450	0.594	-0.53	
20:25:27.04	37:23:27.95	...	...	...	10.89±0.02	9.51±0.01	8.36±0.04	7.53±0.10	2.96±0.30	0.800	1.348	1.166	
20:25:27.81	39:37:23.16	...	...	...	15.19±0.07	14.28±0.04	13.19±0.18	11.19±0.15	7.50±0.22	0.840	1.620	-0.52	
20:25:27.96	41:10:18.78	...	...	...	13.32±0.03	11.97±0.01	12.06±0.14	12.79±1.58	5.28±0.23	0.840	1.348	0.048	
20:25:27.97	39:49:51.35	...	...	...	13.76±0.04	13.01±0.03	12.09±0.17	10.58±0.21	6.36±0.11	0.710	0.303	-0.21	
20:25:28.59	41:08:26.12	12.20±0.03	10.08±0.02	8.38±0.01	6.01±0.01	5.20±0.01	4.19±0.01	2.94±0.01	-0.13±0.01	0.040	1.438	2.495	
20:25:29.17	39:04:46.41	17.38±0.25	15.30±0.10	13.59±0.05	10.82±0.01	9.74±0.01	8.67±0.01	7.53±0.01	4.36±0.01	0.140	0.221	0.648	
20:25:30.80	37:36:14.05	...	...	...	14.02±0.06	13.09±0.02	11.57±0.04	9.79±0.01	6.10±0.03	0.920	0.954	0.079	
20:25:31.66	39:19:28.74	...	...	...	15.25±0.13	13.80±0.04	12.87±0.12	11.56±0.14	7.40±0.13	0.780	7.283	-0.57	
20:25:33.33	40:12:36.31	...	...	13.70±0.05	12.79±0.01	12.56±0.01	12.38±0.04	11.78±0.05	5.46±0.34	0.780	1.025	0.092	
20:25:38.57	37:24:00.55	...	...	...	15.09±0.07	13.92±0.03	12.70±0.10	11.41±0.15	6.83±0.13	1.040	9.501	-0.31	
20:25:40.34	38:32:12.74	13.98±0.02	13.26±0.02	12.77±0.02	11.37±0.01	10.71±0.01	9.54±0.01	8.14±0.01	5.37±0.02	0.010	0.853	0.528	
20:25:40.45	41:44:15.75	...	...	...	...	...	...	11.48±0.04	7.09±0.08	0.700	2.031	-0.72	
20:25:40.76	39:54:21.03	...	...	...	...	14.65±0.07	...	...	7.45±0.18	1.050	0.416	-0.85	
20:25:42.62	39:26:19.86	15.91±0.07	13.78±0.03	11.81±0.02	9.32±0.01	8.52±0.01	7.82±0.01	7.05±0.01	3.69±0.01	-0.22	0.603	1.019	

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS				
RA	Dec	<i>J</i> (unc)	<i>H</i> (unc)	<i>K_s</i> (unc)	3.6 μm (unc)	4.5 μm (unc)	5.8 μm (unc)	8.0 μm (unc)	24 μm (unc)	α	<RMEDSQ> _{D_c}	log(<i>L</i> / <i>L</i> _⊙)
20:25:43.09	39:46:49.41	...	...	...	14.39±0.03	13.02±0.01	11.79±0.03	10.79±0.06	6.85±0.17	0.610	3.763	-0.36
20:25:43.79	38:11:12.98	...	...	...	12.41±0.01	10.30±0.01	9.10±0.01	8.30±0.01	3.05±0.02	1.360	0.603	1.255
20:25:44.53	41:56:05.70	...	...	...	14.55±0.10	13.94±0.08	12.23±0.17	10.98±0.12	6.53±0.23	1.020	0.264	-0.18
20:25:44.64	41:14:13.10	...	...	...	13.48±0.01	12.79±0.01	12.14±0.03	11.51±0.05	7.49±0.09	-0.02	0.564	-0.72
20:25:45.20	39:20:14.92	...	...	...	13.91±0.03	11.48±0.01	10.04±0.01	8.99±0.02	4.57±0.02	1.280	0.564	0.748
20:25:45.68	39:26:00.85	...	...	...	15.84±0.10	14.29±0.03	13.94±0.15	13.70±0.56	6.84±0.06	1.310	0.773	-0.40
20:25:46.50	39:23:43.11	...	...	...	13.39±0.02	12.17±0.01	11.40±0.02	10.67±0.03	7.16±0.09	-0.02	0.622	-0.49
20:25:47.74	39:29:54.18	...	...	15.02±0.14	13.14±0.03	11.69±0.02	11.30±0.10	10.63±0.09	4.52±0.10	1.160	0.500	0.522
20:25:48.33	41:44:29.70	...	...	...	...	...	...	10.65±0.05	6.62±0.12	0.410	0.487	-0.66
20:25:50.27	41:59:25.03	...	...	...	...	...	...	11.18±0.07	6.96±0.10	0.560	0.558	-0.72
20:25:50.55	41:44:18.67	...	...	...	...	...	12.03±0.05	...	6.00±0.06	0.970	0.623	-0.27
20:25:51.37	39:22:33.63	...	...	...	13.52±0.01	11.92±0.01	10.46±0.01	9.33±0.01	5.93±0.04	0.580	0.558	0.103
20:25:53.95	39:45:27.21	...	...	...	...	...	...	10.87±0.05	6.99±0.06	0.280	0.622	-0.88
20:25:53.99	39:22:37.09	...	...	...	...	13.45±0.03	12.28±0.03	11.36±0.04	7.35±0.10	0.380	0.416	-0.77
20:25:54.15	39:47:04.17	...	...	...	14.10±0.02	12.96±0.01	12.02±0.03	11.17±0.05	7.38±0.08	0.250	0.902	-0.71
20:25:56.18	41:44:09.22	...	...	...	11.62±0.01	10.26±0.01	9.14±0.01	8.13±0.01	3.90±0.01	0.710	9.007	0.799
20:25:56.77	39:31:39.74	...	...	...	12.66±0.01	10.90±0.01	9.71±0.01	8.85±0.01	4.15±0.01	1.010	0.310	0.756
20:25:57.05	40:21:03.99	...	...	...	...	...	12.49±0.09	...	6.47±0.14	0.960	0.465	-0.46
20:25:59.98	39:31:40.22	...	...	14.66±0.12	12.26±0.01	11.20±0.01	10.41±0.01	9.68±0.02	4.76±0.02	0.660	1.606	0.352
20:26:01.11	39:15:35.81	...	...	...	13.32±0.02	12.36±0.01	11.56±0.02	10.73±0.03	6.52±0.04	0.330	1.182	-0.44
20:26:01.24	40:06:11.07	...	...	...	...	...	...	9.75±0.05	5.23±0.19	0.810	0.942	0.067
20:26:01.67	39:43:06.12	...	...	...	...	...	...	10.09±0.03	6.42±0.12	0.100	1.855	-0.60
20:26:02.21	39:42:58.79	...	...	...	13.90±0.08	...	...	9.39±0.09	6.08±0.13	0.800	7.262	0.011
20:26:02.67	39:33:02.23	...	...	...	...	...	12.93±0.09	...	7.31±0.07	0.700	0.273	-0.90
20:26:02.80	41:36:05.59	16.75±0.16	13.76±0.04	...	8.79±0.01	7.78±0.01	6.93±0.01	6.01±0.01	2.57±0.01	0.030	7.592	1.329
20:26:03.48	39:41:07.00	...	...	...	15.51±0.08	14.21±0.03	13.60±0.09	12.88±0.10	7.29±0.05	0.980	0.789	-0.62
20:26:03.51	39:22:49.72	...	...	...	14.06±0.04	13.01±0.01	12.23±0.04	11.18±0.07	7.43±0.13	0.230	0.418	-0.74
20:26:03.63	39:52:57.47	...	...	...	12.31±0.01	10.45±0.01	9.47±0.01	8.77±0.04	5.13±0.11	0.310	0.823	0.241
20:26:04.05	39:03:50.64	...	...	...	14.02±0.04	13.01±0.01	12.14±0.05	11.39±0.10	7.27±0.13	0.290	0.352	-0.74
20:26:04.88	39:59:38.20	...	15.73±0.14	14.20±0.07	12.13±0.02	11.46±0.01	10.62±0.07	9.25±0.13	5.07±0.30	0.560	0.400	0.294
20:26:05.36	42:09:32.85	...	...	...	13.66±0.01	12.26±0.01	11.27±0.02	10.56±0.05	5.16±0.04	1.090	0.455	0.286
20:26:05.49	39:16:58.47	...	...	...	...	...	...	11.02±0.06	6.63±0.03	0.700	0.379	-0.53
20:26:06.31	39:30:32.90	...	...	...	12.94±0.01	11.66±0.01	10.73±0.01	9.75±0.01	5.20±0.02	0.740	3.304	0.238
20:26:06.32	39:23:25.08	...	...	...	...	14.63±0.03	12.44±0.04	10.39±0.03	5.04±0.01	2.160	0.312	0.711
20:26:06.48	39:03:42.52	...	...	...	13.91±0.02	12.88±0.01	11.94±0.04	11.05±0.09	5.86±0.05	0.950	0.314	-0.03
20:26:07.96	39:28:53.10	...	...	...	13.73±0.02	12.53±0.01	11.30±0.01	10.17±0.02	5.17±0.02	1.170	0.290	0.344
20:26:07.99	41:38:08.68	...	...	...	11.76±0.01	10.20±0.01	8.92±0.01	7.84±0.01	4.80±0.05	0.270	0.353	0.470
20:26:08.18	39:28:25.29	...	...	14.62±0.10	12.53±0.01	11.26±0.01	10.30±0.01	9.35±0.01	4.74±0.02	0.760	0.406	0.443
20:26:08.19	41:38:21.27	...	...	...	14.73±0.04	13.08±0.02	11.80±0.03	10.73±0.05	6.06±0.04	1.120	1.771	0.026
20:26:08.21	39:44:32.60	...	...	...	14.36±0.02	13.30±0.01	12.56±0.05	11.77±0.09	6.56±0.09	0.820	0.416	-0.35
20:26:08.56	39:44:37.88	...	...	...	12.66±0.01	11.80±0.01	10.99±0.02	10.18±0.04	6.50±0.06	0.030	0.228	-0.29
20:26:09.14	39:32:55.21	...	...	...	12.99±0.03	12.14±0.01	11.28±0.02	10.32±0.03	6.65±0.06	0.130	5.056	-0.38
20:26:09.43	41:37:55.62	...	...	14.23±0.09	11.24±0.01	10.35±0.01	9.00±0.01	7.63±0.01	3.92±0.02	0.610	0.816	0.833
20:26:10.08	39:24:05.12	...	...	...	...	15.37±0.05	13.83±0.10	12.47±0.08	7.05±0.03	1.590	0.816	-0.32
20:26:10.63	39:54:27.40	...	...	...	13.05±0.01	12.23±0.01	11.50±0.03	10.68±0.07	7.47±0.60	-0.25	0.464	-0.50
20:26:11.29	37:09:33.94	...	...	...	15.41±0.04	14.19±0.02	14.03±0.10	13.27±0.16	6.41±0.04	1.420	0.518	-0.20
20:26:12.63	39:16:41.85	...	...	...	12.13±0.01	10.77±0.01	9.82±0.01	9.13±0.03	3.53±0.01	1.140	0.408	0.935
20:26:12.73	39:48:44.39	...	...	...	14.52±0.06	13.24±0.03	12.33±0.07	11.78±0.16	7.09±0.29	0.560	0.369	-0.59
20:26:12.86	41:41:42.34	...	...	...	...	13.63±0.02	...	...	4.80±0.03	1.950	1.388	0.572
20:26:13.30	40:36:59.69	...	14.89±0.07	13.11±0.03	11.43±0.01	10.61±0.01	9.84±0.01	8.82±0.02	5.74±0.04	-0.19	5.025	0.266

Table 4—Continued

UKIDSS/2MASS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:26:13.34	38:02:07.50	...	...	...	15.63±0.04	13.71±0.03	12.91±0.06	12.26±0.14	6.51±0.05	1.290	0.380	-0.20	
20:26:13.91	36:59:01.52	...	...	...	...	14.91±0.05	14.19±0.14	12.74±0.11	7.40±0.03	1.310	0.333	-0.57	
20:26:13.96	38:02:25.55	...	...	...	13.50±0.04	11.50±0.02	10.48±0.02	10.28±0.02	3.10±0.02	1.890	0.332	1.297	
20:26:14.08	38:02:24.15	...	...	...	13.51±0.04	11.38±0.02	10.46±0.01	10.15±0.02	3.10±0.02	1.880	0.550	1.295	
20:26:14.12	39:03:03.09	...	...	...	13.23±0.06	12.31±0.04	...	9.79±0.25	3.71±0.07	1.730	0.525	0.991	
20:26:14.94	38:02:24.47	...	...	...	14.88±0.09	12.84±0.07	12.02±0.04	11.86±0.07	4.06±0.01	2.100	0.561	0.974	
20:26:15.27	39:09:26.78	...	...	...	13.05±0.01	12.28±0.01	11.66±0.02	10.97±0.03	6.96±0.05	0.010	0.561	-0.52	
20:26:16.14	39:33:52.47	...	...	...	14.32±0.04	12.80±0.01	11.49±0.02	10.58±0.04	5.62±0.02	1.160	0.465	0.178	
20:26:16.23	40:11:53.42	...	...	13.92±0.06	11.97±0.01	11.17±0.01	10.53±0.05	9.48±0.04	5.52±0.19	0.210	0.172	0.032	
20:26:17.28	39:33:51.52	...	...	...	12.46±0.04	10.94±0.01	9.67±0.01	8.57±0.03	4.02±0.02	1.030	1.863	0.827	
20:26:18.30	40:06:35.19	...	16.03±0.19	14.20±0.08	12.45±0.01	11.74±0.01	10.98±0.03	9.90±0.06	6.11±0.18	0.170	0.702	-0.13	
20:26:18.62	39:48:35.12	...	...	...	13.61±0.03	12.54±0.01	11.55±0.04	10.82±0.08	6.43±0.06	0.490	0.647	-0.33	
20:26:18.88	39:19:55.35	15.65±0.06	13.65±0.02	12.25±0.02	9.91±0.01	8.96±0.01	8.00±0.01	7.01±0.01	3.59±0.01	0.090	1.884	0.944	
20:26:18.93	39:58:16.12	...	...	14.69±0.12	11.87±0.01	10.65±0.01	9.82±0.02	9.07±0.05	5.09±0.07	0.260	1.119	0.183	
20:26:19.48	39:58:20.57	...	...	...	13.62±0.03	12.33±0.01	11.47±0.07	10.72±0.20	6.48±0.29	0.430	2.102	-0.35	
20:26:19.84	40:36:08.83	...	...	...	...	...	10.36±0.01	9.10±0.03	3.84±0.03	1.320	1.119	0.839	
20:26:20.02	40:36:11.55	...	...	...	11.85±0.01	10.13±0.01	8.88±0.01	8.12±0.02	3.84±0.03	0.760	2.143	0.860	
20:26:20.55	40:06:50.53	...	...	...	...	...	12.02±0.06	10.15±0.08	5.77±0.26	1.000	0.729	0.030	
20:26:20.98	38:00:56.16	...	...	...	13.59±0.01	12.87±0.01	11.95±0.02	10.74±0.03	6.29±0.02	0.650	0.297	-0.23	
20:26:21.32	38:18:48.67	...	...	...	...	...	10.80±0.01	11.19±0.03	6.19±0.02	0.350	1.985	-0.46	
20:26:21.34	39:48:34.52	...	15.74±0.13	14.53±0.10	12.41±0.01	11.43±0.01	10.50±0.02	9.21±0.04	6.54±0.10	-0.13	2.123	-0.02	
20:26:22.11	41:13:31.99	...	...	14.12±0.08	11.02±0.01	9.62±0.01	8.20±0.01	7.07±0.01	2.47±0.01	1.120	2.006	1.472	
20:26:22.60	41:37:56.93	...	...	...	...	12.19±0.07	...	...	3.68±0.04	1.780	2.006	0.951	
20:26:23.32	40:35:42.79	...	15.60±0.13	13.62±0.04	10.85±0.01	10.00±0.01	9.01±0.01	8.19±0.01	5.17±0.05	-0.22	2.519	0.470	
20:26:23.98	40:16:06.05	...	...	...	13.99±0.03	12.92±0.01	12.19±0.04	11.64±0.05	6.80±0.25	0.500	0.577	-0.53	
20:26:24.79	39:45:32.16	...	...	...	13.86±0.02	12.47±0.01	11.17±0.02	10.07±0.03	4.39±0.02	1.580	0.362	0.732	
20:26:25.70	40:16:11.05	...	...	...	...	13.99±0.02	12.88±0.06	11.89±0.06	5.99±0.12	1.520	1.743	0.038	
20:26:26.16	39:09:05.93	...	...	...	15.78±0.07	14.73±0.04	13.33±0.07	11.62±0.05	7.43±0.04	1.120	1.484	-0.47	
20:26:26.52	40:07:19.68	...	...	...	13.26±0.07	...	...	8.66±0.08	4.81±0.10	1.110	1.178	0.542	
20:26:26.77	40:34:28.98	...	...	14.78±0.13	12.55±0.01	11.74±0.01	11.27±0.02	10.32±0.03	6.11±0.07	0.200	1.484	-0.24	
20:26:27.68	40:34:30.30	...	...	...	13.98±0.03	13.23±0.02	12.38±0.11	12.22±0.30	6.12±0.05	0.890	0.126	-0.22	
20:26:28.98	41:44:19.48	...	...	...	...	...	...	9.34±0.07	5.72±0.18	0.060	3.660	-0.31	
20:26:29.37	40:05:23.30	...	...	...	...	...	11.41±0.04	9.71±0.04	6.13±0.14	0.360	1.040	-0.32	
20:26:30.61	40:01:51.55	...	...	...	14.40±0.07	...	11.84±0.08	10.06±0.09	5.14±0.17	1.530	1.417	0.457	
20:26:31.59	39:46:01.86	15.86±0.08	14.92±0.07	14.51±0.10	13.77±0.01	12.45±0.01	11.09±0.01	9.95±0.02	7.35±0.19	0.050	7.077	-0.18	
20:26:31.87	39:46:25.65	...	...	...	...	13.51±0.03	13.32±0.16	...	6.07±0.04	1.380	2.754	-0.11	
20:26:32.27	39:52:53.78	...	...	...	13.04±0.01	12.36±0.01	11.32±0.07	10.04±0.12	5.86±0.13	0.600	8.295	-0.05	
20:26:32.30	39:26:21.66	...	...	...	13.47±0.05	12.48±0.04	12.26±0.10	11.42±0.22	4.32±0.02	1.550	9.312	0.663	
20:26:32.37	39:57:20.82	...	...	13.67±0.08	9.71±0.02	7.86±0.01	6.48±0.01	5.44±0.01	0.38±0.01	1.410	1.647	2.356	
20:26:32.44	39:46:30.69	...	...	...	...	14.94±0.08	13.73±0.12	12.63±0.13	6.27±0.07	1.890	0.218	0.040	
20:26:32.90	37:46:43.09	...	...	...	11.45±0.01	10.19±0.01	9.19±0.01	8.52±0.01	4.28±0.01	0.440	9.427	0.533	
20:26:34.59	41:20:55.46	...	...	...	...	12.98±0.03	12.13±0.04	11.44±0.12	6.86±0.12	0.480	9.312	-0.59	
20:26:34.62	41:22:24.71	...	...	...	14.83±0.05	14.01±0.03	13.26±0.09	12.22±0.13	7.50±0.19	0.650	0.530	-0.75	
20:26:34.84	39:46:20.61	...	15.03±0.09	...	9.64±0.01	8.71±0.01	7.86±0.01	6.94±0.01	2.32±0.01	0.600	0.530	1.318	
20:26:35.09	41:04:45.48	...	...	14.35±0.10	12.49±0.05	11.49±0.03	10.35±0.10	9.15±0.15	5.22±0.04	0.560	9.312	0.272	
20:26:35.44	39:14:51.00	...	...	...	12.92±0.01	11.36±0.01	10.50±0.02	9.80±0.05	6.45±0.07	0.020	0.603	-0.17	
20:26:35.73	41:14:08.45	...	...	13.25±0.04	10.43±0.01	9.47±0.01	8.60±0.01	7.88±0.01	4.53±0.01	-0.13	0.496	0.635	
20:26:35.80	39:46:13.19	...	...	13.74±0.07	10.87±0.03	9.62±0.01	8.07±0.01	6.58±0.01	1.01±0.02	1.830	0.277	2.183	
20:26:37.54	39:44:43.82	...	16.38±0.26	14.58±0.11	12.07±0.01	11.29±0.01	10.51±0.01	9.43±0.02	6.08±0.07	-0.02	9.971	-0.02	
20:26:38.21	39:14:45.49	...	...	14.06±0.06	11.91±0.01	11.03±0.01	10.21±0.01	9.25±0.02	5.90±0.03	-0.05	23.71	0.061	

Table 4—Continued

UKIDSS/2MASS												
IRAC												
MIPS												
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$
20:26:38.35	37:09:43.81	...	...	...	15.36±0.06	13.60±0.02	12.38±0.04	11.53±0.06	7.49±0.07	0.680	0.531	-0.58
20:26:38.64	40:48:27.33	...	...	...	13.23±0.01	12.12±0.01	11.19±0.01	10.18±0.02	6.50±0.07	0.270	0.484	-0.36
20:26:38.70	39:18:32.58	...	...	...	14.49±0.03	13.61±0.02	12.72±0.05	11.72±0.08	7.33±0.09	0.540	0.387	-0.68
20:26:39.03	41:36:14.26	...	...	...	...	...	...	10.95±0.06	7.46±0.10	-0.04	0.484	-0.97
20:26:39.41	40:48:15.47	...	...	...	...	...	12.74±0.09	11.65±0.12	6.04±0.07	1.480	5.646	0.001
20:26:40.14	40:02:30.41	13.80±0.03	12.00±0.02	11.16±0.01	9.96±0.01	9.26±0.01	8.38±0.02	7.17±0.05	3.65±0.06	0.160	0.536	1.006
20:26:42.61	37:59:30.55	...	...	...	10.50±0.01	9.51±0.01	8.73±0.01	7.61±0.02	3.70±0.02	0.340	0.501	0.725
20:26:42.87	38:46:02.04	...	...	...	13.02±0.02	11.84±0.01	10.75±0.01	9.93±0.01	6.49±0.03	0.130	0.480	-0.26
20:26:43.94	37:18:35.37	...	...	...	...	...	...	10.58±0.08	6.76±0.10	0.230	3.114	-0.77
20:26:44.91	37:35:38.96	...	...	...	13.07±0.01	12.27±0.01	11.57±0.03	10.86±0.05	7.44±0.08	-0.23	1.872	-0.53
20:26:46.64	39:37:46.32	...	...	14.26±0.08	11.79±0.01	10.78±0.01	9.96±0.01	9.07±0.01	5.30±0.03	0.170	0.158	0.156
20:26:46.84	39:38:14.46	...	...	...	14.37±0.03	13.40±0.03	12.53±0.06	11.64±0.09	7.30±0.09	0.470	0.426	-0.69
20:26:48.57	39:38:38.91	...	15.74±0.28	13.78±0.07	11.34±0.02	10.29±0.01	9.10±0.01	7.74±0.01	3.12±0.01	1.040	1.717	1.174
20:26:49.27	39:29:22.98	...	...	...	12.25±0.01	10.57±0.01	9.16±0.01	8.12±0.01	4.13±0.03	0.830	3.114	0.812
20:26:49.34	40:01:15.80	...	...	...	13.32±0.04	12.38±0.01	11.50±0.07	10.32±0.13	6.97±0.36	0.120	2.216	-0.46
20:26:49.70	42:18:56.45	...	...	...	...	14.22±0.07	12.97±0.16	11.29±0.16	6.95±0.16	1.030	0.599	-0.37
20:26:50.18	39:07:20.20	17.02±0.20	15.72±0.14	14.84±0.14	13.89±0.01	13.12±0.01	12.33±0.03	11.49±0.05	7.30±0.07	0.270	0.590	-0.52
20:26:50.47	41:19:51.93	...	...	...	...	14.41±0.03	...	12.09±0.15	7.49±0.15	0.900	2.216	-0.74
20:26:50.67	40:00:44.49	15.95±0.07	13.88±0.03	12.48±0.02	10.67±0.01	9.97±0.01	9.34±0.02	8.33±0.06	4.29±0.04	0.190	1.496	0.570
20:26:51.13	39:29:08.62	...	...	12.83±0.03	9.31±0.01	8.00±0.01	6.96±0.01	5.90±0.01	2.05±0.01	0.490	0.867	1.509
20:26:52.79	40:14:22.75	...	...	...	13.81±0.03	13.07±0.02	12.55±0.12	12.02±0.41	6.39±0.36	0.700	0.996	-0.37
20:26:53.70	40:54:52.47	...	...	...	15.36±0.04	13.81±0.02	13.67±0.15	...	6.26±0.05	1.450	0.499	-0.14
20:26:53.81	39:11:32.74	...	...	...	11.95±0.01	9.79±0.01	8.34±0.01	7.32±0.01	2.72±0.01	1.280	2.992	1.452
20:26:54.34	40:14:38.25	...	...	...	13.89±0.04	12.64±0.01	11.67±0.04	10.97±0.10	6.33±0.17	0.640	2.868	-0.25
20:26:56.11	39:56:28.67	...	...	...	...	...	11.79±0.05	10.06±0.07	6.62±0.18	0.280	1.382	-0.54
20:26:56.63	40:45:43.97	...	...	...	...	14.63±0.06	13.34±0.16	...	7.19±0.13	1.130	0.816	-0.63
20:26:58.35	40:42:40.18	...	...	...	...	14.64±0.07	...	10.51±0.10	6.27±0.10	1.540	0.590	0.077
20:26:58.99	39:09:47.91	...	...	...	14.91±0.04	13.56±0.02	12.38±0.11	11.14±0.19	6.88±0.05	0.880	72.37	-0.33
20:26:59.59	40:06:58.49	...	...	...	14.71±0.19	13.69±0.07	11.69±0.21	9.62±0.03	5.37±0.22	1.620	0.712	0.530
20:26:59.90	37:45:52.21	...	...	...	...	13.73±0.03	13.24±0.05	12.80±0.10	7.36±0.07	0.730	0.577	-0.75
20:26:59.92	40:08:02.64	...	...	...	12.05±0.01	10.92±0.01	9.98±0.04	9.19±0.10	4.85±0.09	0.490	0.476	0.303
20:27:00.52	37:45:48.98	...	15.64±0.13	14.51±0.09	12.57±0.01	11.65±0.01	11.02±0.01	10.17±0.01	6.39±0.02	0.030	0.359	-0.18
20:27:01.19	40:21:17.40	...	...	...	...	14.39±0.09	...	...	6.20±0.13	1.600	3.363	-0.12
20:27:01.80	40:45:04.87	...	...	...	13.26±0.01	12.49±0.01	11.70±0.05	10.72±0.08	6.37±0.12	0.430	99.53	-0.35
20:27:03.26	41:12:51.65	...	...	...	14.92±0.03	14.37±0.03	13.43±0.12	12.38±0.14	7.03±0.10	0.980	2.227	-0.51
20:27:04.28	41:58:50.92	...	...	...	...	...	...	10.75±0.05	6.20±0.06	0.830	2.438	-0.31
20:27:04.70	39:26:41.97	13.07±0.02	11.83±0.01	11.19±0.01	10.74±0.01	10.47±0.01	10.15±0.06	8.73±0.09	2.26±0.15	1.390	1.536	1.678
20:27:04.85	40:46:27.98	...	...	...	...	13.99±0.05	...	10.97±0.05	6.84±0.11	0.940	2.840	-0.39
20:27:06.90	39:08:57.06	...	...	...	14.06±0.04	12.57±0.01	12.30±0.09	11.80±0.28	3.64±0.01	2.060	1.536	1.115
20:27:07.13	39:07:37.55	...	...	...	12.59±0.01	10.58±0.01	9.48±0.01	8.32±0.01	2.36±0.01	1.840	1.520	1.625
20:27:08.84	39:07:16.46	...	...	...	11.64±0.01	10.24±0.01	9.41±0.01	8.53±0.02	5.11±0.02	0.100	0.424	0.305
20:27:08.85	37:22:21.15	...	...	...	11.14±0.01	10.83±0.02	10.25±0.08	9.01±0.12	3.66±0.03	0.860	3.644	0.778
20:27:09.03	38:23:52.27	...	...	...	12.62±0.03	11.67±0.02	9.63±0.04	7.96±0.04	4.58±0.03	0.950	5.045	0.784
20:27:10.59	39:54:03.34	...	...	...	13.41±0.03	12.58±0.02	11.99±0.10	11.48±0.28	6.89±0.41	0.220	0.604	-0.63
20:27:10.65	39:26:27.93	...	11.33±0.02	9.62±0.02	7.52±0.01	6.67±0.01	5.95±0.01	5.12±0.02	1.29±0.11	0.070	4.998	1.814
20:27:11.52	40:10:26.33	...	...	...	13.47±0.02	12.61±0.01	11.89±0.07	10.69±0.12	7.40±0.47	0.000	2.128	-0.59
20:27:12.39	37:23:59.01	...	...	...	10.75±0.01	9.84±0.01	9.00±0.01	8.15±0.02	4.64±0.09	-0.01	92.77	0.492
20:27:13.33	40:43:18.11	...	...	...	13.06±0.01	12.14±0.01	11.20±0.03	10.28±0.06	6.88±0.08	0.030	5.415	-0.39
20:27:13.79	39:40:33.37	...	14.94±0.08	12.81±0.03	10.35±0.01	9.51±0.01	8.41±0.01	7.21±0.01	1.98±0.01	1.170	1.130	1.599
20:27:14.65	37:19:02.44	...	...	...	...	14.47±0.06	...	...	6.53±0.18	1.460	0.548	-0.31

Table 4—Continued

UKIDSS/2MASS												
IRAC												
MIPS												
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$
20:27:15.27	37:22:31.26	...	...	...	12.64±0.01	11.67±0.01	10.87±0.06	10.12±0.15	5.74±0.40	0.380	5.113	-0.12
20:27:15.52	37:22:25.39	...	...	...	12.65±0.02	11.17±0.01	10.19±0.02	9.33±0.06	4.59±0.13	0.850	7.216	0.510
20:27:15.60	40:42:43.85	...	...	...	14.96±0.08	13.98±0.04	12.20±0.08	10.65±0.05	6.30±0.09	1.270	6.778	0.013
20:27:15.80	37:09:05.73	...	...	...	15.69±0.11	14.85±0.05	...	12.16±0.18	6.94±0.12	1.360	5.113	-0.37
20:27:16.06	37:23:07.92	...	14.72±0.05	13.07±0.03	11.16±0.01	10.44±0.01	9.74±0.06	9.08±0.16	4.04±0.22	0.550	1.976	0.620
20:27:16.56	39:40:20.53	...	...	...	13.53±0.03	12.52±0.02	11.45±0.07	10.03±0.11	5.95±0.14	0.740	5.473	-0.00
20:27:17.25	41:26:49.49	...	...	...	13.52±0.02	12.79±0.01	12.20±0.07	11.51±0.15	7.11±0.31	0.190	1.976	-0.69
20:27:17.84	37:22:23.77	...	...	...	9.94±0.01	8.19±0.01	6.89±0.01	5.82±0.01	1.72±0.05	0.870	0.976	1.772
20:27:18.83	41:03:04.96	...	...	...	15.05±0.33	14.54±0.10	13.59±0.20	11.36±0.10	7.26±0.13	1.000	0.324	-0.45
20:27:20.22	40:00:43.31	...	...	...	14.31±0.21	13.03±0.06	11.61±0.31	10.38±0.58	5.66±0.43	1.200	1.013	0.196
20:27:20.27	40:42:34.65	...	...	...	11.31±0.01	8.54±0.01	6.68±0.01	5.56±0.01	0.70±0.01	1.830	1.976	2.428
20:27:21.35	41:06:54.11	...	15.09±0.08	12.97±0.03	10.66±0.01	9.60±0.01	8.65±0.01	7.72±0.01	3.98±0.01	0.250	8.027	0.676
20:27:21.66	41:46:30.11	...	...	...	13.03±0.01	11.88±0.01	10.91±0.02	9.97±0.04	6.55±0.07	0.130	0.697	-0.28
20:27:21.72	40:41:58.46	...	...	...	...	...	...	9.19±0.03	5.26±0.16	0.320	0.408	-0.18
20:27:21.72	40:57:49.92	...	...	...	14.81±0.19	13.29±0.06	12.23±0.28	...	4.22±0.04	2.170	0.402	0.925
20:27:21.77	39:26:14.39	13.43±0.02	11.93±0.01	11.13±0.01	10.63±0.01	10.40±0.01	10.31±0.05	9.34±0.12	2.31±0.08	1.310	0.559	1.606
20:27:21.95	40:41:27.53	...	...	...	13.16±0.02	12.22±0.01	11.05±0.02	9.94±0.02	5.99±0.14	0.520	1.739	-0.08
20:27:22.77	37:17:54.40	15.22±0.04	13.13±0.02	11.61±0.01	10.18±0.01	9.51±0.01	8.76±0.05	7.53±0.09	3.66±0.11	0.270	0.831	0.836
20:27:22.88	40:06:32.22	...	...	...	13.39±0.03	11.84±0.01	10.60±0.04	9.76±0.10	5.84±0.08	0.560	8.027	0.031
20:27:23.02	39:48:39.31	...	...	...	14.97±0.06	13.69±0.03	12.65±0.05	12.22±0.15	7.08±0.23	0.790	0.872	-0.55
20:27:23.86	40:41:38.31	...	...	...	...	...	...	8.74±0.04	4.59±0.06	0.500	2.106	0.192
20:27:24.02	36:57:07.95	...	...	...	15.46±0.06	14.52±0.03	13.64±0.13	12.32±0.19	7.09±0.09	1.160	3.769	-0.46
20:27:24.16	37:14:16.47	...	...	...	13.62±0.02	12.94±0.01	12.31±0.06	11.55±0.11	7.27±0.10	0.170	0.638	-0.74
20:27:24.27	40:43:10.97	...	...	...	...	11.97±0.03	10.34±0.07	8.87±0.09	4.14±0.04	1.280	0.955	0.800
20:27:24.33	40:43:40.51	...	...	...	...	...	12.08±0.08	10.38±0.08	6.41±0.25	0.630	1.308	-0.33
20:27:24.64	40:41:31.13	...	...	...	13.71±0.03	12.73±0.01	10.91±0.01	9.40±0.01	4.88±0.05	1.360	0.392	0.591
20:27:25.56	37:17:09.24	16.91±0.17	14.21±0.06	12.56±0.02	10.02±0.03	8.98±0.01	8.09±0.10	7.36±0.24	2.99±0.07	0.430	1.066	1.042
20:27:25.68	39:58:03.77	...	...	...	11.76±0.01	10.58±0.01	9.64±0.03	8.62±0.04	3.60±0.04	0.980	0.180	0.898
20:27:25.71	40:42:14.60	...	...	...	...	...	...	10.60±0.10	2.31±0.05	3.930	2.839	2.617
20:27:25.89	39:58:03.17	...	...	...	11.74±0.01	10.40±0.01	9.46±0.03	8.67±0.05	3.60±0.04	0.920	2.839	0.883
20:27:26.27	40:54:13.58	...	...	...	14.72±0.04	13.75±0.03	13.89±0.28	...	6.82±0.11	0.990	2.134	-0.52
20:27:26.33	37:16:27.32	...	15.69±0.15	14.21±0.08	12.69±0.01	11.98±0.01	11.30±0.11	10.51±0.28	5.82±0.26	0.430	0.924	-0.07
20:27:26.70	39:07:39.98	15.83±0.07	13.53±0.03	11.55±0.02	9.37±0.01	8.41±0.01	7.61±0.01	6.71±0.01	3.64±0.01	-0.21	1.790	1.089
20:27:27.43	39:46:01.77	...	...	...	14.23±0.08	13.23±0.04	12.62±0.07	11.82±0.05	7.32±0.30	0.390	0.444	-0.76
20:27:27.52	39:58:01.19	...	...	...	14.01±0.04	13.55±0.04	10.78±0.04	9.06±0.06	5.83±0.07	1.110	0.672	0.391
20:27:29.32	40:08:26.26	17.21±0.23	15.27±0.10	13.41±0.04	11.12±0.01	9.74±0.01	8.67±0.02	7.78±0.05	3.18±0.06	0.810	4.702	1.098
20:27:29.95	37:13:16.45	...	...	...	13.05±0.03	11.35±0.01	10.72±0.02	10.86±0.06	4.27±0.02	1.140	0.300	0.591
20:27:29.99	39:41:47.10	...	14.99±0.08	13.26±0.04	11.49±0.01	10.44±0.01	9.51±0.01	8.37±0.01	4.82±0.02	0.260	0.854	0.388
20:27:30.10	39:06:08.67	15.82±0.07	14.28±0.04	13.02±0.03	11.01±0.01	10.16±0.01	9.46±0.01	8.78±0.01	4.64±0.02	0.130	0.280	0.441
20:27:30.30	39:40:08.43	...	...	...	14.18±0.02	12.84±0.01	11.68±0.02	10.83±0.04	6.68±0.05	0.590	1.900	-0.34
20:27:30.36	37:13:12.36	...	14.65±0.06	12.95±0.03	11.22±0.01	10.39±0.01	9.76±0.01	9.05±0.02	4.21±0.02	0.470	1.496	0.552
20:27:30.99	40:39:10.59	...	...	...	13.86±0.02	13.10±0.01	12.22±0.04	10.69±0.03	7.31±0.20	0.280	4.909	-0.65
20:27:31.43	38:12:11.18	...	...	...	11.55±0.01	10.45±0.01	9.46±0.01	8.58±0.01	5.02±0.02	0.160	1.603	0.289
20:27:32.55	39:57:22.59	...	...	...	15.19±0.10	...	12.33±0.08	10.50±0.09	7.08±0.15	0.880	0.475	-0.30
20:27:32.65	40:41:25.36	...	...	...	12.87±0.02	11.93±0.01	10.95±0.02	9.34±0.01	6.36±0.06	0.220	8.387	-0.17
20:27:32.72	37:21:58.01	...	...	...	11.13±0.01	10.28±0.01	9.70±0.01	9.09±0.05	4.20±0.52	0.420	0.277	0.449
20:27:32.86	40:09:45.29	...	...	...	15.07±0.14	14.16±0.07	11.18±0.06	9.38±0.06	7.01±0.66	0.940	3.895	0.100
20:27:34.00	39:45:56.26	...	...	...	14.23±0.03	13.23±0.02	12.44±0.04	11.50±0.07	6.74±0.11	0.680	3.447	-0.44
20:27:35.86	39:52:30.77	...	15.80±0.13	14.40±0.08	12.68±0.01	11.79±0.01	10.87±0.04	9.86±0.07	6.28±0.20	0.150	1.424	-0.14
20:27:37.42	40:07:04.78	...	...	...	12.96±0.03	12.20±0.02	9.34±0.02	7.66±0.03	4.94±0.11	0.960	2.062	0.830

Table 4—Continued

UKIDSS/2MASS													IRAC			MIPS		
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$						
20:27:38.87	39:23:26.86	...	...	...	14.31±0.04	13.09±0.01	12.69±0.11	12.33±0.36	7.10±0.10	0.480	0.298	-0.70						
20:27:41.10	37:19:00.39	...	...	14.15±0.08	12.05±0.01	10.98±0.01	9.88±0.01	8.88±0.01	5.08±0.04	0.390	2.022	0.266						
20:27:41.19	38:31:06.35	16.84±0.15	15.84±0.14	14.18±0.07	9.80±0.01	8.63±0.01	7.43±0.01	6.54±0.01	3.64±0.01	-0.05	2.022	1.045						
20:27:41.27	41:43:02.94	...	...	...	11.44±0.01	9.95±0.01	8.80±0.01	7.94±0.01	4.76±0.03	0.140	1.283	0.493						
20:27:41.71	42:16:42.87	...	...	...	14.94±0.07	11.03±0.01	7.62±0.01	4.69±0.01	0.23±0.01	3.690	2.022	3.527						
20:27:41.98	37:18:27.77	...	...	...	13.68±0.02	12.88±0.01	12.37±0.04	11.74±0.12	7.04±0.11	0.290	2.022	-0.73						
20:27:42.01	38:12:40.06	...	...	...	13.48±0.02	12.69±0.01	12.00±0.02	11.23±0.02	7.32±0.03	0.050	1.118	-0.66						
20:27:42.15	41:43:01.63	...	...	...	13.92±0.04	12.40±0.01	11.00±0.03	9.90±0.05	5.32±0.08	1.110	1.283	0.329						
20:27:43.28	40:42:10.74	...	...	...	13.25±0.03	11.94±0.01	10.79±0.03	9.95±0.07	5.57±0.05	0.690	1.903	0.106						
20:27:43.44	40:42:35.83	...	...	...	13.73±0.01	12.74±0.01	11.84±0.03	10.53±0.05	5.57±0.04	1.040	3.576	0.127						
20:27:43.68	39:34:41.12	...	...	...	12.88±0.01	11.62±0.01	10.68±0.01	10.28±0.03	5.34±0.02	0.620	0.103	0.102						
20:27:43.78	40:42:03.99	...	...	...	...	14.16±0.06	12.69±0.14	11.24±0.19	6.31±0.09	1.330	224.0	-0.07						
20:27:43.85	39:11:11.22	...	...	...	14.65±0.04	13.60±0.02	12.67±0.04	11.84±0.04	7.38±0.06	0.550	0.298	-0.70						
20:27:44.20	40:05:57.13	...	...	14.75±0.12	13.51±0.05	13.21±0.04	10.81±0.06	9.18±0.07	6.12±0.12	0.760	5.535	0.193						
20:27:44.76	41:43:19.59	...	...	...	13.37±0.01	12.58±0.01	11.85±0.02	11.12±0.03	6.77±0.12	0.270	1.719	-0.57						
20:27:45.27	40:05:51.74	...	...	...	12.39±0.02	11.19±0.01	10.12±0.02	9.19±0.04	4.98±0.05	0.580	0.619	0.314						
20:27:45.83	39:54:22.58	...	...	...	12.52±0.01	11.38±0.01	10.51±0.02	9.81±0.06	6.30±0.33	-0.01	2.761	-0.15						
20:27:46.77	38:06:21.43	...	...	...	...	15.08±0.05	13.64±0.07	12.13±0.05	6.93±0.03	1.510	1.719	-0.28						
20:27:47.98	41:18:29.19	...	...	...	13.28±0.02	12.29±0.01	11.54±0.02	10.71±0.02	6.01±0.05	0.570	1.719	-0.17						
20:27:48.19	38:34:18.37	...	...	...	...	14.43±0.03	13.32±0.07	11.45±0.04	6.03±0.03	1.730	1.167	0.128						
20:27:48.47	40:04:56.82	...	...	...	12.96±0.02	11.75±0.01	10.87±0.03	10.02±0.08	6.07±0.15	0.320	7.130	-0.21						
20:27:48.48	39:35:55.55	...	...	...	12.17±0.01	11.23±0.01	10.45±0.01	9.65±0.03	5.38±0.02	0.330	1.719	0.003						
20:27:49.24	40:58:06.84	...	...	...	13.46±0.01	12.61±0.01	11.99±0.05	11.19±0.10	7.41±0.15	-0.02	0.103	-0.65						
20:27:49.85	40:08:19.16	...	...	14.20±0.07	11.48±0.01	10.67±0.01	10.04±0.03	9.38±0.10	5.90±0.45	-0.26	117.7	0.111						
20:27:50.84	41:34:29.19	...	...	...	15.21±0.16	14.25±0.07	13.24±0.23	...	7.16±0.52	0.990	0.696	-0.62						
20:27:52.33	39:05:30.26	...	15.29±0.09	13.49±0.04	11.29±0.01	10.54±0.01	10.01±0.01	9.16±0.01	5.17±0.02	0.050	100.2	0.243						
20:27:52.66	40:49:37.06	...	...	...	...	...	12.09±0.08	10.24±0.09	6.50±0.15	0.540	0.233	-0.38						
20:27:53.37	41:35:06.03	...	...	...	12.98±0.01	12.22±0.01	11.45±0.04	10.35±0.09	6.18±0.13	0.390	88.57	-0.27						
20:27:53.97	39:05:13.37	...	...	...	14.18±0.02	12.45±0.01	11.52±0.02	10.87±0.04	6.99±0.05	0.350	3.445	-0.52						
20:27:54.35	38:32:58.66	...	...	...	13.85±0.03	12.76±0.02	11.70±0.03	10.76±0.02	6.58±0.02	0.540	1.468	-0.34						
20:27:54.55	41:22:35.59	...	...	...	...	...	...	10.11±0.09	5.34±0.09	1.010	10.14	0.093						
20:27:54.59	38:33:06.41	...	...	...	11.77±0.05	10.74±0.02	9.91±0.01	9.15±0.02	5.38±0.02	0.110	10.14	0.125						
20:27:54.81	40:04:09.41	...	...	...	14.67±0.05	13.62±0.03	13.48±0.23	...	7.01±0.35	0.820	10.14	-0.63						
20:27:55.28	40:11:54.27	...	...	...	12.21±0.01	10.45±0.01	9.30±0.02	8.28±0.04	3.89±0.07	0.920	67.93	0.870						
20:27:55.40	41:04:23.20	...	...	...	16.34±0.32	14.32±0.07	...	...	5.89±0.09	2.210	59.07	0.270						
20:27:56.76	39:36:04.40	...	...	...	...	13.54±0.04	13.96±0.26	...	5.02±0.02	2.150	0.630	0.589						
20:27:57.01	40:50:55.11	14.32±0.04	12.94±0.04	12.17±0.03	11.65±0.01	11.52±0.01	11.34±0.04	10.71±0.11	4.09±0.10	0.920	2.368	0.891						
20:27:57.18	39:04:46.68	...	...	...	12.89±0.02	11.72±0.01	11.03±0.03	10.64±0.12	4.76±0.02	0.950	0.543	0.355						
20:27:57.64	38:36:32.66	...	...	...	14.05±0.02	13.34±0.01	12.61±0.06	11.79±0.13	7.23±0.28	0.400	1.623	-0.73						
20:27:57.67	40:05:57.01	...	...	...	13.39±0.06	11.81±0.02	10.32±0.04	9.11±0.06	4.37±0.08	1.310	1.323	0.756						
20:27:57.99	40:11:51.03	...	15.99±0.16	13.60±0.04	12.84±0.01	11.69±0.01	10.85±0.03	9.49±0.05	5.24±0.23	0.720	1.086	0.328						
20:27:58.60	41:23:08.23	...	...	...	...	...	...	10.73±0.06	5.91±0.15	1.050	2.761	-0.11						
20:27:59.32	41:52:55.70	...	...	...	14.45±0.04	13.31±0.02	12.30±0.05	11.06±0.06	6.34±0.08	0.970	0.941	-0.16						
20:27:59.96	40:57:36.24	...	...	...	14.60±0.04	13.70±0.02	12.89±0.09	12.02±0.15	6.99±0.14	0.760	0.764	-0.54						
20:28:00.99	39:34:33.51	...	...	...	14.72±0.05	13.15±0.02	11.93±0.03	11.15±0.07	5.74±0.03	1.290	0.550	0.126						
20:28:01.62	41:53:04.63	...	...	...	...	...	10.59±0.02	8.88±0.01	5.82±0.05	0.010	0.238	-0.10						
20:28:01.72	40:56:24.57	16.40±0.11	...	...	12.28±0.02	11.38±0.01	10.48±0.09	9.52±0.18	5.83±0.23	0.170	0.571	-0.04						
20:28:01.77	40:56:25.87	...	...	...	...	11.40±0.01	...	...	5.83±0.23	0.150	0.594	-0.51						
20:28:01.99	38:35:52.82	14.43±0.03	12.50±0.03	10.75±0.01	8.10±0.01	7.19±0.01	6.38±0.01	5.60±0.01	1.80±0.06	0.090	0.247	1.591						
20:28:02.19	41:53:06.11	...	...	...	...	13.05±0.02	12.19±0.05	...	5.70±0.04	1.180	0.524	-0.03						

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:28:02.45	41:07:25.21	...	...	...	15.13±0.04	13.62±0.01	12.35±0.06	11.23±0.10	7.26±0.21	0.750	0.524	-0.48	
20:28:02.72	40:56:28.58	...	15.09±0.08	13.86±0.06	12.38±0.03	11.60±0.01	11.01±0.09	9.90±0.15	5.12±0.08	0.630	1.535	0.274	
20:28:02.89	40:57:06.96	...	...	...	14.22±0.06	12.62±0.02	11.41±0.04	10.80±0.09	6.88±0.34	0.440	0.794	-0.43	
20:28:03.33	39:59:13.71	...	...	...	...	13.36±0.03	...	10.25±0.07	5.67±0.07	1.250	0.519	0.139	
20:28:03.42	41:06:13.06	...	...	...	...	13.93±0.05	...	...	5.78±0.08	1.570	0.631	0.024	
20:28:03.75	40:19:02.98	16.51±0.12	15.27±0.10	14.57±0.10	11.13±0.01	10.26±0.01	9.46±0.01	8.39±0.03	5.26±0.08	-0.11	1.329	0.369	
20:28:03.77	40:55:54.16	...	...	...	15.34±0.09	13.44±0.01	12.37±0.08	11.63±0.19	6.74±0.21	1.020	0.631	-0.29	
20:28:04.29	41:53:18.91	...	...	...	...	14.06±0.03	12.59±0.06	11.28±0.07	7.41±0.08	0.620	0.343	-0.64	
20:28:04.51	41:13:54.56	...	...	...	...	12.72±0.02	11.84±0.01	10.87±0.01	5.67±0.02	0.510	0.631	0.100	
20:28:05.53	40:52:20.27	...	...	...	11.06±0.02	10.56±0.02	7.91±0.01	6.18±0.03	0.68±0.11	2.230	0.880	2.479	
20:28:06.31	41:36:07.46	...	...	...	...	...	...	10.60±0.06	6.17±0.07	0.730	1.441	-0.34	
20:28:06.46	38:35:11.98	...	...	...	12.80±0.03	12.47±0.02	9.48±0.01	7.75±0.02	5.23±0.05	0.820	0.535	0.706	
20:28:07.13	39:27:39.03	...	...	...	13.85±0.01	12.94±0.01	12.24±0.03	11.33±0.04	7.36±0.09	0.190	1.919	-0.73	
20:28:07.50	38:35:09.52	...	...	...	14.73±0.17	13.67±0.07	12.94±0.20	11.27±0.17	6.13±0.06	1.270	2.224	-0.04	
20:28:07.52	38:35:48.51	...	...	...	12.28±0.01	11.04±0.01	10.38±0.03	10.05±0.09	4.49±0.04	0.760	1.829	0.426	
20:28:07.68	41:03:35.75	...	...	...	14.01±0.22	12.95±0.09	...	...	4.70±0.17	1.610	1.864	0.490	
20:28:07.77	40:08:47.38	...	...	...	15.42±0.18	14.05±0.08	...	...	7.47±0.39	0.850	0.348	-0.86	
20:28:07.84	40:43:53.18	...	...	...	15.08±0.10	14.24±0.05	12.95±0.18	11.71±0.25	7.16±0.13	0.930	4.105	-0.48	
20:28:08.13	40:01:12.66	...	...	...	...	...	...	10.46±0.06	5.79±0.19	0.930	0.271	-0.11	
20:28:08.39	40:09:15.06	...	...	...	...	13.10±0.03	...	...	5.86±0.24	1.070	0.306	-0.20	
20:28:08.56	40:09:13.49	...	...	...	14.85±0.12	13.02±0.02	11.92±0.06	...	5.86±0.24	1.260	4.463	0.001	
20:28:08.65	39:58:16.05	...	...	...	...	...	13.00±0.07	11.30±0.05	7.05±0.28	0.830	0.335	-0.53	
20:28:08.86	41:03:40.98	...	...	14.98±0.15	11.94±0.01	10.94±0.01	9.95±0.04	8.98±0.08	5.09±0.22	0.350	4.726	0.203	
20:28:09.18	38:03:20.21	...	15.30±0.10	14.05±0.07	12.40±0.01	11.64±0.01	11.03±0.01	10.22±0.01	5.71±0.01	0.330	0.469	-0.06	
20:28:09.35	40:09:06.47	...	...	14.18±0.07	12.34±0.01	11.34±0.01	10.68±0.04	10.02±0.08	5.79±0.11	0.200	0.804	-0.08	
20:28:10.13	41:13:01.89	...	...	...	...	14.62±0.03	13.40±0.05	12.11±0.05	7.15±0.03	1.170	4.221	-0.47	
20:28:12.25	40:53:09.00	...	14.73±0.08	13.28±0.04	10.85±0.03	10.01±0.01	9.17±0.15	7.68±0.20	3.28±0.40	0.780	4.769	1.047	
20:28:13.19	40:30:26.94	...	...	14.23±0.07	11.14±0.01	10.32±0.01	9.56±0.01	8.61±0.02	5.11±0.03	-0.02	0.602	0.319	
20:28:13.30	40:51:57.46	14.54±0.03	12.86±0.03	12.03±0.03	11.50±0.03	11.21±0.03	10.50±0.05	8.75±0.05	1.37±0.26	2.220	1.091	2.151	
20:28:13.48	39:29:04.23	...	...	...	12.13±0.01	11.27±0.01	10.52±0.01	9.59±0.03	5.90±0.02	0.070	4.722	-0.07	
20:28:14.48	38:13:05.35	...	...	14.77±0.13	12.49±0.01	11.47±0.01	10.62±0.01	9.75±0.01	6.36±0.03	-0.02	1.840	-0.13	
20:28:15.71	41:28:07.38	...	...	...	...	...	10.70±0.06	9.36±0.18	4.42±0.03	1.140	1.119	0.566	
20:28:15.80	40:51:58.48	14.98±0.04	13.34±0.03	12.54±0.03	11.96±0.02	11.67±0.02	10.93±0.03	9.26±0.05	2.66±0.13	1.800	2.009	1.535	
20:28:17.35	40:08:34.27	...	...	...	...	...	...	9.60±0.06	5.01±0.09	0.860	0.303	0.175	
20:28:17.60	40:44:49.11	...	...	...	14.49±0.02	12.70±0.01	11.54±0.02	10.67±0.02	5.87±0.10	1.060	5.980	0.071	
20:28:18.14	40:56:47.16	...	14.80±0.08	12.82±0.03	10.36±0.03	9.71±0.02	7.50±0.06	5.90±0.08	0.98±0.02	1.700	5.711	2.222	
20:28:19.14	40:57:06.56	...	...	...	13.99±0.05	13.21±0.03	12.13±0.16	...	5.38±0.08	1.320	1.654	0.164	
20:28:19.35	40:56:11.23	16.50±0.11	14.23±0.03	13.19±0.03	12.29±0.05	11.96±0.06	10.96±0.19	9.26±0.12	3.20±0.07	1.670	1.654	1.268	
20:28:19.59	40:51:42.33	15.46±0.05	14.05±0.05	13.36±0.04	12.76±0.01	12.54±0.02	12.05±0.05	10.94±0.07	3.46±0.21	1.800	1.162	1.204	
20:28:20.47	40:52:59.34	15.84±0.07	13.89±0.05	12.69±0.04	11.23±0.12	10.36±0.07	...	...	-0.15±0.03	2.690	0.132	2.888	
20:28:20.76	40:39:51.47	...	...	...	14.18±0.02	13.07±0.01	12.09±0.05	11.06±0.08	6.97±0.19	0.510	1.171	-0.50	
20:28:21.13	40:16:15.87	...	...	...	...	14.28±0.07	...	...	6.68±0.64	1.270	0.778	-0.45	
20:28:21.32	40:46:18.73	...	...	...	15.36±0.04	14.33±0.03	13.88±0.21	12.69±0.35	7.09±0.13	1.090	1.823	-0.52	
20:28:21.43	41:20:15.08	...	...	...	...	...	...	9.99±0.08	5.74±0.13	0.590	1.047	-0.22	
20:28:21.92	39:44:23.11	...	...	...	12.33±0.02	10.92±0.01	9.98±0.02	9.13±0.05	5.08±0.04	0.460	0.218	0.249	
20:28:22.64	41:38:44.55	...	15.77±0.13	14.14±0.08	11.90±0.01	10.99±0.01	10.17±0.04	9.19±0.08	4.91±0.06	0.440	0.547	0.292	
20:28:22.99	40:09:45.44	...	...	...	...	14.43±0.07	...	9.61±0.08	6.27±0.14	1.330	0.557	0.184	
20:28:24.42	42:08:35.03	15.60±0.06	14.19±0.04	13.54±0.04	12.66±0.01	11.84±0.01	11.00±0.03	10.08±0.06	6.17±0.10	0.210	51.30	0.011	
20:28:25.58	41:16:53.31	...	...	...	...	...	13.18±0.07	...	6.52±0.26	1.370	1.047	-0.32	
20:28:26.46	41:05:04.52	...	14.73±0.05	13.18±0.04	10.64±0.01	9.45±0.01	8.20±0.01	6.93±0.01	3.54±0.01	0.440	0.665	0.980	

- 13 -

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:28:26.55	41:15:25.20	...	...	...	14.01±0.01	12.41±0.01	11.39±0.02	10.34±0.03	6.03±0.04	0.790	0.526	-0.02	
20:28:26.83	40:35:27.06	...	...	...	14.86±0.05	13.90±0.02	14.95±0.54	...	6.95±0.14	1.060	1.227	-0.55	
20:28:27.30	38:12:49.88	...	15.16±0.09	14.00±0.07	12.52±0.01	11.60±0.01	10.70±0.01	9.87±0.01	6.02±0.02	0.190	1.041	-0.06	
20:28:27.74	38:13:38.34	...	...	...	14.43±0.03	13.31±0.02	12.39±0.05	11.63±0.06	6.80±0.06	0.710	0.585	-0.45	
20:28:30.10	41:13:33.57	...	...	...	13.98±0.02	12.69±0.01	11.73±0.01	11.02±0.04	6.55±0.10	0.570	2.575	-0.34	
20:28:30.45	41:19:28.18	...	...	...	14.19±0.03	12.49±0.01	11.30±0.04	10.44±0.11	5.91±0.17	0.900	1.067	0.040	
20:28:30.71	39:29:56.18	...	...	...	13.83±0.01	12.48±0.01	11.51±0.02	10.67±0.03	6.19±0.03	0.670	0.538	-0.16	
20:28:31.29	41:50:50.25	...	...	...	13.94±0.03	13.13±0.02	12.41±0.12	11.63±0.22	7.32±0.55	0.270	4.945	-0.79	
20:28:31.35	40:59:59.24	...	...	...	14.32±0.04	13.61±0.03	12.60±0.06	9.99±0.03	6.84±0.09	0.810	1.482	-0.16	
20:28:31.74	38:13:03.53	...	...	...	14.77±0.03	12.89±0.01	11.41±0.01	10.43±0.01	5.95±0.02	1.140	1.510	0.121	
20:28:31.97	38:46:27.08	...	...	...	15.05±0.04	14.53±0.04	13.74±0.08	12.22±0.08	7.48±0.08	0.860	1.510	-0.68	
20:28:32.27	40:21:52.56	...	...	...	14.35±0.03	13.11±0.01	12.12±0.05	11.04±0.09	6.68±0.07	0.720	1.947	-0.33	
20:28:32.84	41:40:20.45	...	...	...	12.98±0.01	12.03±0.01	11.17±0.01	10.31±0.02	6.50±0.05	0.170	0.900	-0.35	
20:28:33.34	41:41:28.71	...	...	...	12.79±0.02	11.73±0.01	10.88±0.02	10.06±0.06	6.26±0.11	0.170	0.707	-0.25	
20:28:34.05	39:30:48.51	...	...	...	13.55±0.02	12.35±0.01	11.49±0.01	10.65±0.03	7.24±0.04	0.030	1.550	-0.53	
20:28:37.17	40:07:14.75	...	...	...	...	...	...	10.90±0.08	7.36±0.19	0.000	1.510	-0.94	
20:28:37.28	40:08:26.21	...	...	...	...	15.35±0.12	...	10.73±0.07	6.99±0.11	1.480	2.699	-0.13	
20:28:38.69	40:53:25.97	...	...	...	14.60±0.05	...	11.60±0.07	...	5.99±0.12	1.130	2.699	-0.11	
20:28:39.52	40:33:39.86	15.10±0.05	13.78±0.03	12.51±0.02	10.15±0.01	9.11±0.01	8.25±0.01	6.96±0.01	4.03±0.02	-0.01	7.309	0.887	
20:28:41.07	41:01:17.06	...	...	14.94±0.14	13.77±0.02	12.98±0.01	12.39±0.06	11.69±0.12	7.46±0.16	0.120	1.797	-0.68	
20:28:42.46	41:04:19.25	...	...	15.03±0.15	13.56±0.01	11.87±0.01	10.47±0.01	9.17±0.01	5.75±0.03	0.680	2.083	0.231	
20:28:43.04	41:12:57.75	...	...	...	15.52±0.05	14.09±0.02	12.97±0.04	11.88±0.05	7.17±0.27	1.010	1.684	-0.46	
20:28:43.54	41:49:32.79	...	...	...	...	13.55±0.04	11.93±0.09	10.46±0.13	5.59±0.13	1.350	2.375	0.227	
20:28:43.55	41:04:44.58	...	...	...	12.55±0.01	11.64±0.01	10.89±0.01	10.20±0.03	6.75±0.08	-0.17	73.83	-0.28	
20:28:44.97	39:22:18.97	...	...	...	13.35±0.01	11.14±0.01	9.70±0.01	8.82±0.01	3.90±0.02	1.380	9.606	0.970	
20:28:45.77	41:05:01.69	...	...	...	13.89±0.06	12.47±0.02	11.33±0.02	10.24±0.01	5.11±0.03	1.230	1.902	0.377	
20:28:45.96	40:11:06.34	...	...	...	12.92±0.01	11.49±0.01	10.56±0.01	9.82±0.02	5.83±0.06	0.370	1.902	-0.08	
20:28:46.79	41:18:28.78	...	...	...	...	...	11.97±0.04	10.19±0.03	7.16±0.37	0.020	38.60	-0.63	
20:28:47.44	39:37:37.84	...	...	...	12.87±0.03	11.89±0.01	11.09±0.07	10.01±0.15	4.57±0.06	1.100	1.836	0.502	
20:28:47.95	39:06:17.72	...	...	...	14.70±0.03	13.77±0.02	13.26±0.08	12.56±0.13	7.16±0.05	0.720	1.553	-0.66	
20:28:48.98	39:38:02.60	...	...	...	12.19±0.01	11.10±0.01	9.13±0.01	7.59±0.01	4.25±0.02	0.870	2.471	0.898	
20:28:49.52	40:06:21.43	...	...	...	14.27±0.09	...	11.94±0.09	10.09±0.09	5.53±0.08	1.290	1.015	0.255	
20:28:50.37	41:29:15.21	...	...	...	16.68±0.18	14.96±0.05	13.73±0.13	12.81±0.28	6.36±0.11	1.940	1.099	0.030	
20:28:52.96	40:07:22.28	...	...	...	...	...	11.69±0.08	...	5.35±0.07	1.170	2.149	0.059	
20:28:54.00	41:29:59.83	...	...	...	...	14.09±0.02	13.47±0.10	12.40±0.10	6.65±0.10	1.300	0.559	-0.29	
20:28:54.36	40:07:59.95	...	...	...	15.87±0.12	14.93±0.07	...	...	7.24±0.15	1.280	2.149	-0.64	
20:28:54.82	41:05:24.11	...	...	...	13.60±0.01	12.67±0.01	11.80±0.02	10.98±0.05	7.25±0.09	0.100	2.471	-0.62	
20:28:55.85	40:30:51.21	...	...	14.58±0.11	12.88±0.03	12.19±0.01	11.41±0.09	10.94±0.28	6.11±0.13	0.360	2.149	-0.27	
20:28:56.42	38:56:10.39	...	...	14.37±0.09	11.44±0.01	10.37±0.01	9.60±0.01	8.75±0.01	4.55±0.01	0.350	2.149	0.376	
20:28:57.28	40:24:53.13	...	...	14.70±0.12	13.65±0.01	12.91±0.01	11.44±0.01	9.72±0.01	5.09±0.02	1.290	0.571	0.483	
20:28:57.75	41:15:20.73	...	...	...	...	...	11.43±0.05	...	5.71±0.06	0.760	0.843	-0.24	
20:28:58.46	40:31:33.87	...	...	...	...	14.20±0.04	...	...	7.46±0.41	0.790	0.518	-0.96	
20:28:58.74	41:09:42.60	16.81±0.13	14.41±0.05	13.11±0.03	11.48±0.01	10.67±0.01	9.92±0.01	8.95±0.01	5.39±0.02	0.010	0.843	0.281	
20:28:59.09	40:32:34.44	...	15.31±0.10	14.01±0.06	12.74±0.01	11.23±0.01	10.05±0.02	8.92±0.04	4.29±0.03	1.050	0.569	0.754	
20:28:59.55	41:15:05.94	...	...	...	...	...	11.08±0.08	9.23±0.09	4.78±0.05	1.040	0.893	0.434	
20:29:01.02	40:55:15.16	...	...	...	14.84±0.03	13.50±0.01	12.50±0.06	11.48±0.11	7.37±0.15	0.590	4.259	-0.62	
20:29:01.26	39:30:45.96	11.98±0.02	11.69±0.01	11.43±0.01	9.75±0.01	8.56±0.01	7.30±0.01	5.41±0.01	2.00±0.01	0.800	0.452	1.828	
20:29:01.28	40:32:59.58	...	...	...	14.34±0.07	12.05±0.01	10.32±0.02	9.28±0.05	6.24±0.17	0.670	3.086	0.143	
20:29:01.32	40:31:21.66	14.56±0.03	12.19±0.01	10.45±0.01	9.11±0.01	7.93±0.01	6.84±0.01	5.86±0.01	2.39±0.02	0.240	1.476	1.415	
20:29:02.07	41:07:17.66	...	...	...	13.64±0.01	12.51±0.01	11.56±0.02	10.59±0.03	5.82±0.04	0.810	4.007	-0.01	

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:29:02.57	41:14:27.05	...	...	...	14.48±0.03	14.39±0.05	12.24±0.06	10.61±0.07	6.56±0.07	1.080	3.086	-0.11	
20:29:03.06	40:31:38.25	...	15.26±0.10	13.33±0.05	9.98±0.01	8.63±0.01	7.51±0.01	6.61±0.01	2.80±0.05	0.430	1.971	1.199	
20:29:03.67	40:15:52.07	...	14.99±0.07	12.60±0.02	9.95±0.01	9.07±0.01	8.29±0.01	7.39±0.01	4.01±0.03	-0.08	1.489	0.819	
20:29:04.69	41:14:15.34	...	...	...	...	14.25±0.08	...	...	5.64±0.05	1.830	1.722	0.189	
20:29:04.88	40:28:52.94	...	...	...	13.69±0.02	12.43±0.01	11.42±0.02	10.68±0.07	7.04±0.33	0.180	1.109	-0.52	
20:29:05.40	38:51:59.45	...	15.69±0.13	14.02±0.06	12.42±0.01	11.60±0.01	10.93±0.01	9.99±0.01	6.37±0.04	-0.01	1.489	-0.12	
20:29:06.59	40:32:29.89	...	...	...	13.15±0.01	11.69±0.01	10.61±0.02	9.62±0.04	5.34±0.23	0.730	0.657	0.227	
20:29:06.66	38:15:08.19	...	...	...	13.83±0.01	12.56±0.01	11.66±0.01	10.58±0.01	6.72±0.03	0.430	2.062	-0.40	
20:29:07.59	40:31:16.34	...	...	14.48±0.09	12.45±0.03	11.69±0.03	10.71±0.06	9.12±0.08	4.60±0.10	0.940	1.394	0.553	
20:29:07.94	40:15:17.04	...	...	...	...	11.85±0.01	11.05±0.03	9.84±0.04	4.10±0.03	1.440	0.657	0.769	
20:29:08.20	40:15:26.54	...	15.33±0.09	13.48±0.04	10.76±0.01	9.52±0.01	8.57±0.01	7.85±0.01	3.71±0.02	0.380	1.394	0.763	
20:29:09.38	42:28:21.23	...	...	...	13.56±0.01	12.54±0.01	11.66±0.03	10.88±0.06	6.76±0.12	0.310	3.374	-0.53	
20:29:11.41	40:27:49.68	...	...	...	12.79±0.01	11.68±0.01	10.38±0.01	8.87±0.02	4.87±0.03	0.880	0.657	0.501	
20:29:11.76	39:16:05.72	...	...	...	14.22±0.03	13.16±0.01	12.09±0.03	10.55±0.02	6.49±0.03	0.810	4.151	-0.19	
20:29:12.68	42:39:28.22	...	...	15.00±0.12	13.38±0.01	12.43±0.01	11.74±0.02	10.95±0.03	7.14±0.05	0.060	0.945	-0.51	
20:29:13.08	41:17:05.83	...	...	...	...	...	11.76±0.04	...	5.61±0.04	1.050	3.552	-0.08	
20:29:14.15	41:16:58.83	...	...	...	...	...	12.56±0.06	...	7.00±0.09	0.660	1.016	-0.80	
20:29:14.91	41:17:10.20	...	...	...	...	...	12.76±0.06	11.11±0.08	7.11±0.14	0.630	3.948	-0.61	
20:29:15.74	40:35:27.57	16.63±0.12	14.66±0.05	13.87±0.05	12.17±0.01	11.42±0.01	10.77±0.01	9.71±0.03	5.94±0.04	0.110	0.764	0.020	
20:29:15.82	40:34:13.35	16.14±0.08	15.02±0.07	14.44±0.09	12.98±0.01	12.15±0.01	11.41±0.04	10.61±0.08	6.44±0.04	0.230	1.285	-0.20	
20:29:16.36	41:17:10.39	...	...	...	15.13±0.05	...	12.45±0.06	...	7.05±0.15	0.890	1.344	-0.62	
20:29:17.03	39:30:49.12	15.43±0.05	13.39±0.02	12.28±0.02	10.12±0.01	8.98±0.01	8.08±0.01	7.23±0.01	3.31±0.02	0.290	1.285	0.931	
20:29:19.40	41:17:13.48	...	16.02±0.19	14.38±0.08	13.02±0.02	12.86±0.03	11.29±0.04	9.58±0.04	5.79±0.05	0.740	0.360	0.174	
20:29:20.16	40:35:41.52	15.97±0.07	13.74±0.04	12.46±0.02	10.49±0.01	9.68±0.01	9.01±0.01	8.20±0.01	3.63±0.02	0.400	2.215	0.782	
20:29:20.52	40:20:01.31	15.47±0.05	13.74±0.03	12.38±0.02	10.46±0.01	9.73±0.01	9.07±0.01	7.92±0.01	4.28±0.01	0.090	1.285	0.659	
20:29:21.07	40:32:21.47	...	...	...	12.73±0.01	11.78±0.01	11.06±0.01	10.13±0.03	5.85±0.04	0.380	18.76	-0.15	
20:29:21.89	40:37:33.58	...	...	14.64±0.11	12.40±0.01	11.35±0.01	10.65±0.02	10.10±0.05	5.52±0.02	0.340	0.371	-0.04	
20:29:21.90	40:10:53.65	...	...	...	...	10.29±0.08	...	...	1.16±0.06	2.120	11.32	2.101	
20:29:22.14	40:35:43.78	...	14.08±0.05	11.92±0.02	7.51±0.01	6.47±0.01	5.42±0.01	4.62±0.01	1.29±0.01	0.010	0.593	1.876	
20:29:22.52	40:37:25.67	16.77±0.15	15.30±0.10	14.56±0.09	13.02±0.01	12.34±0.01	11.59±0.04	10.72±0.08	7.02±0.10	-0.01	1.558	-0.30	
20:29:23.12	41:45:09.98	...	...	...	14.75±0.05	12.99±0.01	11.59±0.03	10.75±0.05	6.39±0.18	0.930	2.215	-0.10	
20:29:23.13	40:37:53.63	...	...	...	15.65±0.09	14.05±0.02	13.17±0.12	11.44±0.13	5.65±0.02	1.860	0.746	0.311	
20:29:23.59	40:31:32.28	...	...	...	...	13.88±0.03	12.87±0.11	12.06±0.19	7.36±0.19	0.670	0.431	-0.72	
20:29:24.27	40:36:00.18	...	...	14.90±0.13	12.87±0.01	11.85±0.01	11.01±0.02	10.01±0.05	6.05±0.09	0.330	2.148	-0.18	
20:29:24.38	40:33:15.21	16.78±0.14	15.58±0.11	...	13.11±0.02	12.24±0.01	11.44±0.04	10.71±0.08	6.99±0.10	0.010	0.473	-0.37	
20:29:25.24	39:46:30.48	...	15.56±0.11	14.16±0.07	12.38±0.01	11.33±0.01	9.99±0.01	8.26±0.01	4.82±0.05	0.720	2.750	0.596	
20:29:25.88	40:36:05.11	...	...	...	15.86±0.15	13.48±0.04	12.64±0.11	...	5.47±0.04	1.870	0.792	0.330	
20:29:26.90	40:38:35.58	...	...	...	12.74±0.01	11.04±0.01	9.93±0.01	9.12±0.02	5.08±0.02	0.590	0.516	0.332	
20:29:28.49	38:59:29.54	...	15.19±0.08	13.89±0.05	11.94±0.01	11.04±0.01	10.53±0.05	9.55±0.10	5.23±0.24	0.320	0.856	0.113	
20:29:30.16	39:32:05.80	...	...	...	12.82±0.01	11.37±0.01	10.26±0.02	9.34±0.04	4.71±0.03	0.880	0.713	0.486	
20:29:30.93	39:31:23.53	...	...	...	13.00±0.01	11.43±0.01	10.36±0.02	9.50±0.08	6.27±0.23	0.150	5.499	-0.12	
20:29:31.16	42:19:40.05	...	...	...	15.53±0.06	13.76±0.02	12.49±0.03	11.65±0.05	7.31±0.10	0.850	0.965	-0.50	
20:29:31.39	41:34:21.96	16.71±0.14	15.57±0.11	14.42±0.08	12.41±0.01	11.50±0.01	10.67±0.01	9.43±0.01	4.66±0.03	0.850	0.333	0.505	
20:29:32.76	39:31:21.72	...	...	...	14.04±0.05	12.17±0.01	11.87±0.11	12.27±0.82	3.84±0.02	1.820	0.543	0.946	
20:29:32.98	39:04:49.65	...	...	...	...	...	11.78±0.07	9.98±0.08	5.66±0.11	0.920	1.100	0.049	
20:29:33.55	41:09:28.09	...	...	...	15.02±0.07	14.00±0.03	12.77±0.08	11.12±0.14	6.71±0.13	1.110	5.022	-0.22	
20:29:33.58	40:17:51.82	...	...	...	...	...	...	10.72±0.06	6.61±0.13	0.470	0.830	-0.63	
20:29:33.61	41:44:51.58	...	15.88±0.15	14.39±0.08	11.24±0.01	10.31±0.01	9.50±0.01	8.68±0.01	5.26±0.11	-0.08	0.841	0.309	
20:29:35.25	40:24:28.37	...	...	...	...	11.97±0.07	...	9.70±0.03	6.20±0.10	0.220	1.354	-0.38	
20:29:35.51	39:31:38.46	...	...	...	12.88±0.01	11.88±0.01	11.43±0.03	11.00±0.10	3.13±0.01	1.820	0.661	1.223	

Table 4—Continued

UKIDSS/2MASS													IRAC			MIPS		
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$						
20:29:35.68	40:41:18.06	...	...	...	14.22±0.05	13.32±0.03	15.50±3.13	...	6.00±0.18	1.330	2.462	-0.09						
20:29:35.90	41:18:09.34	...	...	...	...	...	11.42±0.06	9.73±0.05	5.03±0.06	1.140	0.802	0.343						
20:29:36.13	40:41:06.58	15.57±0.05	13.82±0.03	12.66±0.02	10.72±0.01	9.53±0.01	8.46±0.01	7.41±0.01	3.93±0.03	0.280	1.275	0.766						
20:29:36.18	40:10:18.96	17.33±0.24	15.61±0.11	14.47±0.09	13.11±0.01	12.22±0.01	11.27±0.05	10.13±0.04	6.45±0.32	0.290	0.824	-0.23						
20:29:37.43	38:18:08.03	...	15.93±0.15	13.65±0.05	10.36±0.01	9.15±0.01	7.84±0.01	6.47±0.01	2.93±0.01	0.600	1.312	1.263						
20:29:37.55	36:47:00.15	...	...	...	...	13.56±0.08	...	11.57±0.05	7.45±0.06	0.450	0.615	-0.88						
20:29:38.45	40:20:41.81	...	...	...	13.23±0.03	11.76±0.01	10.86±0.06	10.09±0.16	5.06±0.12	0.910	0.916	0.302						
20:29:38.53	39:59:26.21	...	13.23±0.02	...	11.61±0.02	11.03±0.02	10.29±0.07	8.84±0.09	3.26±0.02	1.240	0.916	1.121						
20:29:38.70	40:23:01.92	16.57±0.12	15.13±0.08	14.84±0.13	14.30±0.03	14.19±0.03	13.37±0.12	11.93±0.16	6.30±0.15	1.160	2.405	0.107						
20:29:40.43	38:58:12.45	...	...	...	15.07±0.11	12.73±0.01	11.88±0.09	11.44±0.26	5.69±0.14	1.320	1.229	0.148						
20:29:41.27	39:01:56.56	15.35±0.05	13.31±0.03	12.26±0.02	11.49±0.01	11.19±0.01	10.74±0.10	9.64±0.19	3.01±0.25	1.370	0.722	1.269						
20:29:42.24	39:04:01.42	...	...	...	12.97±0.09	...	...	8.26±0.09	4.87±0.23	0.930	0.257	0.540						
20:29:42.31	39:45:28.56	16.67±0.13	15.36±0.10	14.52±0.11	13.48±0.02	12.55±0.02	11.58±0.06	10.69±0.12	3.65±0.02	1.880	0.413	1.109						
20:29:42.53	39:45:19.74	...	...	...	...	12.86±0.01	11.77±0.03	10.56±0.06	4.59±0.01	1.680	1.315	0.652						
20:29:44.64	38:59:56.40	...	...	14.63±0.10	12.50±0.05	11.78±0.03	10.24±0.13	8.71±0.19	4.93±0.25	0.780	1.716	0.493						
20:29:45.05	39:46:09.50	...	...	...	15.80±0.16	14.74±0.08	12.54±0.15	11.05±0.22	6.27±0.10	1.670	0.933	0.117						
20:29:45.67	41:08:25.46	...	...	...	14.56±0.05	13.33±0.02	13.30±0.27	...	6.55±0.23	0.970	0.482	-0.40						
20:29:46.03	40:10:31.35	...	...	14.30±0.08	12.87±0.03	11.68±0.01	10.57±0.06	9.58±0.15	5.66±0.24	0.490	0.456	0.086						
20:29:46.21	39:17:11.07	...	...	...	13.39±0.01	11.58±0.01	10.03±0.01	9.00±0.01	5.54±0.05	0.660	0.249	0.297						
20:29:46.31	39:17:40.50	...	...	...	13.46±0.01	11.70±0.01	10.60±0.01	9.75±0.01	4.79±0.02	1.090	0.596	0.492						
20:29:46.55	39:20:04.88	...	...	...	16.08±0.34	13.59±0.07	12.03±0.08	10.94±0.15	5.84±0.04	1.720	1.967	0.288						
20:29:46.62	39:31:33.34	...	...	...	14.19±0.03	13.07±0.01	12.15±0.04	11.44±0.09	6.30±0.07	0.840	0.313	-0.23						
20:29:46.64	41:17:16.32	...	...	...	15.17±0.07	...	12.81±0.06	11.34±0.06	7.18±0.11	0.900	1.967	-0.48						
20:29:46.72	39:20:14.64	...	...	...	14.59±0.06	12.37±0.03	11.17±0.03	10.22±0.07	4.45±0.06	1.740	1.967	0.772						
20:29:46.73	40:09:46.25	...	...	...	15.09±0.11	13.04±0.02	12.23±0.09	11.41±0.23	6.01±0.15	1.250	1.967	0.011						
20:29:47.01	39:20:25.59	...	...	...	12.86±0.01	11.42±0.01	10.49±0.01	9.38±0.03	3.37±0.02	1.600	0.619	1.120						
20:29:47.54	39:20:18.87	...	...	...	13.16±0.03	11.86±0.02	11.56±0.05	11.40±0.17	3.73±0.03	1.590	0.747	0.906						
20:29:48.88	41:09:03.24	...	...	...	...	14.05±0.04	13.41±0.16	12.55±0.34	6.89±0.37	1.140	2.033	-0.44						
20:29:49.08	40:52:20.08	...	...	...	13.46±0.01	11.90±0.01	10.62±0.01	9.69±0.01	5.78±0.04	0.630	2.516	0.084						
20:29:50.20	41:17:16.80	...	...	...	...	...	12.00±0.06	10.16±0.05	5.23±0.12	1.370	0.998	0.333						
20:29:50.58	39:15:42.57	...	...	...	12.05±0.01	10.37±0.01	9.16±0.01	8.43±0.01	4.45±0.02	0.560	1.967	0.587						
20:29:50.65	40:59:47.83	...	...	...	...	14.07±0.03	12.98±0.06	11.94±0.07	5.86±0.04	1.650	0.695	0.127						
20:29:50.71	39:15:40.88	...	...	...	...	...	9.78±0.01	...	4.45±0.02	0.520	1.967	0.153						
20:29:50.73	41:08:18.34	...	...	...	14.55±0.07	13.70±0.02	12.99±0.13	11.78±0.16	7.48±0.61	0.520	1.136	-0.75						
20:29:50.80	40:52:21.58	...	...	...	14.56±0.03	13.37±0.02	12.56±0.05	11.81±0.11	6.58±0.12	0.880	0.414	-0.34						
20:29:50.96	41:08:43.44	...	...	...	...	13.67±0.02	12.82±0.12	12.29±0.38	6.55±0.21	1.070	1.320	-0.33						
20:29:50.99	41:16:52.95	...	...	...	13.71±0.09	...	10.99±0.06	...	5.26±0.14	1.080	8.321	0.138						
20:29:51.26	39:16:24.60	16.31±0.10	14.55±0.06	12.84±0.03	10.85±0.01	9.54±0.01	8.40±0.01	7.23±0.01	3.32±0.01	0.630	8.108	1.082						
20:29:51.47	41:08:06.51	...	...	...	14.12±0.03	13.23±0.01	12.41±0.08	11.66±0.25	7.38±0.70	0.310	7.951	-0.80						
20:29:52.33	41:17:13.56	...	15.17±0.09	13.96±0.06	12.03±0.02	11.35±0.01	10.07±0.01	8.49±0.01	4.52±0.12	0.770	1.058	0.636						
20:29:52.50	40:48:44.42	...	...	...	...	...	7.51±0.04	...	0.00±0.01	1.930	1.110	2.498						
20:29:53.81	41:17:18.85	...	...	...	13.57±0.07	11.24±0.01	8.87±0.01	7.41±0.01	3.58±0.05	1.620	7.467	1.379						
20:29:54.06	41:40:41.32	...	...	...	14.07±0.02	13.15±0.01	12.42±0.04	11.43±0.08	7.39±0.19	0.290	0.739	-0.79						
20:29:54.06	40:36:55.10	...	...	...	12.91±0.01	11.86±0.01	11.02±0.01	10.24±0.02	6.66±0.06	0.030	0.353	-0.33						
20:29:56.32	41:42:19.42	...	...	...	14.27±0.04	13.36±0.02	12.92±0.07	12.16±0.12	6.47±0.06	0.860	0.555	-0.36						
20:29:56.60	40:09:08.35	...	...	13.84±0.05	11.15±0.01	10.16±0.01	9.44±0.02	8.67±0.05	4.64±0.10	0.180	7.467	0.374						
20:29:57.28	38:45:37.33	...	...	...	...	13.32±0.03	...	...	6.46±0.13	0.860	1.114	-0.53						
20:29:58.54	41:16:40.14	...	...	...	12.40±0.13	10.93±0.04	9.92±0.24	8.70±0.40	3.15±0.10	1.470	5.592	1.196						
20:29:58.67	40:15:17.22	...	...	...	12.07±0.01	10.65±0.01	9.69±0.01	9.23±0.04	4.44±0.05	0.630	1.317	0.492						
20:29:58.93	41:11:20.71	...	...	14.72±0.11	12.84±0.01	12.06±0.01	11.36±0.03	10.44±0.05	7.28±0.40	-0.25	0.369	-0.37						

Table 4—Continued

UKIDSS/2MASS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:29:59.25	40:09:58.27	...	...	...	...	...	12.60±0.09	10.66±0.07	5.84±0.21	1.340	8.718	0.085	
20:29:59.45	40:01:17.38	...	...	...	...	...	...	10.59±0.08	5.64±0.11	1.170	0.649	0.028	
20:30:00.92	39:15:02.70	...	...	...	13.76±0.05	12.16±0.02	11.81±0.06	11.99±0.37	5.39±0.08	0.960	0.413	0.081	
20:30:00.98	39:14:42.36	...	...	13.92±0.05	10.48±0.01	9.19±0.01	8.10±0.01	7.14±0.01	3.69±0.02	0.250	11.76	0.830	
20:30:01.01	40:13:03.09	...	...	...	14.77±0.12	12.99±0.01	12.20±0.01	11.62±0.03	11.03±0.07	0.040	1.372	-0.43	
20:30:01.15	39:14:52.56	...	...	14.63±0.10	11.93±0.01	10.63±0.01	9.64±0.01	8.77±0.02	4.51±0.04	0.570	1.917	0.507	
20:30:01.99	40:49:47.26	...	...	...	15.97±0.17	14.03±0.03	12.74±0.17	12.02±0.44	5.72±0.02	1.840	0.723	0.266	
20:30:02.13	39:54:14.38	13.36±0.02	12.32±0.02	11.75±0.01	11.40±0.01	11.21±0.01	11.03±0.06	10.03±0.12	3.04±0.04	1.330	10.48	1.394	
20:30:02.19	39:17:48.54	...	...	...	13.81±0.11	12.92±0.08	11.16±0.15	...	4.87±0.07	1.410	0.387	0.425	
20:30:02.27	41:16:09.88	...	...	...	...	...	11.21±0.05	9.51±0.03	4.21±0.11	1.560	1.122	0.780	
20:30:02.52	40:49:58.07	...	...	...	15.39±0.10	12.82±0.01	11.95±0.06	11.26±0.12	3.93±0.01	2.330	0.407	1.134	
20:30:02.54	40:18:53.70	...	...	...	15.67±0.09	14.33±0.03	14.27±0.27	15.25±2.91	6.23±0.05	1.540	3.655	-0.12	
20:30:03.28	40:16:48.32	...	...	...	13.46±0.11	11.28±0.03	9.99±0.07	9.26±0.19	4.83±0.17	0.960	1.575	0.533	
20:30:03.39	40:50:26.04	...	...	...	14.65±0.05	12.73±0.01	11.63±0.03	10.77±0.06	6.66±0.11	0.710	2.864	-0.25	
20:30:03.49	39:43:30.98	...	...	...	...	12.94±0.05	...	...	4.79±0.10	1.580	0.819	0.423	
20:30:03.58	41:46:19.19	...	...	14.72±0.12	12.85±0.02	11.94±0.01	11.17±0.03	10.12±0.04	6.06±0.10	0.350	12.67	-0.19	
20:30:03.66	40:47:25.28	...	...	...	12.99±0.02	12.71±0.04	10.09±0.06	8.36±0.07	5.30±0.05	0.910	4.348	0.558	
20:30:04.10	41:23:38.76	...	...	...	13.15±0.01	12.25±0.01	11.09±0.02	9.35±0.03	5.65±0.09	0.730	0.554	0.173	
20:30:04.54	41:09:17.87	...	...	14.60±0.14	10.33±0.01	9.12±0.01	7.59±0.01	6.39±0.01	2.22±0.01	0.930	1.414	1.568	
20:30:05.02	40:15:57.29	...	...	...	13.55±0.04	11.62±0.01	10.16±0.04	9.31±0.08	5.33±0.06	0.810	0.449	0.350	
20:30:05.16	38:56:22.53	16.31±0.09	14.49±0.05	13.01±0.03	11.16±0.01	10.14±0.01	9.40±0.01	8.75±0.05	5.35±0.06	-0.19	4.590	0.392	
20:30:05.80	40:16:25.63	...	...	14.40±0.09	12.47±0.01	11.24±0.01	10.42±0.04	9.51±0.09	5.93±0.12	0.140	3.863	-0.03	
20:30:07.15	41:09:21.85	...	...	...	12.66±0.01	11.74±0.01	10.99±0.02	10.32±0.05	6.71±0.16	-0.09	1.414	-0.31	
20:30:11.36	41:05:23.74	...	...	...	14.47±0.06	13.12±0.02	11.90±0.09	10.71±0.16	5.69±0.11	1.250	6.595	0.159	
20:30:12.93	39:32:48.09	...	16.33±0.20	14.38±0.08	12.01±0.01	10.22±0.01	8.77±0.01	7.70±0.01	3.46±0.02	1.020	4.063	1.121	
20:30:17.42	39:16:16.20	...	...	...	...	13.65±0.05	12.60±0.11	11.49±0.14	7.12±0.13	0.660	3.596	-0.59	
20:30:17.67	39:42:20.10	...	...	...	15.09±0.10	13.84±0.04	12.51±0.14	11.06±0.19	7.08±0.14	0.890	4.352	-0.37	
20:30:18.79	39:15:42.87	...	...	...	14.09±0.04	12.79±0.02	12.04±0.08	11.34±0.17	5.86±0.04	0.980	11.44	-0.04	
20:30:19.26	40:40:13.47	...	...	...	14.29±0.11	13.07±0.03	12.29±0.09	11.45±0.06	7.14±0.04	0.460	15.69	-0.62	
20:30:19.42	40:01:53.79	...	...	...	...	...	...	12.12±0.10	6.48±0.16	1.730	3.682	-0.11	
20:30:19.47	41:24:24.68	...	...	...	14.24±0.02	13.46±0.01	12.69±0.05	12.04±0.05	7.05±0.22	0.570	3.545	-0.63	
20:30:19.84	39:15:18.57	...	...	...	11.09±0.01	10.39±0.01	9.84±0.01	9.39±0.02	3.44±0.02	0.820	0.629	0.819	
20:30:20.88	39:49:50.64	13.02±0.02	11.80±0.01	11.10±0.01	9.94±0.01	9.63±0.01	9.31±0.01	8.45±0.02	1.55±0.03	1.310	0.404	1.830	
20:30:21.38	40:42:13.79	...	...	...	13.84±0.02	12.55±0.01	11.83±0.03	11.00±0.05	6.69±0.08	0.440	11.07	-0.45	
20:30:22.37	41:06:22.25	...	...	...	...	...	11.75±0.10	...	5.21±0.13	1.290	0.906	0.164	
20:30:22.67	40:09:23.46	...	...	...	10.75±0.01	8.69±0.01	7.17±0.01	5.91±0.01	1.83±0.01	1.160	0.411	1.843	
20:30:22.78	40:20:05.00	...	...	...	13.21±0.04	12.37±0.02	12.61±0.12	...	3.53±0.02	1.960	12.75	1.108	
20:30:24.01	39:39:10.71	...	...	...	12.67±0.01	11.72±0.01	10.87±0.02	9.99±0.06	5.84±0.08	0.350	3.429	-0.15	
20:30:24.81	40:02:45.59	...	...	...	...	...	11.06±0.02	...	4.54±0.03	1.280	3.429	0.428	
20:30:24.91	40:55:55.33	...	...	...	12.63±0.01	11.69±0.01	10.87±0.01	9.87±0.04	5.57±0.04	0.480	5.354	0.001	
20:30:27.69	41:11:50.99	...	...	...	14.95±0.05	14.08±0.03	...	12.34±0.12	7.38±0.37	0.740	2.808	-0.76	
20:30:28.72	40:41:02.65	...	...	...	14.63±0.03	13.22±0.02	12.55±0.05	11.82±0.11	6.63±0.14	0.850	0.809	-0.36	
20:30:28.97	39:46:15.14	...	...	...	...	...	...	10.33±0.07	6.65±0.23	0.110	3.429	-0.69	
20:30:29.18	40:41:09.58	...	...	...	12.87±0.01	11.52±0.01	10.58±0.01	9.71±0.01	6.02±0.05	0.270	1.386	-0.15	
20:30:29.39	41:15:57.93	...	...	12.28±0.03	9.10±0.01	7.64±0.01	6.65±0.01	5.64±0.04	1.16±0.03	0.800	0.298	1.897	
20:30:29.69	41:03:07.44	...	...	...	14.56±0.04	13.32±0.03	12.24±0.04	11.42±0.07	7.10±0.24	0.590	14.57	-0.54	
20:30:30.13	39:43:55.48	...	15.49±0.09	13.78±0.05	11.37±0.01	10.43±0.01	9.69±0.01	8.92±0.03	4.99±0.06	0.130	5.128	0.289	
20:30:30.16	38:52:34.50	14.63±0.03	13.34±0.03	12.54±0.02	11.34±0.01	10.54±0.01	9.88±0.01	8.98±0.01	5.71±0.04	-0.22	0.618	0.412	
20:30:31.06	39:18:43.22	...	15.78±0.13	15.27±0.18	13.26±0.01	12.52±0.01	11.83±0.03	10.90±0.06	6.99±0.10	0.120	3.265	-0.45	
20:30:32.92	39:15:16.48	...	...	...	11.38±0.01	10.08±0.01	8.96±0.01	7.85±0.01	4.14±0.02	0.480	0.658	0.683	

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:30:32.94	41:11:06.26	...	...	...	14.16±0.06	12.70±0.02	11.38±0.11	10.24±0.20	5.41±0.15	1.210	6.675	0.288	
20:30:33.29	39:14:21.26	...	...	...	...	...	...	10.52±0.05	6.21±0.04	0.640	3.238	-0.39	
20:30:35.69	39:44:47.96	...	...	...	11.50±0.01	9.57±0.01	8.26±0.01	7.32±0.02	2.69±0.03	1.120	0.534	1.394	
20:30:35.88	39:41:38.88	...	...	...	12.66±0.01	11.60±0.01	10.66±0.02	9.81±0.05	5.61±0.04	0.440	0.618	-0.01	
20:30:35.90	41:12:01.28	...	...	...	13.80±0.02	12.68±0.01	11.50±0.04	10.52±0.05	7.16±0.25	0.210	3.482	-0.54	
20:30:36.34	41:01:41.05	...	...	...	12.65±0.01	10.67±0.01	9.24±0.01	8.23±0.01	4.07±0.01	0.990	0.507	0.877	
20:30:36.50	41:11:05.23	...	...	...	15.19±0.06	13.83±0.04	12.58±0.09	11.41±0.13	6.50±0.21	1.200	0.153	-0.16	
20:30:37.93	40:44:58.36	...	...	15.10±0.15	13.07±0.01	12.40±0.01	11.88±0.04	11.19±0.04	7.06±0.10	0.000	0.919	-0.52	
20:30:38.17	38:47:45.23	...	...	...	14.25±0.03	13.14±0.02	12.20±0.04	11.23±0.06	5.11±0.03	1.490	1.627	0.372	
20:30:41.43	39:45:15.25	13.08±0.02	10.39±0.01	8.49±0.01	6.32±0.01	5.55±0.01	4.77±0.01	3.83±0.01	0.33±0.01	-0.03	0.610	2.275	
20:30:41.61	41:08:08.54	...	...	...	10.01±0.01	8.86±0.01	7.99±0.01	7.32±0.01	2.90±0.01	0.440	4.050	1.051	
20:30:41.79	40:19:20.65	...	...	...	12.46±0.01	...	9.92±0.01	...	5.32±0.04	0.420	0.541	-0.07	
20:30:41.92	39:22:17.55	...	...	...	13.13±0.01	12.31±0.01	11.63±0.04	10.87±0.08	7.47±0.22	-0.21	0.504	-0.55	
20:30:42.79	39:04:58.42	...	...	...	15.78±0.15	14.33±0.04	14.65±0.79	...	7.13±0.15	1.270	1.391	-0.55	
20:30:43.62	38:45:12.22	...	...	14.10±0.06	11.77±0.01	10.54±0.01	9.37±0.01	8.28±0.01	5.09±0.03	0.210	1.586	0.338	
20:30:43.64	40:05:58.90	17.01±0.18	15.55±0.10	14.86±0.13	14.22±0.04	14.13±0.05	12.59±0.12	10.96±0.13	5.56±0.19	1.480	0.690	0.383	
20:30:43.66	39:58:38.55	...	...	...	...	10.93±0.01	9.80±0.01	8.85±0.03	4.15±0.02	0.790	7.348	0.614	
20:30:44.84	40:20:30.75	...	...	...	13.53±0.01	12.66±0.01	11.88±0.03	10.86±0.05	7.40±0.09	0.020	0.653	-0.62	
20:30:44.86	38:54:52.79	...	...	...	14.24±0.08	13.19±0.03	13.47±0.43	...	6.10±0.08	1.100	1.598	-0.20	
20:30:45.19	40:21:50.50	...	13.99±0.05	12.10±0.02	10.87±0.01	10.10±0.01	9.14±0.01	7.71±0.01	2.35±0.01	1.270	1.708	1.501	
20:30:45.30	39:48:22.43	...	...	...	...	...	...	11.58±0.07	7.40±0.23	0.530	0.766	-0.92	
20:30:45.37	40:18:37.31	...	...	...	...	14.58±0.03	13.19±0.08	11.64±0.11	6.96±0.08	1.210	1.476	-0.35	
20:30:45.71	40:18:30.34	...	...	...	15.95±0.07	14.64±0.04	13.73±0.16	13.04±0.41	6.81±0.07	1.430	0.766	-0.32	
20:30:45.98	40:11:17.49	...	...	...	...	14.07±0.07	11.93±0.05	10.24±0.02	5.48±0.08	1.590	0.623	0.382	
20:30:47.30	39:05:33.84	...	15.34±0.10	14.31±0.09	12.49±0.01	11.52±0.01	10.72±0.01	9.75±0.03	6.17±0.13	0.100	1.476	-0.08	
20:30:47.61	38:56:29.43	...	...	...	13.96±0.01	13.23±0.01	12.46±0.07	11.33±0.13	6.95±0.11	0.500	1.476	-0.56	
20:30:48.51	39:57:06.03	...	...	14.59±0.09	10.93±0.01	9.90±0.01	8.93±0.01	8.06±0.01	4.65±0.02	0.050	9.394	0.503	
20:30:48.87	38:39:31.42	...	...	...	15.72±0.08	14.30±0.02	13.25±0.08	11.82±0.09	7.36±0.09	1.040	1.922	-0.51	
20:30:50.44	40:04:59.35	...	...	...	13.28±0.02	12.01±0.01	10.98±0.04	10.03±0.05	6.10±0.13	0.450	8.366	-0.14	
20:30:50.54	41:14:39.00	...	...	...	12.26±0.01	10.99±0.01	9.76±0.01	8.79±0.01	5.52±0.06	0.220	18.71	0.136	
20:30:50.63	40:05:57.59	...	...	...	15.05±0.05	14.69±0.06	13.26±0.09	11.65±0.10	6.72±0.21	1.260	8.874	-0.25	
20:30:50.66	41:02:27.60	...	...	...	11.12±0.01	9.02±0.01	7.38±0.01	6.00±0.01	0.63±0.01	1.940	49.14	2.409	
20:30:50.94	40:20:17.47	...	...	...	13.60±0.02	12.81±0.01	12.22±0.08	11.39±0.18	7.18±0.56	0.190	54.56	-0.70	
20:30:52.73	40:14:18.53	...	...	...	13.32±0.02	12.17±0.01	11.36±0.02	10.60±0.02	6.16±0.04	0.470	9.909	-0.24	
20:30:53.51	41:19:44.06	...	...	...	...	14.70±0.05	13.81±0.11	12.91±0.15	7.07±0.09	1.360	8.943	-0.45	
20:30:54.09	41:19:48.51	...	...	...	13.52±0.01	12.51±0.01	11.58±0.02	10.40±0.03	6.31±0.03	0.540	9.516	-0.23	
20:30:54.45	41:03:54.45	...	...	...	13.20±0.01	12.26±0.01	11.56±0.02	10.74±0.03	7.11±0.05	-0.02	9.196	-0.51	
20:30:55.61	40:37:11.54	...	...	...	13.98±0.01	13.28±0.01	12.34±0.03	11.33±0.04	6.51±0.10	0.740	1.579	-0.33	
20:30:56.07	42:24:14.23	15.48±0.06	13.87±0.03	13.15±0.03	11.45±0.01	10.55±0.01	9.68±0.01	8.45±0.01	4.26±0.01	0.560	101.8	0.677	
20:30:57.40	39:13:27.06	...	...	...	14.44±0.04	13.57±0.02	12.66±0.09	11.71±0.18	6.78±0.08	0.790	2.737	-0.43	
20:30:57.73	40:13:13.09	...	...	...	14.57±0.06	13.08±0.02	11.70±0.04	10.30±0.05	5.17±0.03	1.540	9.591	0.458	
20:30:57.87	39:42:20.83	...	...	...	13.20±0.04	11.37±0.02	10.05±0.02	9.30±0.05	3.64±0.03	1.520	9.660	1.029	
20:30:57.99	39:49:50.75	...	...	...	14.46±0.02	12.89±0.01	11.76±0.02	10.96±0.02	5.75±0.02	1.160	2.358	0.098	
20:30:58.04	39:42:26.70	...	...	...	12.95±0.02	11.40±0.03	10.37±0.01	9.45±0.02	3.66±0.03	1.460	6.010	0.977	
20:30:58.05	39:42:09.71	...	...	...	12.16±0.01	10.97±0.01	10.05±0.01	9.44±0.04	4.28±0.03	0.810	58.12	0.564	
20:30:58.64	39:42:29.01	...	...	...	14.45±0.06	12.81±0.03	12.63±0.08	...	4.50±0.01	1.870	0.539	0.695	
20:30:58.68	40:13:13.73	...	...	...	14.07±0.02	13.18±0.01	12.48±0.08	11.76±0.16	6.16±0.11	0.910	3.537	-0.20	
20:30:58.90	40:08:49.89	...	...	...	16.32±0.07	14.79±0.03	13.63±0.10	12.66±0.10	7.19±0.07	1.380	5.456	-0.43	
20:30:59.34	39:42:11.70	...	...	...	12.85±0.01	12.04±0.01	11.42±0.04	10.71±0.10	6.40±0.16	0.190	6.191	-0.39	
20:30:59.91	38:58:51.07	16.56±0.12	14.54±0.05	13.28±0.03	11.44±0.01	10.45±0.01	9.69±0.01	8.99±0.04	5.34±0.08	-0.04	1.934	0.300	

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:31:00.16	40:08:29.28	...	...	...	12.82±0.01	11.62±0.01	10.71±0.01	9.98±0.03	5.97±0.05	0.290	0.674	-0.19	
20:31:00.70	41:22:51.58	...	...	...	15.55±0.06	14.44±0.04	...	13.47±0.21	6.93±0.21	1.200	1.108	-0.51	
20:31:01.79	39:42:49.24	...	15.97±0.15	14.92±0.13	14.02±0.02	13.31±0.02	12.56±0.04	11.49±0.08	7.23±0.14	0.400	1.108	-0.52	
20:31:02.08	41:15:55.10	...	...	13.87±0.07	12.73±0.01	11.94±0.01	11.28±0.01	10.60±0.02	6.55±0.08	0.060	2.926	-0.27	
20:31:02.16	40:13:09.97	...	...	...	11.95±0.01	10.55±0.01	9.29±0.01	8.28±0.01	5.44±0.03	0.080	3.343	0.301	
20:31:02.38	39:42:25.76	...	...	...	14.54±0.02	12.69±0.01	11.76±0.04	11.02±0.09	6.00±0.10	1.010	2.223	-0.02	
20:31:02.65	42:23:50.21	14.88±0.04	12.76±0.02	11.57±0.02	10.05±0.01	9.24±0.01	8.21±0.01	7.19±0.01	4.01±0.02	-0.02	2.602	0.919	
20:31:04.25	38:56:25.57	...	...	...	...	...	...	10.59±0.08	7.35±0.38	-0.25	1.456	-0.86	
20:31:04.59	39:52:16.28	...	...	...	13.80±0.01	12.62±0.01	11.80±0.02	11.20±0.06	7.48±0.09	0.030	1.044	-0.66	
20:31:05.39	42:22:46.19	...	...	...	14.04±0.01	13.13±0.01	12.32±0.05	11.48±0.10	7.14±0.08	0.390	2.023	-0.67	
20:31:06.93	40:09:08.21	...	...	...	15.27±0.07	15.11±0.08	13.61±0.10	12.10±0.08	7.22±0.42	1.150	1.216	-0.48	
20:31:08.71	40:03:48.43	...	...	...	10.25±0.01	8.12±0.01	6.32±0.01	5.00±0.01	1.83±0.03	0.880	2.460	1.945	
20:31:08.77	40:02:47.30	...	...	12.25±0.02	9.44±0.01	8.42±0.01	7.60±0.01	6.84±0.01	2.57±0.04	0.350	0.210	1.159	
20:31:09.06	39:00:14.86	...	15.51±0.11	14.08±0.07	12.59±0.02	12.08±0.03	11.17±0.05	9.88±0.08	3.68±0.09	1.530	2.071	0.983	
20:31:10.38	42:22:35.29	...	...	...	14.16±0.03	13.85±0.03	11.82±0.07	10.12±0.08	6.79±0.06	0.760	1.610	-0.18	
20:31:10.44	40:58:53.94	...	...	...	14.53±0.03	13.40±0.02	12.03±0.02	10.95±0.03	6.88±0.10	0.710	2.576	-0.36	
20:31:11.11	40:06:40.96	...	...	...	...	...	...	11.73±0.09	6.28±0.13	1.570	2.339	-0.09	
20:31:11.75	43:05:48.42	...	...	...	14.71±0.11	12.69±0.02	12.04±0.10	14.45±4.35	4.23±0.04	1.830	18.64	0.784	
20:31:11.82	43:05:21.66	...	...	...	...	...	12.15±0.09	...	4.34±0.06	2.120	1.062	0.840	
20:31:11.98	43:05:07.74	16.07±0.10	13.85±0.04	12.22±0.03	10.15±0.01	9.20±0.01	8.43±0.01	7.71±0.01	3.29±0.03	0.360	0.154	0.903	
20:31:12.28	42:22:35.56	...	...	...	14.31±0.01	13.42±0.01	12.79±0.06	11.65±0.10	7.16±0.13	0.550	2.356	-0.63	
20:31:12.31	43:04:43.61	...	...	...	12.49±0.02	10.62±0.01	9.54±0.01	8.61±0.01	4.38±0.04	0.790	6.111	0.660	
20:31:12.41	43:03:32.77	...	...	14.95±0.14	13.40±0.08	12.35±0.02	11.48±0.18	10.19±0.29	4.38±0.07	1.460	0.707	0.690	
20:31:12.70	43:04:57.56	...	...	...	12.90±0.03	11.38±0.02	10.44±0.01	9.81±0.04	4.68±0.08	0.910	1.001	0.451	
20:31:12.82	40:20:50.82	...	...	...	14.54±0.02	13.94±0.02	13.52±0.09	12.53±0.10	6.90±0.16	0.870	1.348	-0.53	
20:31:12.91	40:03:23.09	...	...	...	...	...	...	8.48±0.07	1.34±0.07	2.970	1.938	2.442	
20:31:12.97	39:43:54.23	...	...	...	14.00±0.03	13.22±0.02	12.48±0.07	11.35±0.13	7.32±0.19	0.330	0.597	-0.75	
20:31:13.31	40:28:41.10	16.51±0.12	15.07±0.07	14.40±0.08	12.51±0.01	11.62±0.01	10.78±0.01	9.57±0.03	6.09±0.04	0.170	1.611	-0.03	
20:31:13.94	39:51:02.30	...	...	...	...	...	...	10.69±0.06	6.62±0.06	0.440	2.843	-0.65	
20:31:14.56	41:15:28.15	...	15.37±0.11	14.49±0.11	12.42±0.01	11.65±0.01	10.96±0.01	9.92±0.02	6.65±0.08	-0.13	0.345	-0.14	
20:31:14.63	40:03:18.37	...	14.72±0.07	12.31±0.02	10.02±0.01	9.27±0.01	8.59±0.01	8.06±0.02	3.78±0.15	0.080	1.248	0.744	
20:31:15.13	40:07:46.68	...	...	...	...	12.53±0.02	10.99±0.02	10.02±0.03	5.09±0.05	1.080	2.954	0.327	
20:31:16.25	40:02:54.91	...	16.26±0.21	14.38±0.09	12.12±0.01	11.33±0.01	10.63±0.04	9.63±0.04	4.43±0.18	0.840	1.017	0.522	
20:31:16.56	40:59:12.38	...	...	...	14.75±0.04	13.87±0.02	12.59±0.05	11.40±0.06	7.20±0.04	0.730	1.125	-0.52	
20:31:16.72	40:22:50.79	...	...	...	11.78±0.01	10.32±0.01	9.31±0.01	8.43±0.01	5.23±0.02	0.080	0.576	0.309	
20:31:17.46	40:53:46.50	...	...	...	...	...	...	10.95±0.03	7.46±0.11	-0.04	0.296	-0.97	
20:31:17.68	41:01:18.64	...	...	12.57±0.03	10.64±0.01	9.88±0.01	9.02±0.01	7.96±0.01	4.47±0.03	0.060	1.185	0.574	
20:31:18.12	42:13:49.72	...	...	...	14.57±0.02	13.00±0.01	11.81±0.02	11.06±0.04	6.26±0.03	0.950	2.494	-0.12	
20:31:18.22	40:02:53.57	...	...	...	13.37±0.03	12.46±0.01	11.58±0.06	10.34±0.05	5.16±0.16	1.080	2.650	0.283	
20:31:18.36	39:16:06.76	...	...	...	11.94±0.01	10.90±0.01	9.91±0.01	8.61±0.01	4.95±0.03	0.430	4.912	0.326	
20:31:18.64	39:54:53.93	...	...	...	14.37±0.05	13.17±0.03	12.28±0.04	11.54±0.08	7.15±0.07	0.490	1.557	-0.62	
20:31:19.52	38:57:41.64	...	...	...	13.23±0.04	11.83±0.02	10.43±0.06	8.88±0.07	3.68±0.17	1.640	4.801	1.081	
20:31:19.69	40:22:28.69	...	14.55±0.05	12.25±0.02	10.11±0.01	9.22±0.01	8.39±0.01	7.27±0.01	3.72±0.02	0.150	1.676	0.838	
20:31:20.14	41:01:01.08	...	...	12.80±0.02	9.22±0.01	8.06±0.01	6.96±0.01	5.63±0.01	2.31±0.01	0.350	1.054	1.412	
20:31:20.63	40:21:12.99	...	...	...	12.95±0.01	11.86±0.01	11.07±0.01	9.81±0.02	4.76±0.04	1.030	2.661	0.440	
20:31:21.24	39:37:42.84	...	...	...	...	...	...	11.22±0.08	6.92±0.15	0.630	0.325	-0.68	
20:31:21.70	38:57:16.54	...	...	...	13.62±0.11	11.27±0.01	9.49±0.05	8.47±0.09	4.44±0.29	1.200	1.405	0.852	
20:31:22.33	39:30:22.96	...	...	...	...	...	12.25±0.09	10.53±0.09	6.65±0.04	0.580	1.569	-0.44	
20:31:23.29	41:08:43.03	...	...	...	...	14.71±0.06	...	...	6.03±0.04	1.870	2.061	0.050	
20:31:24.83	40:17:53.37	...	...	...	15.37±0.04	13.93±0.02	13.12±0.06	11.89±0.05	7.46±0.16	0.800	0.865	-0.62	

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:31:26.47	40:29:55.67	14.30±0.02	13.42±0.02	12.63±0.02	11.10±0.01	10.28±0.01	9.56±0.01	8.25±0.01	5.40±0.02	-0.17	1.702	0.521	
20:31:27.01	38:59:20.62	...	...	...	12.95±0.02	11.91±0.01	...	...	5.26±0.19	0.780	2.016	-0.01	
20:31:27.48	39:22:03.21	...	...	...	...	...	...	11.42±0.09	6.71±0.15	0.960	0.596	-0.46	
20:31:28.03	40:03:40.51	13.81±0.03	12.61±0.03	11.93±0.03	11.12±0.01	10.66±0.02	10.02±0.06	8.46±0.07	3.07±0.03	1.120	7.087	1.300	
20:31:28.94	40:13:15.43	...	...	...	...	14.12±0.03	12.85±0.07	11.80±0.08	7.27±0.21	0.790	1.153	-0.61	
20:31:30.60	39:02:39.35	...	...	...	...	...	11.32±0.04	...	3.49±0.20	2.130	6.780	1.185	
20:31:31.25	39:00:28.27	12.64±0.02	11.50±0.02	10.90±0.01	10.53±0.01	10.34±0.01	10.06±0.01	9.09±0.05	3.02±0.04	0.900	3.375	1.405	
20:31:31.48	39:30:26.28	...	...	...	15.55±0.06	...	12.93±0.06	11.10±0.05	7.34±0.19	0.970	1.105	-0.44	
20:31:32.03	41:47:37.00	...	...	...	14.59±0.02	13.55±0.01	12.42±0.04	11.26±0.06	6.95±0.05	0.750	4.858	-0.43	
20:31:32.63	41:14:50.27	...	...	...	13.87±0.02	12.98±0.01	12.16±0.03	11.40±0.05	7.30±0.08	0.230	7.151	-0.73	
20:31:34.19	41:01:43.66	...	...	...	...	...	...	10.92±0.05	6.34±0.14	0.860	0.342	-0.35	
20:31:34.46	41:01:32.27	...	...	...	...	...	11.73±0.06	9.84±0.06	5.65±0.08	0.880	3.773	0.055	
20:31:34.63	40:15:00.57	...	...	...	14.44±0.09	12.98±0.03	12.02±0.07	11.26±0.07	7.26±0.08	0.400	0.259	-0.63	
20:31:35.00	39:58:26.41	...	...	...	13.61±0.01	12.72±0.01	12.05±0.02	11.24±0.04	7.40±0.13	0.050	0.359	-0.68	
20:31:35.73	39:03:58.71	...	15.77±0.12	14.16±0.08	12.37±0.01	11.41±0.01	10.68±0.01	9.65±0.03	5.88±0.16	0.190	2.470	-0.04	
20:31:36.59	41:04:03.88	...	...	...	11.23±0.01	10.03±0.01	8.99±0.01	8.20±0.02	3.83±0.02	0.570	1.708	0.749	
20:31:36.64	37:45:01.59	...	...	...	...	12.16±0.01	10.05±0.01	9.66±0.04	4.64±0.03	1.010	2.410	0.504	
20:31:36.67	40:18:26.44	...	16.30±0.22	14.88±0.13	12.53±0.01	11.81±0.01	11.18±0.01	10.55±0.03	6.42±0.21	0.030	2.009	-0.26	
20:31:36.72	40:13:58.92	...	...	14.95±0.14	12.79±0.02	11.13±0.01	9.99±0.02	8.71±0.03	4.13±0.04	1.130	0.378	0.818	
20:31:36.99	40:19:39.28	...	...	...	...	12.57±0.04	11.02±0.05	9.45±0.04	4.13±0.06	1.650	1.657	0.872	
20:31:37.35	41:04:09.22	...	...	...	13.49±0.02	12.38±0.01	11.40±0.02	10.72±0.05	4.85±0.01	1.220	0.921	0.408	
20:31:38.17	38:51:10.45	...	...	...	...	...	10.76±0.08	8.92±0.08	4.50±0.11	1.010	1.877	0.538	
20:31:41.47	40:17:53.14	...	...	...	15.23±0.10	12.93±0.02	12.28±0.12	12.03±0.59	4.32±0.12	2.100	0.566	0.874	
20:31:41.85	40:18:45.31	...	16.09±0.16	14.45±0.08	12.97±0.01	12.23±0.01	11.52±0.06	10.58±0.10	5.47±0.20	0.750	0.461	0.127	
20:31:44.66	38:57:58.10	...	...	13.36±0.09	11.59±0.05	10.91±0.04	10.36±0.04	9.46±0.09	3.71±0.16	0.960	0.455	0.805	
20:31:44.74	38:56:47.60	...	...	...	12.69±0.04	11.84±0.03	...	...	3.11±0.12	1.780	0.476	1.193	
20:31:44.84	40:19:17.51	...	15.37±0.10	12.24±0.02	10.48±0.01	9.09±0.01	8.24±0.01	7.54±0.01	3.24±0.02	0.450	0.457	0.985	
20:31:45.52	39:58:45.63	...	...	...	13.07±0.01	12.04±0.01	11.08±0.02	10.23±0.05	6.32±0.11	0.280	1.864	-0.32	
20:31:45.61	39:47:32.31	...	...	...	...	14.49±0.05	12.77±0.09	11.42±0.09	5.95±0.04	1.680	2.120	0.146	
20:31:45.92	40:47:55.50	...	...	...	13.16±0.01	11.56±0.01	10.40±0.01	9.57±0.01	5.45±0.02	0.640	0.442	0.185	
20:31:46.28	38:57:59.67	15.13±0.05	12.79±0.04	11.29±0.02	9.64±0.01	8.92±0.01	8.28±0.01	7.23±0.03	3.48±0.12	0.080	0.414	0.984	
20:31:46.31	41:12:04.56	14.81±0.04	13.30±0.03	12.11±0.02	10.13±0.01	9.20±0.01	8.12±0.01	6.21±0.01	3.24±0.02	0.420	0.159	1.184	
20:31:46.65	40:27:16.93	...	...	14.48±0.08	12.40±0.01	11.54±0.01	10.79±0.01	10.00±0.03	6.63±0.14	-0.17	1.357	-0.18	
20:31:46.71	39:10:17.91	...	...	...	...	13.98±0.04	13.15±0.15	11.89±0.22	7.22±0.14	0.850	0.724	-0.59	
20:31:46.88	38:57:13.64	...	...	14.52±0.10	11.50±0.01	10.20±0.01	9.50±0.04	9.02±0.09	3.10±0.08	1.060	0.220	1.063	
20:31:46.95	40:19:19.52	...	...	...	13.61±0.02	12.06±0.01	10.95±0.02	10.15±0.09	6.24±0.48	0.480	0.159	-0.17	
20:31:47.16	40:18:57.18	...	...	12.39±0.02	9.18±0.01	7.95±0.01	7.16±0.01	6.29±0.01	2.79±0.02	0.060	1.451	1.233	
20:31:47.24	39:00:48.16	...	...	...	12.36±0.04	11.48±0.02	10.47±0.11	9.40±0.19	3.69±0.08	1.310	5.302	0.902	
20:31:47.25	39:59:00.33	...	...	...	12.42±0.06	10.84±0.03	9.76±0.06	8.69±0.10	1.69±0.03	2.190	5.302	1.973	
20:31:47.77	41:08:46.10	...	...	...	...	10.94±0.02	8.40±0.04	6.62±0.05	0.75±0.01	2.440	5.302	2.505	
20:31:48.20	40:27:06.01	...	...	...	12.99±0.02	11.57±0.01	10.37±0.03	9.44±0.07	5.24±0.04	0.700	1.218	0.271	
20:31:48.73	40:18:40.85	...	...	...	14.12±0.01	11.64±0.01	10.26±0.01	9.24±0.01	5.60±0.07	0.850	5.641	0.336	
20:31:48.78	42:28:21.00	...	...	...	...	...	...	10.36±0.09	6.08±0.06	0.610	6.316	-0.35	
20:31:49.89	40:00:24.03	...	...	...	15.23±0.07	13.80±0.03	12.66±0.05	11.69±0.08	7.31±0.15	0.790	1.577	-0.55	
20:31:49.95	40:47:14.56	...	...	...	...	12.23±0.01	...	10.95±0.04	4.22±0.02	1.660	0.198	0.729	
20:31:50.29	40:23:33.11	14.93±0.03	13.57±0.02	12.99±0.03	12.60±0.01	12.38±0.01	12.11±0.03	11.27±0.06	4.42±0.32	1.220	1.639	0.810	
20:31:50.32	37:45:29.64	16.06±0.07	15.01±0.07	14.64±0.10	...	13.86±0.05	...	...	5.49±0.17	1.700	1.001	0.477	
20:31:50.81	39:00:24.76	...	...	...	12.92±0.02	12.23±0.01	11.49±0.06	10.49±0.16	5.32±0.22	0.810	6.387	0.124	
20:31:51.60	39:45:43.47	...	15.85±0.12	14.79±0.13	13.76±0.02	13.56±0.02	12.52±0.09	11.42±0.15	6.49±0.10	0.750	0.486	-0.18	
20:31:51.78	40:18:17.98	...	...	...	13.52±0.02	12.03±0.01	11.14±0.03	10.37±0.04	5.51±0.06	0.820	0.980	0.112	

- 20 -

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS					α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)						
20:31:53.38	40:54:23.70	...	...	14.99±0.15	13.44±0.01	12.76±0.01	11.68±0.02	9.90±0.01	5.83±0.03	0.840	0.592	0.102			
20:31:53.51	40:00:30.87	...	...	14.53±0.09	11.50±0.01	10.53±0.01	9.45±0.01	8.16±0.01	4.26±0.02	0.560	8.007	0.638			
20:31:53.76	39:20:50.28	...	...	...	...	13.39±0.04	...	...	6.50±0.07	0.880	0.356	-0.53			
20:31:53.84	40:18:33.89	...	...	...	13.04±0.01	11.04±0.01	9.80±0.01	8.87±0.02	5.38±0.09	0.520	8.007	0.295			
20:31:55.19	40:48:22.36	...	...	...	13.53±0.01	12.08±0.01	10.95±0.01	10.34±0.01	6.57±0.07	0.280	1.648	-0.37			
20:31:55.42	39:46:08.43	...	...	...	...	...	...	11.82±0.09	7.33±0.10	0.790	0.763	-0.77			
20:31:58.15	40:18:36.10	...	...	...	13.98±0.02	12.19±0.02	11.35±0.03	10.97±0.11	3.68±0.03	1.900	1.648	1.061			
20:31:58.23	40:26:14.94	...	...	...	14.95±0.05	14.22±0.03	...	13.01±0.16	6.97±0.10	0.960	1.223	-0.59			
20:31:59.27	39:38:58.63	...	...	...	13.95±0.02	13.10±0.01	12.32±0.03	11.47±0.06	7.11±0.04	0.380	0.913	-0.67			
20:31:59.58	39:49:44.40	...	...	...	15.87±0.16	...	...	11.11±0.06	6.76±0.11	1.440	1.850	-0.18			
20:31:59.83	39:22:53.48	...	16.41±0.23	14.81±0.13	12.80±0.01	12.02±0.01	11.46±0.07	10.57±0.17	6.67±0.32	0.050	1.850	-0.33			
20:32:00.11	40:48:21.26	...	...	...	14.46±0.02	13.38±0.01	12.42±0.04	11.48±0.05	6.33±0.05	0.980	0.573	-0.20			
20:32:00.40	41:12:57.70	...	...	...	...	...	12.66±0.07	10.75±0.04	6.12±0.05	1.190	19.59	-0.05			
20:32:00.42	41:03:59.50	...	...	14.87±0.13	13.15±0.02	12.31±0.01	11.60±0.03	10.89±0.08	5.90±0.09	0.590	1.523	-0.11			
20:32:01.08	41:04:17.21	...	...	...	14.43±0.04	13.04±0.02	11.85±0.04	10.85±0.10	6.47±0.13	0.820	32.83	-0.20			
20:32:01.17	40:51:24.67	...	...	...	15.42±0.08	14.63±0.05	14.35±0.24	13.10±0.19	6.98±0.23	1.250	32.83	-0.46			
20:32:02.58	40:18:38.79	...	...	...	11.91±0.01	10.03±0.01	8.88±0.01	8.24±0.02	3.08±0.04	1.140	20.09	1.181			
20:32:02.69	41:08:01.62	13.97±0.02	12.91±0.02	12.00±0.02	10.51±0.01	9.79±0.01	9.17±0.01	7.71±0.01	4.48±0.03	0.030	1.523	0.739			
20:32:04.76	41:12:22.71	...	...	...	...	...	11.78±0.05	...	5.84±0.11	0.910	0.591	-0.23			
20:32:04.77	40:07:14.99	...	...	...	13.22±0.01	12.31±0.01	11.67±0.02	10.84±0.03	7.17±0.08	-0.03	0.685	-0.53			
20:32:04.92	40:06:17.33	17.27±0.23	15.62±0.12	14.05±0.06	11.72±0.01	10.87±0.01	10.11±0.01	9.19±0.01	5.91±0.04	-0.14	1.172	0.122			
20:32:05.83	39:21:14.99	...	...	...	...	14.43±0.06	...	...	6.60±0.21	1.400	1.172	-0.36			
20:32:06.52	41:54:35.27	...	...	...	13.75±0.04	12.41±0.01	11.29±0.02	10.52±0.03	6.61±0.13	0.400	0.438	-0.36			
20:32:06.89	40:39:52.53	14.03±0.03	12.72±0.02	11.92±0.02	10.44±0.01	9.74±0.01	8.65±0.01	6.64±0.01	2.84±0.01	0.840	3.097	1.401			
20:32:07.11	42:09:37.15	...	...	...	14.06±0.02	13.27±0.01	12.32±0.08	10.89±0.11	6.86±0.13	0.600	2.472	-0.42			
20:32:07.50	41:12:39.18	...	...	...	...	...	...	10.69±0.05	6.97±0.05	0.150	2.473	-0.83			
20:32:07.59	39:44:31.14	...	...	...	...	...	...	11.24±0.07	6.78±0.12	0.760	2.429	-0.57			
20:32:07.60	41:12:37.06	...	...	...	...	...	...	10.64±0.06	6.97±0.05	0.110	0.649	-0.82			
20:32:11.12	40:19:16.68	...	15.61±0.11	13.51±0.04	11.06±0.02	9.91±0.01	9.28±0.09	8.54±0.24	3.66±0.23	0.600	0.753	0.782			
20:32:11.46	39:48:22.90	...	...	...	14.95±0.08	12.56±0.01	10.95±0.02	9.95±0.04	6.35±0.06	0.900	0.653	0.068			
20:32:11.48	40:02:32.60	...	...	...	...	...	12.37±0.08	10.49±0.05	7.15±0.30	0.280	1.452	-0.73			
20:32:11.63	40:13:37.67	...	...	...	...	...	...	9.94±0.09	6.60±0.28	-0.17	0.753	-0.59			
20:32:12.59	41:18:10.35	...	...	...	15.95±0.07	15.07±0.06	14.03±0.12	13.46±0.18	6.83±0.08	1.510	0.875	-0.33			
20:32:13.69	41:03:39.35	...	...	...	13.96±0.02	13.17±0.01	12.42±0.04	11.57±0.06	7.42±0.09	0.240	1.036	-0.80			
20:32:14.04	41:12:18.72	...	...	...	...	...	13.37±0.09	11.47±0.06	7.29±0.19	0.880	2.284	-0.59			
20:32:14.87	39:41:21.79	...	...	...	...	13.55±0.04	12.56±0.12	12.50±0.44	6.74±0.15	0.880	0.953	-0.46			
20:32:15.00	39:05:08.56	...	14.65±0.05	12.32±0.02	10.06±0.01	9.28±0.01	8.61±0.01	7.81±0.01	4.19±0.02	-0.09	1.372	0.731			
20:32:15.11	39:41:23.30	...	...	...	14.24±0.03	13.19±0.02	12.25±0.07	11.59±0.12	6.74±0.15	0.660	1.825	-0.44			
20:32:16.11	41:11:57.95	...	...	...	...	...	11.95±0.03	...	6.46±0.13	0.620	0.981	-0.60			
20:32:16.51	40:38:58.88	15.31±0.05	13.94±0.03	12.59±0.02	11.15±0.01	10.29±0.01	9.47±0.01	8.12±0.01	5.34±0.03	-0.12	1.439	0.491			
20:32:16.84	39:05:29.08	...	15.09±0.07	13.05±0.03	10.66±0.01	9.45±0.01	8.52±0.01	7.73±0.01	3.74±0.02	0.330	1.321	0.744			
20:32:17.07	39:05:12.04	15.72±0.07	13.25±0.03	11.82±0.02	10.32±0.01	9.51±0.01	8.75±0.01	7.84±0.02	4.58±0.04	-0.17	1.138	0.731			
20:32:17.35	40:19:49.69	...	14.94±0.07	12.46±0.02	10.29±0.01	9.54±0.01	8.88±0.06	8.24±0.20	3.75±0.15	0.240	1.442	0.673			
20:32:17.77	40:14:08.21	14.89±0.03	12.61±0.02	10.65±0.01	8.16±0.01	7.32±0.01	6.45±0.01	4.86±0.01	1.41±0.01	0.370	0.325	1.757			
20:32:18.24	41:05:09.26	...	...	...	14.66±0.04	13.53±0.02	12.56±0.04	11.39±0.05	6.26±0.23	1.120	0.704	-0.13			
20:32:20.60	40:19:50.14	...	...	...	10.23±0.01	8.05±0.01	6.61±0.01	5.78±0.01	2.14±0.03	0.690	0.648	1.654			
20:32:20.65	40:18:53.03	...	15.77±0.13	13.70±0.05	11.98±0.02	11.00±0.01	10.14±0.07	9.25±0.14	6.11±1.07	-0.14	0.704	0.087			
20:32:21.05	41:07:54.47	...	...	...	11.12±0.01	8.53±0.01	6.48±0.01	5.07±0.01	0.87±0.01	1.700	0.626	2.414			
20:32:21.13	40:20:25.60	...	15.36±0.09	11.88±0.01	9.28±0.01	8.15±0.01	7.20±0.01	6.35±0.01	2.32±0.01	0.370	0.597	1.319			
20:32:21.24	40:16:01.88	...	...	11.56±0.01	8.83±0.01	7.85±0.01	7.01±0.01	6.26±0.01	3.04±0.17	-0.19	0.626	1.273			

- 21 -

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:32:21.54	40:17:49.32	...	...	...	12.57±0.04	...	9.62±0.06	7.83±0.07	4.03±0.33	1.090	0.402	0.926	
20:32:21.96	40:19:37.67	...	...	...	11.61±0.01	10.49±0.01	7.25±0.01	5.49±0.01	2.67±0.05	1.330	1.311	1.879	
20:32:22.10	40:20:17.06	...	...	12.03±0.02	7.41±0.01	6.02±0.01	5.07±0.01	4.14±0.01	0.40±0.01	0.340	0.422	2.109	
20:32:22.44	40:47:46.40	16.88±0.15	14.98±0.06	13.52±0.04	11.76±0.01	11.04±0.01	10.21±0.01	8.79±0.01	4.39±0.02	0.700	0.770	0.608	
20:32:22.82	40:19:40.85	...	...	...	12.17±0.02	10.36±0.01	9.16±0.01	8.26±0.05	3.58±0.11	1.040	0.352	0.998	
20:32:22.97	41:56:29.14	...	...	...	...	13.03±0.01	11.65±0.04	10.24±0.04	6.77±0.23	0.410	0.905	-0.44	
20:32:22.99	40:20:21.35	...	...	...	13.71±0.16	11.44±0.10	9.63±0.03	7.86±0.02	1.66±0.01	2.710	0.653	2.245	
20:32:23.21	41:06:51.67	...	...	...	15.02±0.17	12.57±0.02	11.37±0.09	11.19±0.38	5.85±0.14	1.160	0.209	0.100	
20:32:23.23	38:45:30.85	...	...	12.54±0.03	9.65±0.01	8.61±0.01	7.78±0.01	7.00±0.01	2.95±0.01	0.260	0.848	1.020	
20:32:23.69	41:56:18.83	...	...	...	13.06±0.02	11.84±0.01	10.82±0.02	9.87±0.05	4.97±0.03	0.930	0.519	0.350	
20:32:23.75	41:07:57.46	...	...	...	13.63±0.03	10.82±0.01	9.03±0.01	8.01±0.03	4.83±0.09	0.900	0.345	0.796	
20:32:24.13	41:52:15.19	16.39±0.11	...	...	14.13±0.03	14.10±0.03	12.75±0.10	11.11±0.13	6.22±0.17	1.120	1.405	-0.01	
20:32:24.72	41:08:03.42	...	...	...	14.32±0.05	12.47±0.01	12.03±0.08	12.08±0.46	4.78±0.06	1.500	1.310	0.479	
20:32:24.96	38:52:09.11	...	...	...	...	12.12±0.09	...	...	2.95±0.15	2.140	0.519	1.393	
20:32:25.42	40:04:01.54	...	...	...	11.17±0.01	9.66±0.01	8.52±0.01	7.74±0.03	3.95±0.07	0.410	1.310	0.732	
20:32:26.03	41:56:41.03	...	...	...	15.08±0.09	13.42±0.03	12.93±0.28	...	6.14±0.12	1.320	0.928	-0.12	
20:32:27.86	40:19:42.33	...	15.74±0.11	13.17±0.04	10.56±0.01	9.73±0.01	8.98±0.01	8.27±0.06	2.31±0.01	1.100	0.367	1.384	
20:32:28.54	41:49:05.24	14.01±0.02	13.49±0.02	13.15±0.03	12.74±0.02	12.42±0.01	11.90±0.08	10.42±0.12	4.85±0.09	1.070	0.840	0.762	
20:32:28.60	40:19:41.56	14.69±0.03	11.40±0.01	8.94±0.01	7.37±0.01	6.30±0.01	5.35±0.01	4.43±0.01	0.98±0.01	0.100	0.829	2.003	
20:32:29.76	40:10:15.39	...	...	...	...	13.17±0.07	...	...	5.39±0.12	1.370	0.857	0.101	
20:32:30.41	39:57:55.99	...	...	...	12.15±0.04	10.23±0.01	9.32±0.05	8.98±0.17	3.07±0.03	1.250	0.705	1.152	
20:32:31.53	40:13:53.09	...	...	14.37±0.08	8.52±0.01	7.42±0.01	6.57±0.01	5.96±0.02	2.23±0.11	0.030	0.689	1.426	
20:32:32.02	41:57:18.34	...	...	12.85±0.04	10.00±0.01	9.04±0.01	8.17±0.01	7.27±0.01	3.66±0.02	0.100	0.564	0.852	
20:32:33.45	38:01:40.29	13.34±0.02	12.65±0.01	12.27±0.02	...	...	...	11.70±0.08	6.32±0.08	1.510	0.548	1.096	
20:32:34.21	41:05:00.53	...	...	...	13.54±0.01	12.65±0.01	11.65±0.02	9.75±0.01	5.27±0.02	1.140	0.303	0.336	
20:32:34.43	39:16:48.03	...	...	...	13.34±0.01	12.44±0.01	11.76±0.02	11.09±0.04	7.17±0.08	0.030	0.388	-0.59	
20:32:34.55	41:11:19.90	...	...	...	14.08±0.02	13.22±0.01	12.36±0.03	11.39±0.04	7.43±0.08	0.290	0.435	-0.79	
20:32:34.61	39:54:38.45	...	...	...	...	14.63±0.06	...	...	5.71±0.13	2.000	0.355	0.232	
20:32:34.84	41:11:07.40	...	15.29±0.08	14.51±0.09	13.41±0.01	12.71±0.01	11.98±0.02	10.97±0.02	7.33±0.10	0.040	0.555	-0.42	
20:32:35.75	38:49:30.59	15.20±0.03	13.39±0.02	12.28±0.02	10.09±0.01	9.17±0.01	8.31±0.01	7.50±0.04	3.72±0.07	0.120	0.523	0.850	
20:32:35.94	40:26:33.12	...	...	...	13.87±0.03	13.18±0.02	11.49±0.05	9.90±0.05	7.10±0.14	0.380	0.523	-0.38	
20:32:36.81	39:53:27.56	...	14.93±0.06	12.42±0.02	9.89±0.01	8.99±0.01	8.10±0.01	6.92±0.01	2.37±0.02	0.720	10.49	1.367	
20:32:38.18	40:50:59.41	...	...	...	...	...	...	11.87±0.07	7.14±0.13	0.980	19.41	-0.63	
20:32:38.84	41:12:48.56	16.53±0.12	14.80±0.06	13.95±0.06	12.82±0.01	12.07±0.01	11.30±0.07	9.98±0.02	6.49±0.04	0.160	0.560	-0.12	
20:32:39.98	38:38:56.29	...	...	...	15.06±0.09	14.52±0.05	12.82±0.11	11.38±0.15	6.77±0.08	1.180	0.323	-0.25	
20:32:40.09	38:43:56.51	...	...	...	12.95±0.03	11.86±0.01	11.19±0.05	10.84±0.18	6.48±0.11	0.120	0.546	-0.39	
20:32:40.30	38:43:45.76	...	...	...	15.52±0.10	13.85±0.05	13.47±0.20	...	6.51±0.12	1.360	0.518	-0.26	
20:32:40.77	38:46:39.01	...	...	14.71±0.11	11.25±0.01	9.79±0.01	8.74±0.01	8.05±0.01	4.58±0.03	0.140	0.298	0.520	
20:32:40.78	38:47:05.68	...	...	...	15.55±0.10	12.79±0.02	11.02±0.01	9.55±0.02	4.02±0.03	2.320	0.609	1.196	
20:32:40.98	41:51:19.13	...	...	...	...	...	12.50±0.07	10.77±0.08	6.57±0.19	0.800	0.843	-0.34	
20:32:41.77	38:45:55.53	16.55±0.10	13.16±0.02	10.95±0.01	8.48±0.01	7.59±0.01	6.78±0.01	5.67±0.01	1.85±0.01	0.270	0.701	1.492	
20:32:42.03	41:06:55.50	...	...	...	13.84±0.01	13.16±0.01	12.49±0.03	11.92±0.06	7.06±0.06	0.380	9.282	-0.71	
20:32:42.12	38:46:08.73	...	...	...	9.97±0.01	8.57±0.01	7.90±0.01	7.67±0.01	1.02±0.02	1.310	11.32	1.931	
20:32:42.38	42:10:08.86	...	...	...	14.61±0.04	13.42±0.02	12.28±0.09	11.19±0.16	6.84±0.25	0.770	0.613	-0.37	
20:32:42.45	38:44:31.65	...	...	14.06±0.07	12.15±0.01	11.29±0.01	10.56±0.01	9.75±0.04	5.81±0.08	0.120	2.176	-0.04	
20:32:42.48	41:17:48.59	...	...	...	...	...	11.65±0.03	...	7.37±0.16	-0.17	4.550	-0.99	
20:32:42.57	40:53:05.56	15.97±0.07	14.35±0.04	13.46±0.03	13.48±0.01	12.50±0.01	11.77±0.02	10.73±0.04	7.00±0.07	0.180	0.499	-0.15	
20:32:43.11	38:11:58.42	...	...	...	13.93±0.09	13.82±0.08	12.67±0.14	10.96±0.16	6.12±0.04	1.060	0.499	-0.08	
20:32:43.24	38:44:10.75	...	...	...	...	14.62±0.05	13.34±0.12	11.88±0.18	6.08±0.08	1.780	1.409	0.104	
20:32:43.30	42:13:53.02	...	...	...	15.85±0.14	14.84±0.06	13.19±0.14	11.51±0.13	6.92±0.14	1.410	0.822	-0.22	

- 22 -

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:32:44.21	38:44:53.80	...	...	...	13.89±0.02	12.20±0.01	11.21±0.02	10.76±0.04	6.91±0.17	0.230	0.678	-0.49	
20:32:44.63	40:10:38.30	...	...	...	...	...	...	11.57±0.08	6.89±0.23	0.940	1.528	-0.55	
20:32:45.81	38:45:49.03	...	...	...	14.36±0.04	13.57±0.02	12.78±0.10	11.41±0.17	6.71±0.14	0.830	1.528	-0.37	
20:32:46.20	41:48:58.71	...	...	...	12.84±0.01	12.16±0.01	10.59±0.07	9.14±0.08	5.74±0.05	0.550	1.432	0.126	
20:32:46.41	38:41:47.32	...	15.51±0.10	14.20±0.07	12.26±0.01	11.29±0.01	10.45±0.01	9.49±0.02	5.64±0.02	0.240	0.979	0.020	
20:32:46.80	38:44:51.03	...	...	...	12.90±0.01	11.44±0.01	10.34±0.01	9.42±0.01	4.74±0.02	0.900	0.344	0.474	
20:32:47.09	40:50:23.52	...	...	14.49±0.11	13.16±0.05	12.19±0.01	11.51±0.02	10.84±0.04	6.86±0.10	0.080	0.354	-0.41	
20:32:48.53	40:21:04.67	13.91±0.02	12.82±0.02	12.10±0.02	10.64±0.01	9.73±0.01	9.05±0.01	8.22±0.01	4.79±0.04	-0.13	0.415	0.689	
20:32:49.35	38:45:48.80	...	...	...	15.55±0.23	13.00±0.05	11.63±0.11	10.62±0.28	4.41±0.05	2.170	1.253	0.923	
20:32:49.43	38:45:37.21	...	15.96±0.17	14.50±0.10	11.84±0.01	10.79±0.01	10.13±0.02	9.40±0.04	5.21±0.12	0.230	1.383	0.124	
20:32:50.36	40:15:27.67	...	...	...	...	...	9.93±0.03	8.19±0.02	3.57±0.06	1.110	1.561	0.926	
20:32:51.11	40:07:40.49	...	...	...	...	...	...	10.54±0.03	5.84±0.05	0.960	0.198	-0.12	
20:32:51.47	39:11:16.20	...	...	...	16.05±0.08	14.09±0.02	13.59±0.09	12.94±0.23	7.02±0.04	1.250	3.843	-0.44	
20:32:55.81	39:24:24.71	...	...	...	14.02±0.03	12.43±0.02	11.34±0.06	10.55±0.19	5.59±0.07	1.010	3.929	0.140	
20:32:56.03	41:43:42.17	...	...	...	14.52±0.03	14.42±0.03	13.11±0.07	11.69±0.08	7.15±0.10	0.820	1.558	-0.53	
20:32:56.68	41:47:35.23	...	...	...	...	...	12.10±0.06	...	6.10±0.09	0.940	1.558	-0.32	
20:32:56.83	41:46:27.48	...	...	...	...	...	12.21±0.07	...	6.15±0.13	0.990	4.052	-0.32	
20:32:57.01	40:39:41.78	15.51±0.05	13.41±0.03	12.19±0.02	10.39±0.01	9.63±0.01	8.91±0.01	8.08±0.01	4.25±0.06	0.050	4.481	0.684	
20:32:57.02	38:37:07.80	...	...	...	14.74±0.08	13.91±0.04	13.69±0.26	...	6.17±0.03	1.350	1.558	-0.16	
20:32:57.18	41:42:36.20	...	...	...	...	...	...	11.52±0.05	6.41±0.17	1.290	4.044	-0.23	
20:33:01.82	39:03:42.78	12.78±0.02	11.54±0.01	10.53±0.01	9.29±0.01	8.36±0.01	7.49±0.01	6.30±0.01	2.82±0.01	0.190	1.558	1.315	
20:33:01.99	40:07:02.60	...	...	...	...	...	11.38±0.05	11.38±0.05	6.37±0.25	1.220	1.558	-0.24	
20:33:02.27	41:44:59.75	...	...	...	13.72±0.03	12.84±0.01	11.10±0.01	9.28±0.02	5.99±0.03	0.830	1.558	0.176	
20:33:02.62	41:47:55.06	...	15.44±0.08	13.96±0.05	12.11±0.01	11.43±0.01	10.62±0.01	9.34±0.01	5.96±0.03	0.080	4.124	0.015	
20:33:05.09	41:00:28.22	...	...	...	14.64±0.03	14.59±0.05	12.12±0.03	10.45±0.03	5.86±0.14	1.520	0.673	0.241	
20:33:05.75	41:01:13.81	...	...	...	15.61±0.07	...	13.06±0.05	11.30±0.04	6.30±0.25	1.550	3.922	-0.00	
20:33:05.81	41:16:35.12	16.62±0.13	13.96±0.03	12.30±0.02	10.36±0.01	9.50±0.01	8.75±0.01	7.86±0.03	3.93±0.06	0.170	4.146	0.718	
20:33:06.13	41:43:16.89	...	...	...	...	...	...	10.29±0.06	6.33±0.19	0.350	24.11	-0.58	
20:33:07.06	41:16:36.10	...	...	...	11.72±0.01	10.30±0.01	9.18±0.01	8.45±0.04	4.18±0.07	0.590	2.518	0.644	
20:33:08.04	41:42:53.08	...	...	...	...	...	11.65±0.09	9.74±0.10	5.71±0.21	0.780	20.78	0.008	
20:33:08.04	41:42:26.80	...	...	...	...	...	11.95±0.07	...	5.07±0.13	1.520	9.130	0.307	
20:33:09.16	42:18:02.12	...	...	...	...	15.38±0.20	13.49±0.26	11.63±0.10	6.33±0.16	1.920	2.129	0.102	
20:33:09.19	40:39:16.59	...	...	...	...	...	...	10.91±0.06	6.41±0.14	0.790	3.148	-0.41	
20:33:10.31	40:41:18.72	...	...	...	12.88±0.04	12.59±0.06	10.24±0.03	8.65±0.04	3.78±0.06	1.630	7.992	1.074	
20:33:11.21	41:16:39.43	...	14.70±0.06	13.10±0.03	11.10±0.01	10.35±0.01	9.62±0.01	8.72±0.03	4.79±0.09	0.140	11.07	0.381	
20:33:11.80	40:41:51.32	...	...	...	...	...	7.88±0.05	...	1.55±0.04	1.160	10.58	1.579	
20:33:12.09	41:48:55.65	...	...	...	14.53±0.03	13.73±0.02	13.14±0.11	12.15±0.24	7.24±0.30	0.640	10.52	-0.67	
20:33:12.34	40:42:12.47	...	...	...	12.44±0.01	11.45±0.01	10.52±0.02	9.49±0.03	5.61±0.15	0.340	0.772	-0.02	
20:33:12.50	41:50:27.61	...	...	...	...	...	11.45±0.05	9.65±0.05	4.41±0.12	1.560	1.786	0.703	
20:33:12.90	40:07:19.34	...	...	...	...	14.90±0.11	...	10.59±0.07	5.49±0.05	2.130	1.786	0.514	
20:33:13.75	40:05:06.43	...	...	...	...	...	12.50±0.08	10.66±0.08	5.81±0.11	1.310	0.252	0.086	
20:33:16.01	41:17:27.06	13.67±0.03	12.74±0.03	12.20±0.02	11.57±0.01	11.26±0.01	11.02±0.05	10.30±0.13	4.23±0.17	0.770	0.939	0.865	
20:33:16.24	41:50:36.74	...	...	...	...	...	12.48±0.06	10.58±0.04	5.31±0.22	1.630	0.939	0.371	
20:33:16.26	40:36:37.56	...	...	...	14.65±0.03	13.99±0.03	13.48±0.13	12.04±0.10	6.58±0.32	1.090	2.839	-0.32	
20:33:16.61	39:17:41.91	...	...	...	15.35±0.09	14.43±0.04	13.50±0.19	11.80±0.18	6.55±0.05	1.390	2.839	-0.17	
20:33:18.59	40:21:00.55	...	15.58±0.14	14.39±0.09	13.51±0.02	12.59±0.01	11.96±0.04	11.05±0.10	4.58±0.03	1.440	0.561	0.616	
20:33:18.59	41:02:45.64	...	16.14±0.17	14.85±0.13	13.01±0.01	12.15±0.01	11.45±0.01	10.47±0.01	6.99±0.41	-0.03	1.512	-0.35	
20:33:18.97	39:55:52.28	...	...	...	15.04±0.10	...	...	10.41±0.08	6.78±0.12	1.020	0.834	-0.23	
20:33:19.38	39:22:42.05	...	15.78±0.12	14.40±0.08	13.18±0.01	12.49±0.01	11.88±0.07	10.67±0.07	6.68±0.11	0.260	0.463	-0.36	
20:33:20.06	41:44:07.92	...	...	...	12.67±0.01	11.93±0.01	11.24±0.01	10.33±0.04	6.39±0.19	0.130	0.899	-0.33	

- 23 -

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:33:20.80	40:21:53.20	...	...	...	15.43±0.06	13.90±0.02	14.72±0.32	...	7.47±0.30	0.930	1.000	-0.78	
20:33:20.86	41:28:39.78	...	...	...	13.61±0.02	12.68±0.01	11.75±0.08	10.87±0.21	5.87±0.18	0.820	0.893	-0.06	
20:33:21.00	41:59:11.45	...	...	...	...	...	...	10.77±0.07	6.32±0.07	0.750	0.609	-0.38	
20:33:21.35	38:34:51.56	...	...	...	9.27±0.01	8.25±0.01	7.53±0.01	6.68±0.01	3.04±0.01	0.030	0.609	1.098	
20:33:22.03	38:43:51.52	...	...	...	13.24±0.01	12.33±0.01	11.34±0.01	9.82±0.01	6.99±0.05	0.090	0.609	-0.36	
20:33:22.32	41:49:27.83	...	...	...	13.40±0.01	12.71±0.01	12.32±0.07	11.51±0.07	7.10±0.21	0.160	1.070	-0.68	
20:33:22.85	41:57:35.22	...	...	...	...	...	...	12.14±0.06	7.32±0.11	1.060	1.796	-0.67	
20:33:23.43	40:21:51.73	...	...	...	12.63±0.01	11.04±0.01	9.87±0.01	8.84±0.01	4.30±0.03	0.960	2.596	0.691	
20:33:23.49	40:41:39.12	...	...	...	14.56±0.05	...	11.98±0.03	10.33±0.02	5.13±0.30	1.610	0.378	0.461	
20:33:23.60	39:42:45.25	...	...	13.59±0.05	10.16±0.01	8.90±0.01	7.96±0.01	7.24±0.01	3.59±0.02	0.140	0.685	0.872	
20:33:23.64	41:29:09.00	...	...	14.65±0.11	12.20±0.01	11.32±0.01	10.49±0.01	9.44±0.02	5.68±0.17	0.220	0.784	-0.01	
20:33:23.96	40:41:48.68	...	...	...	...	...	11.99±0.06	10.27±0.05	4.81±0.24	1.680	0.527	0.573	
20:33:24.38	39:52:09.48	...	...	...	...	...	...	10.90±0.09	6.92±0.33	0.370	1.284	-0.81	
20:33:24.39	41:49:36.33	...	...	12.76±0.02	8.86±0.01	7.71±0.01	6.68±0.01	5.83±0.01	2.32±0.01	0.150	3.111	1.390	
20:33:24.63	41:28:09.39	...	...	...	13.14±0.02	11.69±0.01	10.55±0.03	9.86±0.07	6.42±0.13	0.160	1.284	-0.22	
20:33:24.90	39:56:33.47	...	15.59±0.12	13.77±0.05	11.30±0.01	10.48±0.01	9.78±0.05	9.00±0.12	4.42±0.14	0.410	1.284	0.427	
20:33:24.95	39:58:53.54	...	14.90±0.07	13.63±0.05	12.25±0.01	11.46±0.01	10.80±0.01	10.07±0.03	5.85±0.12	0.170	1.870	-0.02	
20:33:25.56	42:05:03.80	...	...	13.83±0.06	13.31±0.04	12.56±0.02	11.62±0.13	10.59±0.12	5.49±0.02	0.900	1.870	0.193	
20:33:25.69	39:56:45.57	...	...	...	12.95±0.06	11.76±0.02	11.47±0.18	...	4.21±0.11	1.340	0.727	0.633	
20:33:26.00	40:39:48.04	...	...	...	...	...	...	11.30±0.07	6.94±0.25	0.680	0.727	-0.66	
20:33:26.44	40:42:33.74	...	...	...	13.19±0.04	...	10.52±0.02	8.87±0.03	4.24±0.03	1.350	0.727	0.794	
20:33:26.55	40:04:00.08	...	...	...	...	...	...	11.40±0.07	6.60±0.29	1.030	0.727	-0.40	
20:33:27.02	40:42:50.12	...	...	...	...	...	12.22±0.04	10.57±0.03	6.42±0.08	0.740	0.638	-0.31	
20:33:27.62	40:55:45.03	...	...	...	14.62±0.04	14.02±0.02	13.58±0.08	12.88±0.09	6.11±0.25	1.290	5.844	-0.13	
20:33:28.28	41:25:17.76	...	...	...	13.38±0.05	11.96±0.02	11.18±0.08	10.39±0.19	6.01±0.18	0.520	2.388	-0.14	
20:33:28.96	42:04:46.64	...	...	...	14.95±0.13	14.03±0.09	...	...	5.49±0.11	1.710	2.441	0.213	
20:33:29.23	42:04:36.95	...	...	...	12.40±0.02	11.59±0.01	10.85±0.06	9.91±0.11	5.56±0.13	0.400	1.100	-0.04	
20:33:29.57	40:21:23.70	...	...	...	15.46±0.04	14.03±0.03	13.36±0.15	12.55±0.33	6.04±0.06	1.570	1.896	0.013	
20:33:29.76	40:29:58.17	...	...	14.51±0.09	14.78±0.03	13.74±0.02	13.23±0.07	12.61±0.13	5.91±0.25	1.370	1.710	0.096	
20:33:30.35	41:25:03.05	14.49±0.04	13.34±0.04	12.80±0.03	12.33±0.01	12.21±0.01	11.65±0.07	10.47±0.12	4.50±0.05	1.070	0.892	0.805	
20:33:31.17	42:04:49.17	...	...	...	12.53±0.02	11.70±0.01	10.74±0.04	9.78±0.09	6.11±0.24	0.170	0.713	-0.18	
20:33:31.36	42:04:19.82	15.32±0.09	12.53±0.03	10.51±0.01	8.25±0.01	7.57±0.01	6.41±0.01	5.24±0.01	1.54±0.02	0.350	1.572	1.671	
20:33:31.78	40:42:34.81	...	...	...	...	...	...	11.09±0.02	7.03±0.14	0.430	1.316	-0.81	
20:33:32.53	41:55:12.88	...	...	...	...	...	...	10.55±0.03	5.84±0.05	0.960	0.760	-0.12	
20:33:32.61	38:36:18.39	...	...	...	14.14±0.01	13.26±0.01	12.02±0.04	10.81±0.04	6.11±0.03	0.980	0.876	-0.06	
20:33:33.99	41:11:29.33	16.49±0.11	14.99±0.07	14.67±0.12	13.97±0.02	13.78±0.02	12.85±0.11	11.43±0.14	6.21±0.23	1.020	1.395	0.109	
20:33:34.24	40:00:42.40	...	...	...	...	...	12.38±0.08	10.81±0.09	7.05±0.45	0.420	1.091	-0.67	
20:33:34.99	41:51:12.90	...	...	14.55±0.10	13.83±0.02	12.81±0.01	11.97±0.04	10.88±0.06	6.57±0.18	0.570	3.982	-0.26	
20:33:36.67	39:05:13.20	...	...	...	15.41±0.10	14.16±0.03	12.68±0.09	11.20±0.12	6.44±0.17	1.380	0.270	-0.06	
20:33:36.90	42:43:56.84	...	...	...	...	...	...	10.30±0.05	5.92±0.04	0.700	0.633	-0.25	
20:33:38.19	41:14:28.81	...	...	...	13.51±0.03	12.25±0.01	11.34±0.04	10.66±0.12	5.14±0.13	1.050	0.633	0.265	
20:33:38.61	41:40:38.27	...	...	...	...	14.29±0.03	...	13.56±0.45	6.45±0.06	1.630	0.633	-0.18	
20:33:40.71	40:00:13.84	...	...	...	15.94±0.12	15.12±0.08	14.10±0.16	12.42±0.15	6.97±0.26	1.500	0.633	-0.32	
20:33:41.91	41:28:30.69	...	...	...	13.69±0.03	12.65±0.01	11.48±0.08	10.13±0.13	5.47±0.14	1.050	0.633	0.214	
20:33:43.70	41:14:32.58	...	...	...	...	13.50±0.05	...	...	4.82±0.07	1.860	1.340	0.527	
20:33:44.48	41:14:33.71	...	15.01±0.10	12.94±0.03	11.09±0.01	10.19±0.01	9.45±0.01	8.81±0.02	4.20±0.06	0.380	0.298	0.527	
20:33:47.05	41:20:59.15	...	...	...	...	...	...	10.97±0.09	6.29±0.18	0.950	1.502	-0.30	
20:33:47.05	41:24:08.20	15.38±0.06	14.22±0.05	13.22±0.04	12.25±0.01	11.52±0.01	10.81±0.03	9.29±0.04	4.73±0.14	0.790	2.675	0.584	
20:33:47.08	40:02:51.18	...	...	...	...	...	12.21±0.06	...	6.96±0.19	0.460	2.006	-0.87	
20:33:47.38	40:41:17.84	...	...	...	...	...	...	10.14±0.05	6.70±0.13	-0.09	2.878	-0.65	

Table 4—Continued

UKIDSS/2MASS													IRAC			MIPS		
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$						
20:33:47.49	40:04:29.24	...	...	...	...	...	...	10.99±0.05	5.98±0.04	1.210	1.558	-0.09						
20:33:48.01	40:40:51.61	...	...	...	...	...	12.09±0.04	10.48±0.03	7.29±0.31	0.050	3.567	-0.72						
20:33:49.03	40:31:30.74	...	...	...	...	...	12.08±0.03	11.60±0.04	7.06±0.16	0.450	1.731	-0.74						
20:33:49.75	40:17:36.32	...	...	14.88±0.14	13.71±0.01	12.62±0.01	11.65±0.02	10.54±0.03	6.65±0.09	0.440	1.737	-0.32						
20:33:51.56	39:59:42.05	...	12.17±0.03	11.64±0.02	11.41±0.02	11.24±0.02	11.06±0.05	10.22±0.12	2.74±0.11	1.490	4.778	1.472						
20:33:52.27	39:31:03.12	...	...	...	15.47±0.13	13.06±0.02	11.61±0.05	10.69±0.07	5.47±0.08	1.610	1.731	0.386						
20:33:53.63	41:23:48.97	14.94±0.04	13.54±0.03	12.71±0.03	12.24±0.01	12.10±0.01	12.02±0.04	11.65±0.09	4.11±0.10	1.200	4.778	0.876						
20:33:54.25	39:59:41.07	...	...	...	14.18±0.02	12.92±0.01	12.22±0.03	11.66±0.10	5.42±0.22	1.250	4.744	0.166						
20:33:54.25	40:01:20.25	16.27±0.09	14.21±0.04	12.35±0.02	10.70±0.01	9.86±0.01	9.25±0.01	8.06±0.01	3.53±0.05	0.570	0.675	0.891						
20:33:54.50	39:55:33.47	12.64±0.02	11.39±0.02	10.64±0.01	9.84±0.01	8.97±0.01	8.14±0.01	6.98±0.01	3.56±0.02	0.100	0.405	1.161						
20:33:55.10	40:21:01.13	...	...	...	14.63±0.04	12.68±0.01	11.52±0.03	10.59±0.06	6.13±0.12	0.970	6.365	-0.00						
20:33:55.45	41:43:43.97	...	...	...	12.82±0.01	11.37±0.01	10.19±0.01	9.12±0.01	5.18±0.02	0.650	1.875	0.315						
20:33:55.79	41:24:07.50	15.93±0.10	14.21±0.07	13.31±0.06	12.65±0.03	12.35±0.03	11.75±0.05	10.35±0.05	4.16±0.08	1.380	7.162	0.855						
20:33:55.94	39:59:45.00	...	...	...	11.48±0.01	10.19±0.01	9.14±0.01	8.05±0.01	3.12±0.02	1.060	1.103	1.133						
20:33:57.19	38:19:38.53	...	...	...	15.84±0.06	14.51±0.03	14.94±0.35	...	7.20±0.08	1.310	1.093	-0.57						
20:33:57.36	40:00:49.50	...	...	...	...	...	...	10.76±0.04	5.01±0.15	1.820	1.243	0.503						
20:33:58.28	38:17:43.86	16.88±0.16	14.38±0.04	12.81±0.02	10.92±0.01	10.01±0.01	9.25±0.01	8.30±0.01	4.80±0.02	0.010	1.128	0.497						
20:33:58.54	41:23:01.99	...	...	14.64±0.12	11.32±0.02	10.11±0.01	8.77±0.03	7.63±0.06	4.70±0.54	0.180	1.097	0.548						
20:33:59.72	41:22:34.31	...	...	...	10.95±0.03	9.30±0.01	7.94±0.04	6.94±0.07	1.43±0.05	1.550	0.655	1.929						
20:33:59.96	41:36:08.57	...	...	...	13.40±0.01	12.46±0.01	11.78±0.02	10.48±0.02	5.62±0.11	0.860	3.012	0.052						
20:34:00.13	41:14:53.13	16.38±0.12	15.23±0.08	14.20±0.08	13.63±0.01	12.94±0.01	12.42±0.05	11.60±0.07	6.71±0.32	0.470	1.928	-0.22						
20:34:01.39	39:36:15.99	...	...	...	...	...	12.32±0.05	...	6.68±0.07	0.710	48.79	-0.65						
20:34:01.47	41:43:44.01	...	...	...	13.61±0.01	12.68±0.02	12.17±0.03	11.32±0.04	7.12±0.09	0.190	0.928	-0.67						
20:34:01.88	41:21:19.83	...	...	...	13.78±0.02	12.81±0.01	12.01±0.10	10.39±0.13	5.73±0.44	1.000	1.852	0.082						
20:34:02.98	41:57:01.26	...	...	...	...	13.99±0.08	12.98±0.33	...	5.80±0.08	1.630	1.545	0.081						
20:34:04.32	39:31:07.52	...	15.85±0.14	13.19±0.04	9.97±0.01	8.91±0.01	7.96±0.01	7.14±0.01	3.68±0.03	0.040	1.793	0.893						
20:34:06.77	41:16:00.46	...	...	...	14.37±0.02	13.34±0.01	12.38±0.03	11.55±0.05	7.09±0.43	0.550	1.101	-0.58						
20:34:06.92	41:43:06.05	...	...	...	13.70±0.02	12.90±0.01	12.27±0.04	11.55±0.07	7.03±0.09	0.300	1.288	-0.71						
20:34:07.06	41:59:40.71	...	...	...	14.02±0.03	12.61±0.01	11.33±0.02	10.39±0.05	6.53±0.04	0.570	3.822	-0.23						
20:34:08.40	41:57:47.72	...	...	...	...	14.46±0.06	13.64±0.22	12.40±0.15	6.72±0.20	1.430	0.398	-0.27						
20:34:08.67	40:17:09.20	...	...	14.13±0.08	11.69±0.01	10.22±0.01	9.01±0.01	8.02±0.01	2.96±0.02	1.190	0.398	1.246						
20:34:09.82	39:59:34.71	...	...	...	...	...	12.30±0.07	10.53±0.06	5.58±0.12	1.340	1.183	0.179						
20:34:10.43	41:06:58.85	...	...	...	11.65±0.06	10.86±0.03	9.84±0.14	...	2.36±0.03	1.680	0.348	1.480						
20:34:10.96	40:00:22.72	...	...	...	...	...	...	10.30±0.10	5.04±0.05	1.420	1.145	0.353						
20:34:11.24	38:16:05.35	...	...	13.66±0.05	9.91±0.01	8.35±0.01	7.16±0.01	6.29±0.01	3.04±0.01	0.220	0.798	1.153						
20:34:11.48	39:48:41.79	...	...	...	...	...	...	10.52±0.07	6.34±0.17	0.530	0.357	-0.49						
20:34:11.99	38:23:06.50	...	...	...	...	...	...	9.43±0.03	5.25±0.07	0.530	0.457	-0.05						
20:34:12.02	41:04:03.63	16.32±0.10	15.10±0.09	14.49±0.10	13.57±0.01	13.26±0.01	12.91±0.05	12.16±0.07	5.44±0.10	1.170	0.401	0.300						
20:34:12.20	41:24:15.15	16.00±0.08	14.19±0.06	13.16±0.04	12.54±0.01	12.27±0.01	12.19±0.03	12.12±0.06	5.16±0.12	0.780	0.608	0.364						
20:34:12.69	39:31:32.12	...	...	...	14.51±0.04	13.58±0.04	12.81±0.11	11.74±0.27	7.13±0.42	0.650	3.804	-0.59						
20:34:12.88	38:27:08.36	16.90±0.15	15.31±0.09	14.35±0.08	13.25±0.01	12.32±0.01	12.18±0.04	11.34±0.07	7.34±0.19	-0.09	3.804	-0.38						
20:34:13.57	38:20:39.13	...	...	...	14.28±0.02	12.37±0.01	11.81±0.04	11.81±0.21	4.66±0.02	1.530	3.804	0.542						
20:34:14.01	38:20:10.73	...	...	...	16.08±0.11	14.06±0.03	14.23±0.39	...	7.38±0.08	1.150	0.401	-0.66						
20:34:14.19	38:21:24.68	...	...	...	14.41±0.04	13.12±0.01	12.15±0.06	11.02±0.12	6.20±0.05	0.980	3.989	-0.11						
20:34:14.23	38:20:20.00	...	...	...	17.11±0.24	14.33±0.03	13.19±0.14	12.55±0.36	6.99±0.08	1.590	2.985	-0.25						
20:34:14.91	40:18:13.42	...	...	14.24±0.08	12.17±0.01	11.23±0.01	10.40±0.01	9.35±0.03	5.81±0.06	0.120	3.989	0.009						
20:34:14.97	41:57:51.19	...	...	...	12.73±0.01	12.06±0.01	11.28±0.02	9.83±0.03	6.24±0.06	0.270	0.444	-0.27						
20:34:17.61	40:18:30.55	...	14.74±0.05	12.55±0.02	9.18±0.01	7.88±0.01	6.99±0.01	6.14±0.01	1.65±0.01	0.620	0.605	1.633						
20:34:17.90	38:17:18.00	...	...	...	12.98±0.01	10.86±0.01	9.80±0.01	9.20±0.01	5.30±0.03	0.500	1.038	0.255						
20:34:19.46	38:17:34.05	...	...	14.91±0.14	11.87±0.01	10.03±0.01	9.09±0.01	8.54±0.01	2.75±0.01	1.300	0.179	1.303						

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:34:19.87	41:29:32.57	...	...	...	14.81±0.02	13.60±0.01	12.51±0.05	11.70±0.12	7.05±0.28	0.750	1.089	-0.50	
20:34:20.03	40:41:24.15	...	...	...	...	...	12.39±0.03	11.05±0.05	7.37±0.55	0.260	0.667	-0.87	
20:34:20.24	41:14:49.35	15.23±0.04	13.95±0.02	13.36±0.04	13.21±0.01	12.94±0.01	12.46±0.06	11.15±0.05	5.81±0.23	0.830	0.314	0.350	
20:34:21.28	41:30:18.25	...	...	...	12.91±0.02	11.93±0.01	11.11±0.01	10.14±0.02	6.45±0.38	0.160	0.392	-0.31	
20:34:22.25	41:17:00.54	...	...	...	...	...	8.70±0.01	7.16±0.02	1.31±0.02	1.860	1.117	2.020	
20:34:22.46	42:29:51.92	...	...	...	15.23±0.10	14.23±0.04	13.59±0.20	11.43±0.11	6.94±0.12	1.150	1.117	-0.33	
20:34:22.60	41:16:20.13	16.30±0.11	14.90±0.07	14.01±0.06	13.57±0.02	13.28±0.03	12.95±0.10	11.53±0.11	4.66±0.13	1.600	1.492	0.707	
20:34:22.63	40:30:43.58	...	...	...	14.61±0.01	12.44±0.01	11.23±0.02	10.33±0.04	6.51±0.30	0.710	1.492	-0.12	
20:34:24.93	42:21:46.15	...	...	...	...	...	...	10.81±0.09	6.61±0.11	0.540	3.186	-0.59	
20:34:25.07	38:30:21.72	...	...	...	14.30±0.02	13.12±0.01	12.14±0.03	11.54±0.04	6.86±0.04	0.590	2.042	-0.49	
20:34:25.73	40:04:28.68	...	...	...	13.04±0.06	11.48±0.02	10.19±0.01	9.27±0.02	4.01±0.02	1.320	0.416	0.842	
20:34:25.86	41:04:14.43	...	...	...	12.92±0.03	12.07±0.02	11.37±0.04	10.26±0.03	6.21±0.11	0.330	0.419	-0.31	
20:34:27.08	38:36:33.69	...	...	14.87±0.14	13.31±0.01	12.52±0.01	11.89±0.03	11.04±0.04	7.27±0.09	-0.01	1.226	-0.53	
20:34:27.28	43:01:26.57	16.13±0.10	13.04±0.02	10.94±0.02	8.50±0.01	7.46±0.01	6.44±0.01	5.64±0.01	2.14±0.01	0.080	1.206	1.509	
20:34:29.16	43:02:42.84	...	...	...	13.85±0.02	12.42±0.01	11.08±0.02	10.27±0.05	5.81±0.03	0.840	1.280	0.062	
20:34:29.58	41:30:56.82	...	...	...	12.10±0.12	10.86±0.08	9.35±0.23	...	1.87±0.03	2.020	0.667	1.816	
20:34:29.89	38:12:23.10	...	...	...	12.59±0.01	11.45±0.01	10.60±0.01	9.79±0.01	5.98±0.03	0.190	1.854	-0.14	
20:34:29.99	38:29:29.77	...	...	...	15.56±0.05	14.32±0.02	14.65±0.26	...	7.17±0.06	1.190	1.632	-0.60	
20:34:30.18	42:54:17.79	...	...	...	14.36±0.10	...	11.40±0.09	9.58±0.10	5.89±0.07	1.050	0.681	0.189	
20:34:30.55	42:08:18.54	...	...	...	15.27±0.10	13.89±0.03	12.58±0.07	11.15±0.06	6.77±0.06	1.110	0.642	-0.23	
20:34:30.58	40:30:01.37	...	...	...	15.08±0.06	12.98±0.02	11.99±0.05	11.70±0.19	5.88±0.16	1.270	1.243	0.051	
20:34:30.67	40:30:33.57	16.57±0.14	14.74±0.06	13.14±0.03	12.24±0.01	11.24±0.01	10.47±0.01	9.65±0.03	4.98±0.19	0.560	1.243	0.369	
20:34:31.41	41:16:36.10	...	...	...	11.04±0.01	9.20±0.01	7.53±0.01	6.08±0.01	2.36±0.02	1.090	0.467	1.668	
20:34:32.60	40:04:00.86	...	...	...	13.05±0.01	12.20±0.01	11.49±0.02	10.56±0.02	6.47±0.04	0.260	0.757	-0.42	
20:34:33.20	38:08:02.12	...	...	...	12.22±0.07	10.57±0.07	9.28±0.05	8.24±0.05	3.16±0.04	1.320	1.298	1.201	
20:34:33.36	41:40:42.97	...	...	...	12.22±0.01	11.27±0.01	10.64±0.01	9.99±0.03	6.08±0.11	0.000	1.674	-0.14	
20:34:33.39	38:08:10.97	...	...	...	11.55±0.04	9.56±0.02	8.11±0.01	7.10±0.01	2.77±0.02	1.090	1.222	1.405	
20:34:33.50	38:07:53.45	...	...	14.60±0.13	11.51±0.02	9.68±0.01	8.69±0.01	7.96±0.01	2.80±0.02	1.090	5.078	1.273	
20:34:36.20	39:34:38.25	...	...	...	15.30±0.07	13.94±0.03	13.10±0.11	12.21±0.21	7.35±0.42	0.830	2.312	-0.62	
20:34:36.37	40:51:53.63	...	...	13.98±0.08	11.52±0.09	10.59±0.03	9.00±0.12	...	2.60±0.04	1.400	1.442	1.331	
20:34:36.78	38:07:20.31	...	...	...	14.24±0.02	12.78±0.02	12.31±0.05	11.81±0.11	4.64±0.02	1.640	4.150	0.575	
20:34:37.28	38:06:59.60	...	...	...	14.23±0.03	11.68±0.01	10.34±0.01	9.63±0.01	4.71±0.02	1.330	1.442	0.646	
20:34:38.17	38:52:49.14	...	...	...	15.43±0.08	14.35±0.04	12.79±0.07	10.73±0.07	6.91±0.23	1.210	4.581	-0.16	
20:34:40.85	38:13:14.27	...	...	...	12.92±0.01	11.83±0.01	10.94±0.01	10.06±0.01	5.38±0.02	0.680	1.497	0.122	
20:34:40.93	39:47:59.40	17.23±0.22	15.26±0.09	13.86±0.06	12.82±0.01	11.84±0.01	10.82±0.03	9.73±0.06	6.57±0.19	0.050	4.581	-0.09	
20:34:41.79	38:06:42.92	...	...	...	10.85±0.01	8.64±0.01	7.20±0.01	6.15±0.01	2.34±0.01	0.910	1.308	1.614	
20:34:42.23	39:45:05.78	...	...	...	12.80±0.02	11.29±0.01	10.49±0.04	10.13±0.18	4.26±0.06	1.080	2.925	0.610	
20:34:42.94	41:31:07.92	...	...	...	13.65±0.02	12.56±0.01	11.74±0.06	10.60±0.12	6.54±0.65	0.470	1.440	-0.35	
20:34:43.03	41:11:50.96	15.97±0.10	14.18±0.09	12.85±0.03	12.59±0.04	12.51±0.03	12.25±0.04	11.91±0.06	5.44±0.18	0.710	0.332	0.318	
20:34:43.29	40:53:13.47	14.44±0.03	11.42±0.01	9.28±0.01	6.59±0.01	5.52±0.01	4.57±0.01	3.64±0.03	0.28±0.01	0.050	0.385	2.273	
20:34:43.94	39:57:30.20	15.21±0.04	12.90±0.02	11.31±0.01	9.63±0.01	8.76±0.01	7.85±0.01	6.51±0.01	3.58±0.02	-0.01	0.389	1.087	
20:34:45.32	42:52:05.28	...	...	...	14.96±0.05	13.74±0.02	12.73±0.07	11.82±0.14	6.80±0.15	0.960	0.538	-0.38	
20:34:47.47	42:08:48.78	...	15.47±0.12	14.42±0.07	12.28±0.01	11.52±0.01	11.01±0.01	9.73±0.03	6.01±0.03	0.140	0.442	-0.08	
20:34:49.27	40:17:25.18	...	...	...	13.64±0.01	12.69±0.01	11.97±0.02	11.10±0.02	6.34±0.10	0.590	1.890	-0.31	
20:34:49.35	39:29:57.58	...	...	...	16.86±0.19	15.57±0.09	...	13.46±0.66	6.99±0.12	1.830	0.283	-0.29	
20:34:49.87	38:19:07.63	16.08±0.11	12.37±0.03	9.82±0.01	7.09±0.01	5.89±0.01	4.84±0.01	3.83±0.03	0.48±0.03	0.180	0.989	2.156	
20:34:49.97	41:33:59.00	...	...	...	13.21±0.01	11.97±0.01	11.08±0.01	10.39±0.02	6.31±0.07	0.310	0.488	-0.33	
20:34:50.03	41:40:43.01	...	...	...	14.31±0.03	13.01±0.01	11.93±0.03	11.18±0.04	6.78±0.09	0.610	0.425	-0.41	
20:34:51.17	39:56:22.99	...	...	14.18±0.08	11.21±0.01	9.73±0.01	8.49±0.01	7.58±0.01	3.78±0.01	0.520	1.270	0.862	
20:34:53.30	40:53:21.37	16.25±0.10	14.09±0.04	12.69±0.03	10.92±0.01	10.18±0.01	9.05±0.01	7.91±0.03	3.95±0.03	0.470	2.021	0.767	

Table 4—Continued

UKIDSS/2MASS												
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$
20:34:53.86	38:18:23.45	...	...	...	12.44±0.01	10.56±0.01	9.75±0.01	9.07±0.02	2.63±0.01	1.650	0.838	1.421
20:34:53.95	38:08:27.98	...	...	...	10.28±0.01	8.86±0.01	7.85±0.01	7.15±0.01	2.95±0.01	0.490	1.277	1.100
20:34:54.77	41:32:25.41	...	...	...	12.87±0.01	11.24±0.01	10.09±0.01	9.26±0.03	5.34±0.04	0.540	0.812	0.224
20:34:54.79	38:15:03.22	...	...	...	12.67±0.01	10.82±0.01	9.74±0.01	9.13±0.03	4.12±0.02	1.000	1.007	0.735
20:34:54.84	41:12:25.81	...	...	14.72±0.13	13.35±0.01	12.66±0.01	12.26±0.04	11.62±0.06	6.21±0.26	0.580	1.535	-0.26
20:34:55.15	41:34:22.95	16.76±0.15	13.40±0.03	11.29±0.02	9.06±0.01	8.28±0.01	6.84±0.01	5.37±0.06	1.22±0.02	0.910	0.447	1.964
20:34:56.11	40:53:02.86	...	...	...	...	...	11.27±0.05	9.51±0.07	4.84±0.10	1.150	0.869	0.429
20:34:57.05	38:08:21.21	...	...	...	14.37±0.04	12.72±0.01	11.69±0.03	11.17±0.09	6.55±0.05	0.670	1.774	-0.30
20:34:57.56	41:33:49.72	...	...	...	13.75±0.02	12.63±0.01	11.83±0.03	10.90±0.05	6.02±0.23	0.770	1.591	-0.12
20:34:59.13	41:39:40.79	...	...	...	13.75±0.01	12.87±0.01	12.18±0.03	11.78±0.05	6.50±0.07	0.560	3.911	-0.43
20:35:02.58	42:55:51.17	...	...	...	14.73±0.05	13.86±0.03	12.59±0.09	11.28±0.16	7.07±0.21	0.800	2.171	-0.44
20:35:02.90	38:41:59.06	...	...	...	14.31±0.03	13.36±0.01	12.77±0.10	12.26±0.35	7.21±0.27	0.480	3.777	-0.73
20:35:03.96	41:54:12.39	...	...	...	10.81±0.01	9.67±0.01	8.55±0.01	7.24±0.01	4.71±0.02	-0.06	2.171	0.669
20:35:04.08	39:58:09.01	...	14.58±0.05	12.71±0.02	10.63±0.01	9.67±0.01	8.89±0.01	8.08±0.01	4.42±0.01	0.030	2.171	0.600
20:35:04.30	42:53:06.94	16.23±0.10	14.43±0.05	13.62±0.04	12.71±0.01	11.95±0.01	11.23±0.06	10.22±0.14	6.02±0.12	0.330	1.043	-0.01
20:35:04.48	41:35:47.71	...	...	...	14.92±0.03	13.35±0.01	13.03±0.06	12.73±0.18	7.29±0.54	0.610	24.18	-0.72
20:35:05.14	41:35:11.50	...	...	...	11.61±0.01	10.55±0.01	9.52±0.01	8.39±0.03	3.05±0.07	1.210	3.909	1.159
20:35:05.19	42:55:05.41	...	...	...	12.91±0.01	12.24±0.01	11.78±0.04	10.91±0.07	6.68±0.18	0.120	18.73	-0.48
20:35:05.61	42:20:16.31	...	...	13.15±0.04	9.45±0.01	7.90±0.01	6.46±0.01	5.35±0.01	1.92±0.02	0.560	1.354	1.694
20:35:06.30	38:42:24.51	...	...	...	12.10±0.01	10.93±0.01	10.02±0.01	9.23±0.01	5.50±0.06	0.180	17.53	0.065
20:35:06.50	40:43:44.99	...	...	...	...	...	13.23±0.08	11.13±0.07	6.31±0.11	1.410	4.521	-0.07
20:35:06.89	41:39:30.47	...	...	...	12.81±0.02	11.91±0.01	11.20±0.02	10.48±0.04	6.54±0.10	0.080	3.257	-0.36
20:35:07.03	41:13:11.31	10.59±0.02	9.70±0.01	9.27±0.01	8.86±0.01	8.50±0.02	7.84±0.08	6.26±0.11	0.16±0.09	1.480	4.521	2.578
20:35:07.41	42:54:13.05	...	...	...	15.25±0.07	14.42±0.04	13.63±0.26	...	6.82±0.17	1.230	1.235	-0.44
20:35:08.37	42:30:17.41	...	...	...	12.97±0.02	...	10.04±0.02	8.32±0.01	4.08±0.10	1.280	1.506	0.897
20:35:08.51	40:31:28.01	...	...	...	...	...	12.37±0.05	...	5.36±0.17	1.600	3.474	0.223
20:35:09.18	41:15:31.90	...	...	...	...	...	...	7.92±0.03	3.13±0.07	1.030	0.791	0.984
20:35:09.32	41:38:23.92	...	15.66±0.14	14.22±0.09	11.04±0.05	10.55±0.04	7.63±0.06	5.95±0.07	1.87±0.05	1.600	1.177	1.977
20:35:09.41	41:35:44.77	...	...	...	13.66±0.04	12.60±0.02	11.69±0.09	11.22±0.19	5.22±0.03	1.120	0.616	0.216
20:35:10.07	38:42:05.95	...	...	...	13.53±0.01	11.81±0.01	10.60±0.01	9.67±0.03	5.90±0.07	0.580	4.521	0.045
20:35:10.10	41:13:36.09	...	...	14.53±0.12	10.64±0.09	9.42±0.03	8.02±0.17	6.76±0.29	0.90±0.16	1.770	3.474	2.182
20:35:10.34	41:35:40.95	...	...	...	11.07±0.02	10.00±0.01	9.04±0.01	8.00±0.01	4.24±0.04	0.330	4.521	0.538
20:35:10.67	41:35:04.99	...	15.38±0.09	14.28±0.09	12.30±0.01	11.48±0.01	10.47±0.05	9.27±0.08	6.23±0.25	0.000	1.177	-0.00
20:35:11.28	38:47:13.09	...	...	...	11.79±0.01	11.11±0.01	10.49±0.01	9.51±0.03	5.78±0.05	0.010	3.260	-0.01
20:35:13.61	42:30:41.80	...	...	...	...	...	10.88±0.07	...	4.68±0.05	1.080	4.932	0.295
20:35:13.76	42:30:40.35	...	...	...	...	13.81±0.06	...	...	4.68±0.05	2.120	1.058	0.692
20:35:14.42	40:53:24.69	...	...	...	13.32±0.01	12.37±0.01	11.51±0.01	10.65±0.02	5.43±0.10	0.890	3.734	0.109
20:35:15.62	39:53:29.83	...	15.77±0.15	14.48±0.11	11.48±0.01	11.27±0.01	8.18±0.01	6.48±0.01	3.52±0.04	1.040	3.492	1.370
20:35:16.17	39:41:11.95	...	...	...	15.43±0.07	14.63±0.04	13.11±0.13	11.30±0.14	6.86±0.16	1.280	2.167	-0.23
20:35:16.78	39:53:34.66	...	...	...	10.91±0.01	9.60±0.01	8.76±0.04	8.01±0.10	2.01±0.05	1.320	2.649	1.569
20:35:16.96	42:44:40.76	...	14.89±0.07	13.51±0.03	11.84±0.01	10.92±0.01	10.20±0.02	9.40±0.04	5.50±0.07	0.110	4.720	0.142
20:35:17.00	39:53:35.05	...	...	...	...	9.99±0.01	9.20±0.06	...	2.01±0.05	1.560	4.720	1.574
20:35:17.71	40:38:24.83	...	...	...	...	...	12.89±0.05	...	5.49±0.20	1.850	2.766	0.269
20:35:19.22	40:53:36.63	16.81±0.16	15.22±0.10	14.38±0.09	13.09±0.01	12.38±0.01	11.62±0.02	10.50±0.02	6.27±0.14	0.420	3.861	-0.13
20:35:20.52	39:55:33.99	...	...	9.50±0.01	9.00±0.01	8.99±0.01	8.50±0.02	7.85±0.08	1.69±0.03	0.810	3.362	1.667
20:35:20.69	39:40:31.97	...	...	14.67±0.12	11.30±0.01	10.31±0.01	9.33±0.03	8.33±0.06	4.38±0.05	0.390	1.328	0.496
20:35:21.11	38:47:47.92	...	...	...	14.64±0.03	13.35±0.01	12.25±0.04	11.12±0.07	6.99±0.15	0.690	0.865	-0.43
20:35:21.88	42:52:53.30	16.97±0.20	13.85±0.03	11.56±0.02	7.56±0.01	6.73±0.01	5.72±0.01	4.78±0.01	1.87±0.01	-0.20	2.646	1.778
20:35:22.08	42:40:35.35	...	...	14.89±0.11	11.98±0.01	10.92±0.01	10.28±0.03	9.72±0.10	5.77±0.10	0.010	1.263	0.000
20:35:24.30	40:33:08.11	...	...	...	...	...	...	11.49±0.08	6.02±0.17	1.600	0.829	0.023

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:35:25.43	40:52:00.48	...	...	...	...	...	...	9.24±0.02	4.68±0.10	0.840	8.940	0.300	
20:35:25.95	40:48:50.90	...	...	...	...	...	...	10.27±0.03	5.30±0.25	1.190	1.272	0.170	
20:35:26.11	38:56:45.91	...	...	...	14.56±0.02	13.87±0.02	13.10±0.09	12.23±0.18	7.37±0.21	0.600	4.770	-0.73	
20:35:26.16	40:52:31.51	...	...	...	14.85±0.12	...	12.43±0.07	10.56±0.03	5.05±0.07	1.830	9.005	0.546	
20:35:27.06	40:33:55.35	...	...	...	...	...	...	12.28±0.07	6.24±0.21	2.070	8.112	0.104	
20:35:28.57	40:53:33.10	...	...	...	...	...	12.41±0.05	...	6.73±0.11	0.740	2.596	-0.65	
20:35:30.48	40:33:48.44	...	...	...	...	...	...	10.70±0.09	6.13±0.60	0.850	4.965	-0.27	
20:35:30.89	40:00:47.70	...	...	...	...	11.90±0.02	10.92±0.08	9.81±0.09	4.84±0.04	0.990	1.231	0.378	
20:35:31.15	40:01:04.21	...	...	...	15.02±0.08	13.79±0.05	13.26±0.12	12.41±0.26	6.72±0.12	1.040	1.231	-0.39	
20:35:31.54	40:58:12.41	...	...	...	...	...	...	11.30±0.05	5.98±0.65	1.470	45.88	-0.00	
20:35:32.38	40:33:40.75	...	...	...	...	...	12.85±0.09	11.03±0.10	5.59±0.21	1.710	0.531	0.278	
20:35:33.15	41:40:30.39	...	...	...	14.37±0.11	13.40±0.05	12.45±0.17	...	5.48±0.13	1.430	50.71	0.156	
20:35:33.28	41:29:26.24	...	...	...	15.44±0.06	14.43±0.04	13.44±0.10	12.22±0.06	6.51±0.35	1.410	55.67	-0.18	
20:35:33.55	42:20:15.06	...	...	...	10.93±0.07	9.20±0.02	8.10±0.06	7.22±0.11	1.89±0.08	1.290	54.48	1.673	
20:35:33.79	42:26:22.41	...	16.00±0.19	14.45±0.07	12.98±0.01	12.19±0.01	11.47±0.02	10.36±0.03	6.66±0.23	0.140	1.743	-0.30	
20:35:34.44	42:20:06.80	...	...	...	11.01±0.03	8.16±0.01	6.81±0.01	6.09±0.02	1.55±0.06	1.230	2.477	1.947	
20:35:35.39	38:43:18.17	...	...	14.64±0.12	12.00±0.01	11.07±0.01	10.23±0.01	9.25±0.01	5.56±0.03	0.160	0.484	0.058	
20:35:35.49	41:26:09.56	...	...	...	14.41±0.05	13.24±0.03	12.50±0.08	11.48±0.10	7.36±0.39	0.420	13.37	-0.71	
20:35:35.67	41:26:20.02	...	...	13.96±0.06	11.82±0.01	10.84±0.01	10.03±0.01	9.23±0.01	5.89±0.07	-0.12	0.844	0.098	
20:35:36.54	42:20:13.13	...	...	13.46±0.04	9.96±0.01	8.50±0.01	7.47±0.02	6.65±0.05	2.36±0.09	0.620	2.385	1.383	
20:35:36.69	42:18:09.63	...	...	...	14.40±0.05	12.23±0.01	11.59±0.05	12.35±0.64	6.15±0.31	0.730	0.321	-0.22	
20:35:36.71	42:25:33.75	...	...	...	13.72±0.01	12.92±0.01	12.25±0.04	11.46±0.09	5.74±0.16	0.970	0.353	-0.03	
20:35:36.84	40:53:52.65	...	...	...	13.37±0.02	...	...	9.07±0.02	5.37±0.05	0.900	0.833	0.253	
20:35:37.02	41:38:15.08	...	...	...	14.14±0.10	13.25±0.06	12.15±0.12	...	6.24±0.36	0.920	4.552	-0.27	
20:35:37.37	41:12:34.59	...	...	...	...	...	10.26±0.07	...	5.07±0.17	0.420	1.973	-0.14	
20:35:37.96	42:27:07.98	14.18±0.03	11.93±0.02	10.15±0.01	8.30±0.01	7.42±0.01	6.65±0.01	5.69±0.01	2.65±0.03	-0.23	3.328	1.518	
20:35:37.99	40:54:10.93	...	...	...	15.20±0.04	...	12.60±0.04	10.87±0.03	6.91±0.25	1.010	0.937	-0.29	
20:35:38.75	41:39:32.01	...	...	...	...	...	12.01±0.03	10.38±0.03	6.11±0.15	0.810	1.925	-0.17	
20:35:40.05	40:23:43.18	...	...	...	12.47±0.01	10.78±0.01	9.53±0.01	8.39±0.01	4.60±0.08	0.710	1.557	0.609	
20:35:40.06	40:53:24.79	...	...	...	...	...	10.82±0.03	9.07±0.03	4.38±0.04	1.160	4.196	0.615	
20:35:40.89	39:45:04.62	...	...	...	13.15±0.04	12.19±0.01	11.79±0.17	...	4.97±0.13	1.100	2.044	0.253	
20:35:41.31	41:01:04.69	...	...	...	...	...	11.58±0.02	9.94±0.01	5.95±0.15	0.620	5.248	-0.15	
20:35:41.33	39:51:03.71	15.54±0.06	13.57±0.05	12.14±0.02	10.33±0.01	9.15±0.01	8.08±0.01	7.25±0.03	2.17±0.03	0.960	0.672	1.507	
20:35:42.05	39:51:03.45	15.03±0.04	12.71±0.02	11.13±0.01	10.00±0.01	8.75±0.01	7.82±0.01	6.88±0.02	2.19±0.03	0.780	3.900	1.516	
20:35:42.34	41:12:32.40	...	...	...	...	...	12.62±0.07	...	6.15±0.37	1.250	1.987	-0.22	
20:35:43.11	41:34:28.49	...	...	14.49±0.10	12.30±0.01	11.53±0.01	10.86±0.01	10.17±0.04	6.14±0.32	0.050	0.834	-0.16	
20:35:43.33	42:24:27.51	...	16.15±0.23	14.46±0.08	12.90±0.01	12.20±0.01	11.62±0.04	10.87±0.07	6.80±0.27	0.040	1.311	-0.36	
20:35:43.37	41:08:25.76	...	...	...	...	...	10.64±0.07	...	4.23±0.07	1.210	26.51	0.526	
20:35:43.51	39:50:25.22	16.97±0.17	14.66±0.06	13.63±0.05	11.74±0.01	11.02±0.01	10.49±0.03	9.66±0.07	5.65±0.04	0.040	1.028	0.107	
20:35:43.79	39:47:06.00	...	...	...	...	...	...	12.42±0.08	7.04±0.17	1.520	0.542	-0.41	
20:35:44.41	42:23:37.84	14.85±0.04	13.11±0.02	11.93±0.01	9.97±0.01	9.07±0.01	8.35±0.01	7.45±0.01	3.83±0.05	0.020	3.313	0.879	
20:35:45.00	41:06:12.20	...	...	...	13.41±0.06	...	10.73±0.08	8.97±0.10	4.21±0.09	1.480	3.035	0.832	
20:35:45.29	42:23:29.61	...	...	...	...	...	...	9.23±0.04	4.95±0.16	0.610	7.074	0.099	
20:35:45.30	42:16:08.45	...	14.53±0.05	12.99±0.03	11.22±0.01	10.50±0.01	9.77±0.03	9.06±0.07	5.16±0.08	0.010	1.373	0.312	
20:35:45.60	38:29:09.75	...	...	14.31±0.09	11.99±0.01	11.02±0.01	10.26±0.01	9.65±0.03	4.67±0.02	0.580	6.269	0.356	
20:35:45.60	39:47:59.36	...	...	...	...	...	...	11.27±0.09	7.30±0.11	0.350	4.400	-0.97	
20:35:45.60	39:49:44.38	...	...	...	...	12.92±0.01	12.16±0.03	11.43±0.05	6.82±0.07	0.490	3.790	-0.58	
20:35:45.82	42:22:50.84	...	...	...	...	...	10.78±0.03	8.94±0.02	4.58±0.11	0.970	6.210	0.499	
20:35:45.93	42:28:38.86	14.05±0.03	12.37±0.03	11.14±0.02	9.60±0.01	8.80±0.01	7.97±0.01	6.57±0.01	3.92±0.04	-0.18	0.798	1.091	
20:35:46.12	41:07:59.97	...	...	...	...	...	...	10.15±0.08	5.16±0.26	1.210	0.454	0.234	

- 28 -

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	3.6 μm (unc)	4.5 μm (unc)	5.8 μm (unc)	8.0 μm (unc)	24 μm (unc)				
20:35:46.19	38:29:17.85	...	...	...	...	12.76±0.02	11.94±0.04	11.32±0.10	5.96±0.03	0.890	2.160	-0.13	
20:35:47.35	39:49:27.43	...	...	...	12.79±0.02	11.60±0.01	10.70±0.01	10.02±0.03	6.80±0.07	-0.14	0.694	-0.25	
20:35:47.51	42:52:54.63	...	...	...	14.20±0.04	12.68±0.01	12.07±0.07	11.58±0.22	5.83±0.06	1.000	3.927	-0.04	
20:35:47.90	41:03:23.85	...	...	...	14.88±0.05	13.44±0.02	12.40±0.06	11.27±0.06	6.14±0.25	1.220	1.458	-0.03	
20:35:48.07	39:49:32.48	...	...	...	13.68±0.02	12.82±0.01	12.05±0.04	11.42±0.08	7.04±0.15	0.270	2.866	-0.68	
20:35:48.63	39:45:01.30	...	...	14.41±0.09	11.81±0.01	10.94±0.01	9.98±0.01	9.00±0.01	5.22±0.06	0.250	78.70	0.155	
20:35:48.70	41:13:13.37	...	...	...	14.91±0.08	...	12.08±0.06	10.26±0.05	5.75±0.14	1.430	3.927	0.240	
20:35:49.15	42:15:51.71	...	...	...	14.32±0.21	13.09±0.06	11.33±0.31	...	4.97±0.22	1.540	78.66	0.432	
20:35:49.16	39:49:24.27	...	...	...	15.31±0.03	13.41±0.01	11.82±0.02	10.42±0.03	6.51±0.07	1.140	1.048	-0.01	
20:35:49.81	41:36:59.54	...	...	...	14.81±0.04	13.53±0.02	12.64±0.05	12.26±0.12	7.15±0.30	0.670	0.749	-0.61	
20:35:50.08	39:45:24.76	...	...	...	...	12.99±0.05	12.54±0.08	11.91±0.08	7.28±0.18	0.340	1.260	-0.84	
20:35:50.11	39:51:10.38	...	...	...	12.25±0.03	10.90±0.02	9.80±0.01	8.74±0.01	3.57±0.02	1.200	90.89	0.976	
20:35:50.29	41:39:45.02	...	...	...	13.22±0.02	12.16±0.01	11.16±0.02	10.18±0.02	6.57±0.27	0.230	90.89	-0.36	
20:35:50.67	39:00:07.90	...	...	...	...	...	13.08±0.06	11.14±0.06	6.54±0.14	1.180	8.817	-0.23	
20:35:51.44	40:37:48.20	...	...	...	...	...	...	10.15±0.08	5.54±0.18	0.880	1.378	-0.03	
20:35:52.00	39:50:51.02	...	...	...	...	...	12.67±0.06	11.48±0.07	4.16±0.04	2.710	5.801	1.193	
20:35:52.31	39:50:36.53	...	...	...	9.71±0.01	8.68±0.01	7.70±0.01	6.83±0.01	3.78±0.02	-0.13	99.93	0.965	
20:35:52.78	41:35:59.30	...	...	...	...	...	...	10.67±0.04	6.16±0.18	0.800	3.902	-0.30	
20:35:52.93	39:50:07.81	...	...	...	16.08±0.05	13.93±0.02	12.20±0.03	10.73±0.03	6.57±0.08	1.440	2.422	0.029	
20:35:53.16	43:13:14.97	13.81±0.02	12.04±0.02	10.80±0.01	...	8.90±0.01	...	7.40±0.01	4.00±0.01	-0.20	10.51	0.907	
20:35:53.50	42:53:00.69	...	...	...	14.78±0.03	13.91±0.02	13.06±0.13	11.62±0.18	6.26±0.04	1.250	5.802	-0.11	
20:35:55.18	38:29:58.21	...	...	14.70±0.12	12.71±0.01	11.74±0.01	11.07±0.03	10.42±0.08	6.92±0.17	-0.19	3.402	-0.30	
20:35:56.17	41:13:14.09	...	...	...	...	...	...	10.09±0.07	5.48±0.21	0.880	123.2	-0.00	
20:35:57.22	42:17:44.06	...	...	...	13.55±0.02	12.48±0.01	11.73±0.05	10.99±0.13	7.38±0.14	-0.02	3.193	-0.60	
20:35:57.97	42:12:51.18	...	...	...	...	...	...	7.74±0.09	4.09±0.07	0.090	2.927	0.331	
20:35:58.09	42:24:28.91	...	...	...	11.06±0.01	9.90±0.01	9.01±0.01	8.18±0.04	2.35±0.02	1.260	3.360	1.420	
20:35:58.42	42:14:05.24	...	...	14.71±0.12	12.03±0.01	10.77±0.01	9.82±0.03	8.92±0.04	4.27±0.09	0.750	3.360	0.612	
20:35:58.47	42:24:38.69	...	...	14.49±0.09	12.37±0.01	11.04±0.01	9.57±0.02	8.15±0.03	3.33±0.01	1.390	2.068	1.186	
20:35:58.53	42:24:53.70	...	...	...	13.26±0.01	11.94±0.01	10.89±0.03	9.93±0.07	6.01±0.06	0.480	1.373	-0.09	
20:35:58.60	40:53:53.85	...	...	...	13.17±0.02	13.15±0.03	10.39±0.02	8.73±0.02	3.78±0.12	1.820	2.575	1.141	
20:36:00.94	40:53:58.24	...	...	...	...	...	10.17±0.02	8.33±0.03	3.60±0.05	1.230	2.068	0.949	
20:36:01.85	40:53:51.48	...	...	...	13.25±0.07	...	10.51±0.06	...	3.65±0.05	1.670	1.534	0.959	
20:36:02.24	41:40:02.04	...	15.70±0.13	13.31±0.04	10.44±0.03	9.47±0.01	8.70±0.10	7.59±0.18	2.11±0.07	1.120	3.926	1.500	
20:36:02.51	41:21:22.84	16.79±0.13	15.02±0.07	13.78±0.05	12.44±0.01	11.77±0.01	11.45±0.01	10.54±0.03	6.19±0.02	0.140	5.195	-0.12	
20:36:02.55	41:34:44.99	...	...	...	...	13.52±0.02	...	13.17±0.28	7.17±0.06	0.790	7.925	-0.75	
20:36:03.27	41:39:39.55	16.55±0.15	13.31±0.03	11.22±0.01	8.98±0.01	8.13±0.01	7.34±0.01	6.29±0.01	2.41±0.03	0.250	4.072	1.278	
20:36:03.73	38:52:28.46	...	...	...	15.69±0.08	14.24±0.02	13.00±0.06	11.51±0.08	7.44±0.12	0.970	3.530	-0.49	
20:36:04.16	41:13:10.12	...	...	...	...	...	...	10.18±0.03	5.34±0.11	1.070	1.186	0.115	
20:36:04.48	42:12:41.87	...	15.88±0.18	13.88±0.05	11.54±0.01	10.71±0.01	9.91±0.01	9.08±0.03	5.46±0.04	0.000	3.751	0.189	
20:36:04.67	42:10:46.40	...	...	...	14.03±0.04	12.40±0.01	11.62±0.05	11.22±0.13	6.93±0.19	0.310	4.269	-0.58	
20:36:04.87	41:14:06.15	...	...	...	14.54±0.04	14.26±0.05	13.23±0.15	11.71±0.18	6.37±0.28	1.210	3.962	-0.18	
20:36:05.26	41:13:05.32	...	...	...	15.39±0.09	...	12.78±0.09	11.02±0.09	6.78±0.39	1.180	1.864	-0.23	
20:36:05.33	41:13:44.18	...	...	...	12.32±0.01	12.14±0.02	11.27±0.06	9.91±0.08	4.87±0.16	0.860	3.075	0.322	
20:36:05.47	41:13:45.78	...	...	...	...	...	...	10.11±0.06	4.87±0.16	1.400	22.04	0.412	
20:36:05.59	40:53:42.93	...	...	...	...	13.37±0.02	11.06±0.01	...	4.79±0.15	1.570	3.286	0.498	
20:36:05.69	40:53:43.44	...	...	...	13.52±0.04	13.33±0.05	10.97±0.02	9.28±0.02	4.79±0.15	1.470	19.87	0.666	
20:36:06.28	42:10:18.65	...	...	...	14.79±0.08	12.91±0.02	12.02±0.11	11.49±0.37	5.92±0.14	1.160	1.614	0.005	
20:36:07.48	42:26:21.97	16.03±0.09	14.32±0.05	13.36±0.03	12.61±0.02	12.42±0.02	11.98±0.10	10.52±0.12	4.97±0.08	0.970	1.614	0.498	
20:36:07.80	40:52:06.18	...	...	...	...	...	12.32±0.05	10.56±0.05	6.50±0.84	0.730	21.01	-0.33	
20:36:07.91	38:31:21.20	...	...	...	14.27±0.03	13.00±0.01	11.93±0.07	10.78±0.12	5.86±0.05	1.090	3.110	0.046	

- 29 -

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:36:08.21	39:49:52.57	...	15.26±0.07	13.92±0.06	12.38±0.01	11.40±0.01	10.89±0.02	10.39±0.06	5.91±0.04	0.160	2.928	-0.08	
20:36:10.65	41:40:07.07	...	...	...	11.43±0.01	10.19±0.01	9.21±0.03	8.18±0.03	3.65±0.18	0.770	1.684	0.870	
20:36:10.87	40:17:27.34	...	...	...	14.81±0.04	13.07±0.01	11.95±0.02	10.85±0.03	6.29±0.04	1.030	2.278	-0.07	
20:36:11.58	38:31:37.41	...	...	...	14.86±0.07	13.16±0.03	12.05±0.08	11.59±0.24	7.49±0.24	0.430	4.186	-0.70	
20:36:11.99	38:13:08.50	...	...	...	13.83±0.01	11.49±0.01	10.26±0.01	9.60±0.01	5.02±0.02	1.020	2.713	0.464	
20:36:12.12	42:53:30.67	17.07±0.21	15.04±0.09	13.78±0.05	12.83±0.01	11.99±0.01	11.16±0.02	10.16±0.04	6.82±0.09	-0.03	1.684	-0.15	
20:36:13.43	41:34:26.10	16.04±0.08	13.90±0.05	12.76±0.03	11.88±0.03	11.43±0.05	10.95±0.11	9.73±0.16	3.29±0.03	1.390	2.129	1.146	
20:36:13.60	42:35:39.91	...	...	...	13.93±0.02	13.11±0.01	12.15±0.09	10.69±0.13	7.13±0.17	0.390	4.643	-0.56	
20:36:13.82	39:27:56.49	14.48±0.04	12.32±0.03	...	9.63±0.01	8.78±0.01	8.04±0.01	7.26±0.01	4.00±0.01	-0.24	4.050	0.947	
20:36:14.35	41:55:30.58	...	...	...	14.56±0.02	13.61±0.01	13.05±0.07	12.30±0.16	7.25±0.23	0.600	6.027	-0.70	
20:36:14.64	38:12:33.30	...	...	13.34±0.04	10.34±0.01	9.10±0.01	8.26±0.01	7.62±0.01	3.64±0.02	0.210	2.763	0.782	
20:36:15.54	38:02:14.51	...	...	...	15.55±0.23	14.64±0.12	13.59±0.25	10.37±0.08	6.31±0.05	1.680	3.044	0.188	
20:36:16.89	39:57:41.02	...	...	...	...	11.38±0.01	10.59±0.01	9.73±0.02	5.00±0.03	0.640	3.584	0.206	
20:36:19.29	42:31:19.21	...	15.70±0.16	14.30±0.07	12.27±0.01	11.47±0.01	10.48±0.02	9.09±0.05	4.78±0.04	0.740	3.974	0.463	
20:36:19.60	38:47:59.33	...	...	...	13.10±0.01	12.13±0.01	11.28±0.02	10.39±0.04	5.95±0.03	0.510	3.943	-0.15	
20:36:19.65	39:59:32.16	...	15.78±0.15	14.89±0.14	14.29±0.02	13.91±0.02	13.15±0.12	11.69±0.15	6.91±0.11	0.790	7.390	-0.26	
20:36:19.91	42:37:28.50	...	...	14.58±0.10	10.89±0.01	9.51±0.01	8.27±0.01	7.16±0.01	3.95±0.02	0.310	3.755	0.768	
20:36:19.94	40:26:58.47	...	...	...	14.98±0.03	13.51±0.01	13.18±0.13	12.86±0.54	5.14±0.04	1.760	3.926	0.406	
20:36:20.29	41:55:03.86	17.33±0.24	14.85±0.06	12.82±0.02	11.45±0.01	10.70±0.01	9.97±0.01	9.07±0.01	5.36±0.03	0.020	3.401	0.268	
20:36:20.61	42:53:43.36	...	...	...	13.61±0.03	12.20±0.01	10.85±0.02	9.53±0.03	5.52±0.02	0.890	3.198	0.254	
20:36:20.88	40:58:58.50	13.12±0.02	11.48±0.01	10.42±0.01	7.95±0.01	6.70±0.01	5.52±0.01	4.29±0.01	1.51±0.01	0.090	5.948	1.901	
20:36:20.88	42:19:12.28	...	...	...	15.40±0.13	14.40±0.05	12.80±0.18	11.51±0.32	6.95±0.08	1.150	3.442	-0.31	
20:36:21.73	38:03:36.30	...	...	...	14.98±0.07	13.75±0.03	14.03±0.34	...	6.59±0.06	1.190	3.019	-0.37	
20:36:22.80	41:31:14.94	...	...	...	14.61±0.03	13.91±0.02	12.71±0.05	11.09±0.07	5.72±0.14	1.480	3.926	0.175	
20:36:22.96	39:40:36.97	...	...	...	13.85±0.02	12.47±0.01	11.86±0.04	11.14±0.09	5.20±0.03	1.190	2.269	0.251	
20:36:23.12	40:07:47.48	...	...	...	15.68±0.06	14.56±0.03	13.52±0.12	12.42±0.13	7.46±0.17	1.020	1.574	-0.62	
20:36:24.13	40:09:42.10	16.26±0.10	14.56±0.07	13.71±0.06	13.03±0.01	12.22±0.01	11.57±0.02	10.63±0.03	7.18±0.10	-0.11	2.139	-0.17	
20:36:24.23	38:42:31.21	...	...	14.12±0.07	11.29±0.01	9.93±0.01	9.27±0.01	8.64±0.02	2.14±0.01	1.440	1.173	1.533	
20:36:25.47	42:25:08.54	...	...	...	13.13±0.03	12.06±0.01	11.31±0.05	10.44±0.11	6.54±0.06	0.200	2.744	-0.39	
20:36:25.89	42:09:08.69	16.12±0.11	14.02±0.06	12.96±0.05	11.37±0.01	10.60±0.01	10.01±0.04	9.08±0.08	5.44±0.08	-0.05	1.766	0.302	
20:36:26.79	38:40:29.47	...	...	...	13.39±0.01	11.96±0.01	11.30±0.02	10.78±0.05	5.70±0.04	0.680	3.910	-0.03	
20:36:26.94	38:19:33.98	...	...	...	14.92±0.04	13.88±0.03	13.04±0.08	12.07±0.10	7.05±0.08	0.860	4.648	-0.52	
20:36:27.25	39:43:14.06	...	...	...	14.07±0.02	12.07±0.01	11.03±0.02	9.86±0.04	2.89±0.02	2.340	4.991	1.556	
20:36:27.28	42:00:54.95	...	...	...	13.91±0.01	12.96±0.01	12.20±0.05	11.12±0.07	7.49±0.19	0.160	4.798	-0.72	
20:36:27.31	41:27:49.11	...	...	...	...	13.94±0.09	...	...	5.54±0.07	1.710	4.798	0.179	
20:36:27.75	39:42:39.29	...	...	...	13.92±0.01	10.92±0.01	9.08±0.01	7.87±0.01	4.40±0.03	1.230	6.726	1.011	
20:36:27.83	38:40:23.57	...	...	...	13.16±0.01	11.54±0.01	10.47±0.01	9.73±0.01	5.15±0.03	0.790	6.726	0.294	
20:36:28.27	39:42:32.06	...	...	...	13.00±0.01	11.38±0.01	10.25±0.02	9.45±0.05	5.30±0.08	0.630	6.726	0.237	
20:36:29.39	42:37:42.01	...	15.91±0.18	13.81±0.05	11.47±0.01	10.22±0.01	9.36±0.01	8.64±0.02	4.42±0.02	0.390	11.83	0.476	
20:36:29.39	41:28:20.17	...	...	...	15.38±0.07	15.20±0.10	...	11.25±0.04	6.93±0.29	1.370	0.504	-0.25	
20:36:30.03	39:01:29.08	...	...	14.08±0.07	11.74±0.01	10.72±0.01	9.93±0.01	9.13±0.03	5.15±0.05	0.210	0.787	0.175	
20:36:30.39	38:12:00.37	...	...	...	13.20±0.01	12.43±0.01	11.66±0.01	10.76±0.02	7.33±0.07	-0.09	12.12	-0.54	
20:36:30.53	39:00:26.28	...	...	...	15.08±0.03	13.82±0.02	13.09±0.06	12.83±0.32	6.47±0.08	1.160	2.907	-0.28	
20:36:32.09	41:51:59.13	16.82±0.16	15.10±0.08	13.70±0.05	11.64±0.01	10.86±0.01	10.24±0.01	9.46±0.01	6.09±0.06	-0.26	3.954	0.113	
20:36:32.62	40:50:49.29	...	...	...	...	...	11.94±0.03	10.11±0.03	5.08±0.12	1.430	2.263	0.406	
20:36:32.72	41:59:41.35	...	...	...	...	14.40±0.08	...	...	6.64±0.19	1.360	2.737	-0.40	
20:36:32.72	42:17:17.01	15.92±0.08	13.71±0.03	12.27±0.02	10.38±0.01	9.54±0.01	8.80±0.01	7.83±0.01	4.74±0.03	-0.22	2.784	0.679	
20:36:32.85	40:57:04.17	...	...	...	...	...	12.24±0.06	10.55±0.07	5.90±0.28	1.100	2.784	-0.00	
20:36:33.04	42:00:26.93	...	...	...	14.24±0.02	13.30±0.01	12.50±0.06	11.47±0.10	7.25±0.28	0.440	2.784	-0.67	
20:36:33.22	39:00:37.62	...	...	14.77±0.12	12.48±0.01	11.62±0.01	10.98±0.02	10.41±0.05	6.66±0.08	-0.15	6.445	-0.25	

- 30 -

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$	
20:36:33.95	42:25:44.77	...	...	...	13.24±0.02	12.43±0.01	11.73±0.04	10.36±0.07	6.28±0.10	0.480	6.445	-0.26	
20:36:34.07	40:57:08.73	...	...	...	...	...	11.42±0.03	9.65±0.08	5.46±0.11	0.820	2.083	0.102	
20:36:35.58	42:31:23.96	...	...	...	12.76±0.02	11.82±0.02	11.19±0.05	10.20±0.12	6.69±0.32	-0.02	2.944	-0.33	
20:36:35.62	41:34:17.95	...	...	...	14.15±0.06	12.60±0.02	11.20±0.05	10.14±0.09	6.09±0.11	0.830	5.953	0.012	
20:36:36.81	39:00:46.19	...	...	...	...	13.67±0.03	12.10±0.05	10.98±0.10	3.64±0.01	2.610	13.46	1.362	
20:36:38.18	39:01:21.48	...	...	...	13.56±0.01	11.17±0.01	9.31±0.01	8.13±0.01	4.97±0.02	0.900	0.508	0.719	
20:36:38.34	42:29:15.69	...	...	...	14.55±0.04	12.06±0.02	10.87±0.02	9.85±0.06	4.24±0.06	1.760	3.316	0.884	
20:36:38.55	42:29:07.29	...	...	...	13.32±0.07	11.22±0.04	9.94±0.03	8.65±0.02	3.32±0.02	1.710	0.947	1.250	
20:36:38.96	40:49:30.55	...	...	...	...	...	...	12.20±0.08	6.75±0.13	1.580	0.718	-0.27	
20:36:39.53	39:02:00.28	...	15.90±0.14	14.85±0.14	12.39±0.01	11.42±0.01	10.55±0.01	9.63±0.02	5.10±0.03	0.580	1.315	0.245	
20:36:40.29	42:13:37.86	...	14.83±0.10	12.26±0.04	9.48±0.01	7.96±0.01	6.82±0.01	5.89±0.01	2.39±0.02	0.350	1.869	1.379	
20:36:40.35	42:50:31.62	...	...	15.11±0.14	10.36±0.01	8.30±0.01	6.82±0.01	5.75±0.01	1.36±0.02	1.190	1.385	1.992	
20:36:40.67	39:30:14.17	...	...	...	14.85±0.06	...	...	10.24±0.09	6.15±0.06	1.240	0.569	0.018	
20:36:40.98	42:55:20.19	...	15.57±0.13	14.23±0.06	12.29±0.01	11.47±0.01	10.85±0.04	10.34±0.13	6.14±0.13	0.030	3.572	-0.12	
20:36:41.66	40:51:17.24	...	...	...	14.36±0.10	...	11.75±0.08	9.93±0.09	5.34±0.15	1.390	0.849	0.370	
20:36:42.13	41:51:03.92	...	...	...	12.97±0.07	11.14±0.01	9.76±0.07	8.71±0.16	4.12±0.10	1.170	2.050	0.839	
20:36:44.31	39:38:36.33	15.35±0.05	13.02±0.01	11.56±0.01	9.82±0.01	9.02±0.01	8.29±0.01	7.33±0.01	3.68±0.01	0.040	0.785	0.926	
20:36:46.86	40:56:39.45	...	...	...	...	13.55±0.01	12.08±0.04	11.35±0.08	5.91±0.12	1.230	1.198	0.003	
20:36:47.32	41:33:43.46	...	14.53±0.05	12.55±0.02	10.14±0.01	8.89±0.01	7.82±0.01	7.07±0.01	3.35±0.03	0.250	0.723	0.945	
20:36:47.36	41:47:43.55	...	...	...	...	...	11.20±0.09	9.43±0.11	5.77±0.10	0.450	1.373	-0.12	
20:36:48.41	40:56:39.73	...	...	...	14.03±0.02	12.39±0.01	11.10±0.01	9.98±0.02	4.83±0.04	1.400	0.812	0.550	
20:36:49.55	41:26:06.00	...	...	...	13.63±0.01	12.82±0.01	11.66±0.04	10.33±0.03	5.75±0.13	0.920	1.373	0.065	
20:36:51.15	39:51:30.08	...	...	...	14.36±0.02	13.07±0.01	12.16±0.05	11.47±0.11	7.39±0.06	0.330	0.944	-0.75	
20:36:53.64	42:24:41.45	...	...	...	13.20±0.01	12.28±0.01	11.49±0.03	10.29±0.05	7.19±0.07	-0.04	3.622	-0.45	
20:36:53.80	41:20:46.61	13.83±0.02	13.04±0.02	12.56±0.02	11.51±0.01	10.98±0.01	9.52±0.01	7.95±0.01	3.60±0.03	1.000	0.947	1.152	
20:36:54.22	41:40:46.16	...	15.47±0.11	13.98±0.06	12.87±0.02	12.40±0.02	11.38±0.08	9.95±0.15	5.21±0.13	0.900	1.636	0.339	
20:36:54.83	41:35:09.53	16.99±0.19	13.99±0.03	12.29±0.02	10.30±0.01	9.60±0.01	9.07±0.03	8.51±0.11	4.13±0.20	0.070	2.791	0.629	
20:36:55.98	42:21:50.95	12.89±0.02	11.28±0.02	9.98±0.02	8.17±0.01	7.45±0.01	6.70±0.01	4.93±0.01	1.46±0.01	0.390	0.874	1.787	
20:36:56.25	41:32:34.48	...	16.23±0.20	13.90±0.06	11.44±0.01	10.53±0.01	9.79±0.03	8.95±0.05	5.57±0.19	-0.12	1.190	0.220	
20:36:57.26	41:33:07.67	15.68±0.05	13.20±0.02	11.94±0.01	11.02±0.01	10.68±0.01	10.45±0.02	9.46±0.05	2.73±0.04	1.260	2.791	1.328	
20:36:57.75	42:11:30.24	...	...	13.53±0.07	11.18±0.01	9.78±0.01	8.96±0.02	8.32±0.04	1.70±0.01	1.590	1.447	1.759	
20:36:59.06	39:38:18.34	17.15±0.19	14.70±0.05	13.23±0.03	10.91±0.01	9.64±0.01	8.55±0.01	7.42±0.01	3.32±0.01	0.670	1.553	1.056	
20:37:00.90	42:12:16.74	...	...	14.93±0.13	12.54±0.02	11.46±0.01	10.68±0.05	9.79±0.12	5.95±0.18	0.200	1.857	-0.12	
20:37:01.80	41:35:31.89	...	...	...	13.09±0.14	11.94±0.07	...	...	3.31±0.17	1.820	1.762	1.129	
20:37:02.60	41:34:40.97	...	...	14.72±0.13	10.89±0.02	9.67±0.01	8.04±0.07	6.68±0.10	1.99±0.03	1.340	2.323	1.718	
20:37:03.28	39:42:28.03	...	...	...	...	...	...	10.73±0.05	7.30±0.13	-0.09	1.934	-0.89	
20:37:03.91	41:35:49.92	...	15.52±0.12	14.08±0.07	12.21±0.02	11.31±0.01	10.34±0.07	9.00±0.10	5.14±0.27	0.500	2.786	0.299	
20:37:04.20	41:23:09.09	15.71±0.06	14.52±0.05	13.89±0.06	12.70±0.01	11.75±0.01	10.74±0.01	9.75±0.01	5.11±0.02	0.730	12.84	0.406	
20:37:04.39	41:40:17.34	13.57±0.02	12.09±0.01	11.39±0.01	10.95±0.01	10.71±0.01	10.59±0.02	10.13±0.08	3.55±0.06	0.810	1.672	1.119	
20:37:04.40	41:34:20.62	...	...	...	13.19±0.08	12.40±0.06	10.05±0.14	8.35±0.17	3.31±0.11	1.920	3.313	1.353	
20:37:05.69	42:12:03.02	...	...	13.40±0.03	10.85±0.01	9.84±0.01	8.98±0.01	8.33±0.02	4.94±0.08	-0.14	1.095	0.477	
20:37:06.12	39:53:45.55	...	...	...	13.34±0.01	12.41±0.01	11.34±0.01	10.39±0.03	5.96±0.03	0.630	1.672	-0.09	
20:37:06.86	39:38:47.63	...	...	...	11.64±0.01	10.43±0.01	9.56±0.01	9.00±0.01	5.03±0.03	0.170	2.583	0.231	
20:37:06.95	39:51:50.21	...	...	...	15.41±0.04	13.67±0.01	12.33±0.04	11.50±0.08	6.21±0.06	1.360	0.615	-0.01	
20:37:07.00	39:51:44.21	...	...	...	13.51±0.01	11.92±0.01	10.94±0.01	10.30±0.03	6.07±0.04	0.500	2.472	-0.13	
20:37:07.95	41:31:27.43	...	...	...	13.46±0.02	12.19±0.01	11.46±0.07	10.92±0.20	5.94±0.16	0.620	3.792	-0.14	
20:37:12.23	41:33:34.60	...	...	...	11.40±0.01	9.73±0.01	8.51±0.01	7.78±0.02	4.74±0.10	0.080	26.74	0.565	
20:37:13.63	42:17:24.48	...	...	14.92±0.12	12.21±0.01	11.01±0.01	10.19±0.02	9.60±0.08	5.23±0.05	0.360	1.379	0.099	
20:37:14.74	42:19:25.56	...	...	14.70±0.10	12.15±0.02	10.56±0.01	9.25±0.02	8.39±0.04	3.86±0.03	0.930	4.342	0.879	
20:37:14.81	39:48:55.53	...	...	12.05±0.04	8.43±0.01	6.98±0.01	5.89±0.03	5.12±0.06	0.41±0.02	0.830	4.531	2.184	

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:37:15.40	41:33:27.07	...	...	...	13.95±0.03	12.92±0.01	12.07±0.06	11.22±0.14	7.33±0.39	0.220	3.856	-0.71	
20:37:15.87	42:19:28.64	...	...	...	12.15±0.02	11.20±0.01	10.27±0.02	8.94±0.03	3.95±0.03	1.070	3.753	0.782	
20:37:16.80	39:48:34.61	16.36±0.10	13.88±0.02	12.34±0.02	10.32±0.01	9.51±0.01	8.87±0.02	7.95±0.04	4.05±0.10	0.110	16.41	0.697	
20:37:17.66	42:16:37.47	...	15.31±0.13	13.23±0.04	9.91±0.02	9.38±0.02	6.18±0.02	4.44±0.03	0.86±0.04	1.520	16.63	2.463	
20:37:17.67	40:50:39.05	...	...	...	14.68±0.05	13.38±0.03	12.28±0.04	11.44±0.04	6.61±0.29	0.890	19.51	-0.29	
20:37:20.69	41:31:04.25	...	...	...	13.69±0.03	12.65±0.02	11.67±0.08	10.49±0.19	7.48±0.48	0.030	0.421	-0.56	
20:37:20.74	40:59:30.61	...	...	...	14.35±0.02	13.61±0.02	12.62±0.05	11.51±0.10	7.42±0.51	0.460	5.700	-0.72	
20:37:21.69	41:35:39.33	...	...	...	13.81±0.05	12.75±0.01	12.20±0.13	...	7.31±0.30	0.180	16.85	-0.83	
20:37:22.56	39:06:31.71	...	...	...	14.20±0.02	...	12.21±0.05	10.15±0.05	7.00±0.12	0.540	2.269	-0.39	
20:37:22.80	38:56:27.81	...	...	...	14.09±0.03	13.06±0.02	12.08±0.03	10.21±0.03	4.45±0.02	1.800	2.393	0.767	
20:37:23.25	41:35:50.31	...	...	...	15.23±0.09	13.92±0.05	...	...	5.52±0.10	1.760	3.420	0.219	
20:37:23.59	42:14:44.89	...	...	...	12.40±0.01	10.67±0.01	9.29±0.01	8.20±0.01	3.90±0.03	1.010	10.47	0.917	
20:37:23.91	41:33:07.50	...	...	...	11.89±0.01	10.70±0.01	9.67±0.01	9.10±0.05	4.87±0.05	0.370	3.491	0.261	
20:37:24.06	42:14:55.29	...	...	...	13.52±0.02	11.80±0.01	10.55±0.05	9.48±0.09	5.56±0.31	0.740	3.420	0.219	
20:37:24.34	39:50:50.27	...	...	...	12.12±0.01	11.03±0.01	10.23±0.01	9.41±0.01	5.96±0.05	-0.02	3.491	-0.01	
20:37:24.91	41:35:35.60	...	...	12.43±0.02	9.46±0.01	8.27±0.01	6.99±0.01	5.77±0.01	2.57±0.02	0.330	10.77	1.328	
20:37:25.29	39:51:03.11	...	...	...	13.67±0.01	12.34±0.01	11.60±0.01	11.44±0.05	6.07±0.04	0.630	2.301	-0.22	
20:37:25.48	41:33:18.65	...	...	...	12.40±0.09	11.57±0.07	...	...	2.45±0.03	1.980	1.555	1.530	
20:37:25.51	41:33:28.29	...	...	...	...	...	8.80±0.08	7.10±0.09	2.78±0.05	0.880	1.712	1.185	
20:37:26.01	41:35:40.85	...	14.05±0.03	11.28±0.01	8.10±0.01	7.02±0.01	6.05±0.01	5.26±0.01	1.74±0.02	0.070	3.830	1.652	
20:37:26.32	39:58:16.89	...	...	...	13.34±0.01	12.23±0.01	11.36±0.02	10.61±0.05	6.62±0.04	0.250	3.830	-0.44	
20:37:26.33	41:35:13.97	...	...	...	13.96±0.04	12.87±0.02	11.51±0.09	9.77±0.09	4.89±0.09	1.480	14.01	0.566	
20:37:26.55	42:40:36.69	...	...	...	14.58±0.02	12.78±0.01	11.68±0.02	10.95±0.06	6.77±0.07	0.640	6.021	-0.33	
20:37:26.68	42:14:40.98	...	...	...	13.41±0.08	12.08±0.05	11.07±0.04	10.52±0.12	6.06±0.21	0.510	14.53	-0.17	
20:37:26.86	41:33:20.87	...	...	...	14.02±0.08	11.98±0.02	10.68±0.06	9.50±0.12	4.08±0.04	1.680	3.295	0.929	
20:37:27.61	41:33:03.87	...	...	14.33±0.09	12.17±0.01	11.48±0.01	10.98±0.04	10.41±0.14	5.18±0.24	0.490	6.021	0.092	
20:37:27.73	42:14:12.97	...	13.47±0.05	10.86±0.02	7.95±0.01	6.91±0.01	5.60±0.01	4.18±0.01	1.23±0.01	0.280	6.021	1.896	
20:37:27.96	39:29:12.18	...	...	...	14.97±0.07	14.16±0.04	13.24±0.18	12.44±0.44	7.35±0.20	0.780	3.295	-0.68	
20:37:29.38	40:23:28.20	...	...	...	13.89±0.01	13.05±0.01	12.98±0.10	14.08±1.11	6.46±0.07	0.620	3.295	-0.51	
20:37:29.89	40:23:17.90	16.33±0.11	14.44±0.05	13.45±0.04	12.26±0.01	11.41±0.01	10.73±0.01	10.08±0.04	5.69±0.03	0.240	11.70	0.049	
20:37:29.89	42:16:38.72	...	...	15.01±0.14	12.79±0.03	11.85±0.01	11.36±0.11	10.59±0.28	5.15±0.05	0.770	6.021	0.184	
20:37:30.50	42:13:59.08	...	...	...	10.28±0.04	8.27±0.01	6.85±0.01	5.90±0.01	1.24±0.02	1.220	6.021	2.009	
20:37:30.84	42:13:42.98	...	...	...	11.72±0.03	10.44±0.02	9.49±0.02	8.67±0.04	4.22±0.02	0.610	6.437	0.598	
20:37:31.03	41:44:11.40	...	...	...	...	...	...	10.00±0.05	5.67±0.15	0.650	0.438	-0.17	
20:37:31.90	42:13:01.59	...	14.89±0.09	13.17±0.04	10.93±0.02	10.37±0.02	7.76±0.04	6.05±0.05	1.52±0.02	1.720	0.438	2.076	
20:37:33.25	42:40:33.87	...	...	14.08±0.05	10.56±0.01	9.36±0.01	8.37±0.01	7.51±0.01	3.66±0.01	0.320	24.92	0.771	
20:37:35.47	42:12:35.08	...	...	...	...	14.08±0.06	...	...	6.75±0.20	1.120	5.697	-0.54	
20:37:35.86	40:44:44.23	...	...	...	...	...	12.12±0.04	...	5.08±0.06	1.620	5.604	0.342	
20:37:36.56	42:26:29.13	...	...	...	15.21±0.08	14.17±0.04	12.31±0.09	10.45±0.09	7.29±0.14	0.890	3.442	-0.28	
20:37:37.96	42:39:13.50	...	...	...	11.98±0.01	10.74±0.01	9.72±0.01	8.91±0.03	5.61±0.06	0.040	5.841	0.144	
20:37:38.56	39:34:06.98	...	...	...	...	...	...	10.80±0.06	6.28±0.09	0.800	3.777	-0.35	
20:37:39.50	39:41:34.81	...	...	...	15.27±0.05	...	...	10.91±0.07	7.07±0.16	1.000	1.783	-0.40	
20:37:39.88	42:44:29.07	...	15.26±0.11	14.05±0.06	12.69±0.01	12.00±0.01	11.49±0.04	10.64±0.08	6.66±0.11	0.010	1.369	-0.24	
20:37:40.05	39:52:19.38	...	15.53±0.11	14.53±0.10	13.42±0.01	12.74±0.01	12.22±0.06	11.35±0.12	5.88±0.07	0.780	1.431	0.003	
20:37:41.75	40:25:42.63	14.95±0.04	12.59±0.01	11.08±0.01	10.10±0.01	9.27±0.01	8.59±0.01	7.75±0.01	4.41±0.02	-0.20	0.993	0.864	
20:37:41.79	42:45:33.74	...	14.83±0.07	13.22±0.03	11.28±0.01	10.44±0.01	9.80±0.01	9.10±0.03	5.15±0.03	0.020	1.931	0.290	
20:37:41.95	42:09:27.77	...	...	15.16±0.15	13.40±0.02	12.72±0.01	12.21±0.06	11.22±0.11	7.29±0.23	0.070	1.283	-0.60	
20:37:42.31	39:51:22.40	...	...	...	10.88±0.02	9.60±0.01	8.74±0.01	8.24±0.07	2.40±0.05	1.100	2.876	1.351	
20:37:44.26	42:39:34.51	...	...	...	13.37±0.01	12.13±0.01	11.22±0.02	10.62±0.02	6.44±0.07	0.320	1.283	-0.39	
20:37:44.64	42:38:48.37	...	...	...	12.68±0.01	11.91±0.01	11.38±0.02	10.76±0.05	6.52±0.13	0.050	2.231	-0.38	

Table 4—Continued

UKIDSS/2MASS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:37:44.78	38:47:23.30	...	...	14.94±0.15	13.06±0.01	12.31±0.01	11.60±0.02	10.65±0.04	6.98±0.10	0.020	1.229	-0.43	
20:37:45.26	42:43:36.87	...	...	...	12.74±0.01	11.16±0.01	9.96±0.01	9.00±0.01	4.05±0.03	1.150	3.531	0.802	
20:37:47.25	42:38:42.36	...	15.23±0.12	13.19±0.05	10.79±0.01	8.74±0.01	7.16±0.01	5.75±0.01	1.18±0.01	1.510	3.531	2.140	
20:37:48.13	40:35:40.16	...	...	...	15.59±0.06	14.72±0.03	13.72±0.12	12.90±0.27	6.69±0.30	1.410	3.359	-0.29	
20:37:48.31	42:43:17.64	...	...	...	12.83±0.01	11.66±0.01	10.64±0.02	9.69±0.05	6.03±0.08	0.280	3.191	-0.16	
20:37:48.53	39:46:40.04	...	...	...	13.91±0.07	13.72±0.05	11.24±0.11	9.65±0.12	5.85±0.11	1.120	2.738	0.246	
20:37:48.55	40:25:36.95	16.90±0.17	12.87±0.02	10.28±0.01	7.77±0.01	6.88±0.01	6.02±0.01	4.82±0.01	1.80±0.01	-0.06	0.584	1.751	
20:37:50.16	39:49:52.01	...	15.82±0.14	14.03±0.06	12.57±0.01	11.73±0.01	11.11±0.05	10.61±0.16	6.00±0.35	0.240	10.51	-0.17	
20:37:50.37	39:29:54.62	...	...	13.90±0.07	12.69±0.01	11.94±0.01	11.24±0.02	10.34±0.04	6.34±0.05	0.160	8.374	-0.23	
20:37:50.54	42:23:46.12	...	...	...	13.13±0.03	12.39±0.01	11.73±0.13	10.70±0.31	6.12±0.22	0.510	8.561	-0.25	
20:37:50.57	42:38:41.49	...	...	...	13.06±0.01	11.35±0.01	10.34±0.01	9.74±0.05	5.28±0.07	0.650	8.790	0.215	
20:37:50.99	42:38:36.29	...	...	...	...	12.00±0.01	...	9.89±0.07	5.60±0.07	0.610	0.439	-0.08	
20:37:54.10	39:30:50.52	...	...	...	14.08±0.05	12.13±0.01	10.65±0.01	9.44±0.01	4.78±0.03	1.370	4.736	0.637	
20:37:54.33	42:41:08.81	...	...	...	14.50±0.14	12.02±0.03	10.59±0.02	9.27±0.04	4.05±0.06	1.840	42.46	1.026	
20:37:55.40	42:40:46.68	...	14.88±0.09	11.68±0.02	9.13±0.01	7.63±0.01	6.30±0.01	4.99±0.01	0.44±0.01	1.170	2.206	2.309	
20:37:55.90	40:53:21.96	...	...	...	15.50±0.07	14.25±0.03	12.95±0.08	11.83±0.16	6.85±0.29	1.200	32.51	-0.31	
20:37:56.33	42:38:13.30	...	...	...	13.10±0.03	11.52±0.01	10.67±0.03	10.17±0.08	5.97±0.20	0.350	29.64	-0.17	
20:37:56.90	42:47:40.42	...	...	...	14.30±0.04	12.17±0.01	10.85±0.02	9.78±0.03	4.14±0.02	1.770	18.16	0.916	
20:37:57.32	42:06:54.25	...	...	...	13.93±0.04	12.87±0.01	11.94±0.09	10.70±0.15	5.74±0.08	1.030	1.735	0.063	
20:37:57.78	42:38:54.03	...	...	...	11.22±0.05	10.35±0.03	8.02±0.05	6.24±0.06	0.74±0.02	2.210	0.397	2.447	
20:37:59.20	42:40:31.45	...	...	...	14.41±0.05	12.15±0.01	10.81±0.02	9.86±0.04	4.27±0.03	1.730	7.060	0.862	
20:37:59.76	42:40:24.31	...	15.01±0.08	14.00±0.06	12.63±0.01	11.83±0.01	11.12±0.02	10.06±0.03	5.96±0.15	0.320	0.586	-0.09	
20:38:00.79	39:48:12.24	...	...	...	...	...	...	10.26±0.04	5.90±0.12	0.680	0.586	-0.25	
20:38:02.21	42:39:48.86	...	...	...	...	12.95±0.04	12.65±0.13	...	4.07±0.03	2.200	2.936	0.985	
20:38:02.50	41:54:31.61	...	...	...	13.41±0.02	12.60±0.01	11.76±0.03	10.79±0.05	5.88±0.06	0.740	1.005	-0.09	
20:38:03.31	42:32:53.70	...	15.42±0.13	13.96±0.05	11.96±0.01	10.86±0.01	9.86±0.02	8.88±0.04	5.57±0.15	0.090	0.622	0.183	
20:38:03.33	42:24:21.66	...	13.62±0.06	12.10±0.03	10.05±0.01	9.12±0.01	8.37±0.01	7.64±0.04	3.50±0.02	0.210	0.589	0.845	
20:38:03.41	43:01:42.54	...	...	...	14.19±0.03	13.24±0.02	12.11±0.03	10.69±0.04	6.91±0.07	0.600	28.40	-0.39	
20:38:03.59	38:00:19.94	11.52±0.01	10.84±0.01	10.50±0.01	...	10.14±0.01	...	9.96±0.03	5.32±0.05	-0.10	35.00	1.100	
20:38:03.66	42:24:26.63	...	...	14.55±0.13	11.33±0.01	10.15±0.01	9.16±0.01	7.91±0.04	3.44±0.02	0.850	4.764	0.992	
20:38:03.94	42:39:30.72	...	...	...	10.24±0.02	9.02±0.01	8.43±0.02	8.41±0.05	1.93±0.02	1.010	1.474	1.474	
20:38:06.20	42:24:48.11	16.52±0.12	14.64±0.06	13.50±0.04	11.94±0.01	11.17±0.01	10.46±0.04	9.63±0.08	6.08±0.35	-0.10	2.596	0.082	
20:38:07.02	42:42:31.05	...	...	...	14.22±0.02	13.39±0.02	12.50±0.04	11.22±0.06	7.43±0.18	0.370	36.59	-0.73	
20:38:07.11	42:38:52.24	13.79±0.03	11.35±0.03	9.65±0.03	7.20±0.01	6.48±0.01	5.77±0.01	4.80±0.04	0.99±0.03	0.100	1.481	1.908	
20:38:07.17	42:24:09.70	...	...	...	15.17±0.17	13.40±0.04	12.19±0.17	11.43±0.43	5.86±0.29	1.410	34.77	0.106	
20:38:07.95	42:39:19.86	...	...	...	...	12.81±0.08	10.80±0.11	...	3.76±0.12	1.910	3.103	1.017	
20:38:08.28	42:38:36.68	12.10±0.02	9.68±0.02	7.88±0.01	5.59±0.01	4.80±0.01	3.93±0.01	3.20±0.03	-0.28±0.03	-0.11	38.81	2.558	
20:38:10.04	42:38:09.44	...	...	...	12.93±0.19	11.33±0.08	10.29±0.27	9.35±0.59	2.53±0.06	2.020	1.845	1.576	
20:38:11.61	42:32:47.55	...	...	...	13.90±0.13	12.36±0.02	11.61±0.16	11.09±0.46	4.81±0.15	1.360	34.77	0.450	
20:38:12.04	42:37:07.78	...	...	...	13.21±0.01	11.86±0.01	10.79±0.02	9.97±0.06	5.35±0.08	0.770	34.77	0.190	
20:38:12.28	42:22:49.91	...	...	...	17.85±4.01	13.77±0.09	13.97±1.18	12.94±2.37	5.99±0.28	2.250	2.570	0.307	
20:38:12.71	42:37:57.15	...	...	...	13.05±0.02	11.28±0.01	9.94±0.01	8.80±0.03	4.89±0.09	0.840	1.869	0.526	
20:38:14.39	42:39:08.57	...	...	...	14.62±0.04	12.33±0.01	10.94±0.02	10.20±0.05	4.82±0.03	1.530	3.058	0.602	
20:38:15.42	42:36:52.17	...	...	...	...	13.20±0.03	12.18±0.16	11.15±0.29	6.30±0.13	0.890	3.150	-0.22	
20:38:18.01	41:03:02.79	16.37±0.10	14.51±0.05	13.52±0.04	12.13±0.01	11.12±0.01	10.11±0.01	8.99±0.03	6.01±0.06	-0.02	17.62	0.169	
20:38:19.40	42:36:57.34	...	...	12.03±0.04	9.41±0.01	8.47±0.01	7.45±0.01	6.22±0.01	2.55±0.01	0.380	14.31	1.274	
20:38:20.03	42:10:21.38	12.18±0.02	10.97±0.02	10.39±0.02	10.10±0.01	9.83±0.01	9.64±0.06	8.85±0.15	2.47±0.05	0.930	14.94	1.625	
20:38:20.96	42:11:25.91	...	14.29±0.13	12.79±0.08	10.73±0.02	9.58±0.01	8.54±0.03	7.65±0.05	2.24±0.02	1.140	3.420	1.488	
20:38:21.33	42:11:20.69	...	...	11.68±0.03	9.00±0.01	8.09±0.01	7.30±0.01	6.53±0.02	2.33±0.03	0.280	3.646	1.243	
20:38:21.89	42:43:18.72	...	14.98±0.09	13.50±0.04	12.18±0.01	11.15±0.01	10.94±0.01	9.16±0.01	2.12±0.01	2.040	4.773	1.747	

Table 4—Continued

UKIDSS/2MASS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$	
20:38:22.28	42:11:35.39	...	15.05±0.09	12.60±0.02	9.82±0.01	8.51±0.01	7.60±0.01	6.58±0.03	3.07±0.05	0.230	5.719	1.075	
20:38:22.45	42:41:36.53	...	...	...	13.26±0.01	12.16±0.01	11.29±0.04	10.29±0.08	5.90±0.14	0.590	3.020	-0.08	
20:38:23.32	43:10:27.74	...	...	...	...	10.64±0.01	...	8.88±0.01	5.70±0.03	-0.21	4.390	-0.03	
20:38:23.35	42:38:43.49	...	...	...	14.23±0.09	13.11±0.03	11.97±0.09	10.84±0.16	6.86±0.33	0.580	3.020	-0.40	
20:38:24.58	40:01:25.98	...	...	...	...	...	...	10.67±0.02	7.40±0.11	-0.22	9.038	-0.89	
20:38:24.65	42:31:59.31	14.45±0.04	11.31±0.02	9.31±0.02	7.13±0.01	6.25±0.01	5.37±0.01	4.48±0.01	0.88±0.01	0.070	2.191	2.004	
20:38:25.56	39:24:08.75	...	15.87±0.15	14.45±0.09	13.31±0.01	12.45±0.01	11.46±0.02	10.22±0.04	7.30±0.09	-0.03	3.278	-0.34	
20:38:26.55	42:23:00.49	12.95±0.02	11.35±0.02	10.56±0.01	10.10±0.01	9.91±0.01	9.77±0.01	9.44±0.06	2.71±0.06	0.810	35.59	1.427	
20:38:26.90	42:39:29.12	...	...	...	12.62±0.01	11.78±0.01	11.15±0.05	10.27±0.11	6.35±0.15	0.100	1.151	-0.29	
20:38:28.37	42:06:52.57	16.06±0.10	13.30±0.04	...	10.16±0.01	9.48±0.01	8.94±0.03	8.32±0.07	3.99±0.43	0.080	6.855	0.656	
20:38:29.94	42:15:21.90	15.58±0.06	13.82±0.04	13.00±0.03	12.08±0.01	11.40±0.01	11.11±0.06	10.44±0.16	5.99±0.12	0.050	59.58	0.109	
20:38:31.64	42:38:34.47	...	...	15.14±0.15	11.89±0.01	11.03±0.01	10.49±0.01	9.59±0.04	4.05±0.26	0.900	59.58	0.638	
20:38:32.32	42:39:45.06	...	...	14.73±0.09	10.85±0.01	9.36±0.01	8.11±0.01	7.22±0.01	3.30±0.03	0.580	4.269	1.055	
20:38:33.31	42:39:38.69	...	...	...	12.39±0.01	10.43±0.01	8.92±0.01	7.70±0.02	3.45±0.03	1.190	5.257	1.171	
20:38:33.75	42:07:06.83	14.71±0.03	13.16±0.03	12.27±0.03	11.10±0.06	10.78±0.04	8.25±0.09	6.59±0.11	2.86±0.07	1.180	1.708	1.544	
20:38:35.64	42:06:30.78	...	...	14.24±0.08	11.99±0.04	10.88±0.02	10.25±0.11	10.00±0.45	5.36±0.53	0.190	33.55	0.033	
20:38:36.34	42:39:47.78	14.82±0.04	12.92±0.02	11.78±0.02	10.30±0.01	9.59±0.01	9.01±0.03	8.22±0.07	3.43±0.03	0.430	23.15	0.907	
20:38:37.22	42:06:52.30	...	...	...	12.07±0.06	10.94±0.02	9.99±0.18	9.07±0.45	3.86±0.04	1.010	3.876	0.785	
20:38:37.28	42:39:32.99	13.62±0.06	...	11.08±0.06	9.52±0.06	8.92±0.04	7.04±0.12	5.39±0.13	0.42±0.02	1.580	3.479	2.405	
20:38:38.62	42:00:49.13	...	15.09±0.11	13.45±0.04	11.58±0.01	10.69±0.01	10.01±0.01	9.31±0.03	5.80±0.16	-0.17	2.857	0.171	
20:38:38.89	40:38:14.43	...	...	...	13.94±0.01	12.74±0.01	11.56±0.02	10.34±0.06	6.76±0.07	0.480	4.429	-0.34	
20:38:38.89	42:07:50.12	...	...	...	11.35±0.02	10.31±0.01	9.05±0.07	7.77±0.09	3.79±0.05	0.700	2.770	0.867	
20:38:41.75	41:10:28.80	...	...	...	...	...	...	11.59±0.05	7.04±0.10	0.830	9.759	-0.65	
20:38:41.86	41:10:28.10	...	...	...	...	...	13.17±0.09	11.57±0.05	7.04±0.10	0.970	2.282	-0.50	
20:38:42.99	42:25:28.69	...	15.80±0.18	13.69±0.05	11.70±0.01	10.61±0.01	9.66±0.01	8.69±0.03	4.87±0.07	0.320	2.282	0.314	
20:38:43.07	42:36:59.60	...	15.59±0.16	13.59±0.05	11.60±0.01	10.78±0.01	10.16±0.03	9.63±0.06	4.09±0.16	0.720	5.996	0.606	
20:38:43.87	42:36:52.78	...	...	14.21±0.06	12.28±0.01	11.47±0.01	10.96±0.02	10.56±0.06	4.83±0.19	0.690	10.08	0.278	
20:38:43.90	42:29:03.81	...	...	...	14.73±0.06	12.81±0.02	11.81±0.07	11.04±0.18	5.77±0.19	1.200	5.069	0.107	
20:38:44.58	42:17:04.40	...	...	...	13.59±0.02	12.67±0.01	11.97±0.08	10.86±0.18	6.11±0.13	0.710	2.439	-0.18	
20:38:45.08	39:40:02.91	...	...	...	13.45±0.01	12.73±0.01	10.90±0.01	8.94±0.01	5.13±0.03	1.170	10.58	0.536	
20:38:46.35	42:24:39.51	13.29±0.03	10.61±0.03	8.73±0.02	6.89±0.01	6.11±0.01	5.18±0.01	4.41±0.01	0.73±0.01	0.040	10.20	2.089	
20:38:46.66	42:09:56.80	...	...	...	14.03±0.04	13.09±0.02	12.26±0.08	10.75±0.17	6.60±0.12	0.690	8.349	-0.30	
20:38:47.69	42:23:48.90	16.65±0.16	14.14±0.06	11.97±0.02	9.52±0.01	8.49±0.01	7.38±0.01	6.37±0.01	3.13±0.03	0.100	2.032	1.145	
20:38:48.68	42:40:14.46	16.98±0.20	15.18±0.09	14.14±0.06	12.59±0.01	11.88±0.01	11.27±0.02	10.17±0.05	6.50±0.14	0.050	6.429	-0.16	
20:38:48.83	42:27:34.69	...	...	...	16.77±0.23	14.54±0.06	13.12±0.30	...	6.45±0.41	1.830	3.294	-0.05	
20:38:49.48	42:36:08.49	...	...	...	12.13±0.01	10.29±0.01	9.11±0.01	8.33±0.02	4.78±0.02	0.400	0.702	0.454	
20:38:49.92	41:46:41.81	...	...	...	15.77±0.16	...	...	11.48±0.08	6.59±0.05	1.500	0.910	-0.16	
20:38:50.59	42:39:16.41	...	15.79±0.17	14.31±0.07	12.49±0.01	11.48±0.01	10.65±0.03	9.87±0.05	6.16±0.10	0.080	13.06	-0.09	
20:38:50.80	42:27:16.35	...	...	...	15.18±0.09	12.93±0.01	11.46±0.07	10.70±0.17	6.20±0.29	1.120	0.709	0.034	
20:38:51.11	39:39:43.78	...	...	...	13.82±0.09	11.23±0.01	9.63±0.03	8.46±0.05	2.84±0.02	2.080	0.754	1.564	
20:38:55.62	42:23:51.17	...	...	...	12.01±0.01	10.47±0.01	9.45±0.01	8.90±0.05	4.26±0.05	0.670	13.56	0.602	
20:38:55.62	42:27:14.06	...	14.87±0.09	13.46±0.04	12.23±0.01	11.48±0.01	10.85±0.04	10.02±0.09	5.95±0.16	0.120	1.245	-0.01	
20:38:56.46	43:11:36.71	14.73±0.03	13.60±0.03	12.98±0.02	...	11.77±0.01	...	11.28±0.03	6.42±0.03	0.180	1.245	0.044	
20:38:57.52	41:22:51.99	...	...	...	11.66±0.01	10.29±0.01	9.31±0.01	8.55±0.02	4.71±0.02	0.310	7.796	0.346	
20:38:57.64	42:23:06.52	...	...	...	...	11.68±0.06	9.93±0.07	8.47±0.18	2.51±0.11	2.050	1.319	1.629	
20:38:57.94	42:26:52.45	...	...	...	12.82±0.01	11.48±0.01	10.55±0.01	9.68±0.04	5.87±0.09	0.320	1.190	-0.11	
20:38:58.35	42:18:58.34	...	...	...	11.07±0.12	9.05±0.02	7.22±0.09	6.08±0.17	1.25±0.22	1.610	2.456	2.115	
20:38:58.49	42:17:38.27	...	...	13.85±0.06	10.84±0.01	9.68±0.01	8.66±0.01	7.81±0.03	4.17±0.04	0.210	0.995	0.616	
20:38:58.54	42:02:35.86	15.14±0.32	14.11±0.20	13.64±0.12	12.31±0.03	12.14±0.03	11.78±0.05	10.92±0.06	4.58±0.18	1.000	1.032	0.609	
20:38:58.99	41:20:00.36	13.92±0.02	13.28±0.03	13.06±0.03	12.66±0.02	12.65±0.02	11.36±0.10	9.68±0.12	5.51±0.10	0.750	2.837	0.606	

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:38:59.15	41:17:52.93	...	15.65±0.12	13.73±0.05	10.82±0.01	9.42±0.01	8.38±0.01	7.80±0.02	4.58±0.04	-0.07	7.311	0.644	
20:38:59.37	42:27:18.32	...	...	15.06±0.14	11.35±0.01	10.39±0.01	9.66±0.01	8.72±0.04	4.54±0.04	0.340	8.275	0.364	
20:38:59.53	42:23:43.63	...	...	...	15.33±0.08	12.05±0.01	10.57±0.04	9.70±0.08	4.98±0.18	1.600	0.514	0.675	
20:38:59.82	42:23:17.11	...	...	...	13.28±0.06	11.70±0.04	11.10±0.11	...	4.03±0.27	1.490	7.091	0.763	
20:38:59.95	39:48:19.86	...	...	...	16.23±0.19	...	...	11.43±0.05	6.25±0.13	1.870	8.510	0.090	
20:39:00.00	42:29:05.55	...	15.48±0.16	...	11.54±0.01	10.68±0.01	10.09±0.03	9.29±0.08	5.20±0.11	0.130	4.567	0.150	
20:39:00.54	42:18:20.98	...	...	...	14.84±0.13	12.45±0.03	10.70±0.05	9.53±0.04	4.61±0.62	1.740	6.934	0.811	
20:39:00.90	42:23:53.93	...	...	...	12.90±0.03	11.64±0.03	...	...	2.72±0.04	2.010	0.514	1.440	
20:39:01.01	42:22:50.10	...	...	14.58±0.09	11.10±0.03	10.10±0.04	7.48±0.03	5.67±0.05	-0.24±0.03	2.610	6.734	2.976	
20:39:01.12	41:22:44.90	...	...	...	15.70±0.08	14.03±0.02	13.07±0.10	12.32±0.23	6.13±0.04	1.580	7.465	0.004	
20:39:01.44	42:18:09.56	...	...	...	13.96±0.05	12.52±0.07	11.33±0.05	10.28±0.06	3.75±0.18	1.950	3.355	1.072	
20:39:01.65	42:03:26.50	...	14.07±0.04	12.18±0.02	10.55±0.01	9.74±0.01	9.04±0.01	8.16±0.02	4.93±0.08	-0.23	4.950	0.589	
20:39:01.90	42:18:37.44	...	...	...	11.99±0.05	10.66±0.03	9.55±0.09	8.74±0.12	2.05±0.12	1.840	6.612	1.701	
20:39:02.13	41:20:47.44	...	...	...	13.95±0.05	12.10±0.02	11.34±0.06	10.85±0.22	6.18±0.18	0.610	3.785	-0.18	
20:39:02.18	42:26:44.37	...	...	...	...	13.59±0.03	12.02±0.08	11.66±0.30	6.35±0.25	0.980	1.664	-0.23	
20:39:03.01	42:17:54.91	16.72±0.16	15.69±0.14	14.70±0.10	13.49±0.07	11.43±0.02	11.08±0.08	9.94±0.15	4.64±0.16	1.160	6.843	0.592	
20:39:03.02	42:25:52.31	...	...	...	11.90±0.06	10.02±0.04	9.43±0.09	9.12±0.15	2.33±0.05	1.520	3.345	1.480	
20:39:03.12	42:26:27.66	...	15.57±0.15	13.49±0.04	11.25±0.01	10.19±0.01	9.17±0.01	8.13±0.02	4.31±0.07	0.380	0.701	0.570	
20:39:03.19	42:17:52.95	...	...	...	...	12.12±0.03	...	...	4.64±0.16	1.210	6.221	0.337	
20:39:03.74	41:17:47.54	...	...	...	16.20±0.21	13.66±0.05	13.18±0.37	...	5.27±0.23	2.140	7.899	0.504	
20:39:04.06	42:25:41.05	...	...	14.27±0.09	10.32±0.02	8.14±0.01	6.59±0.01	5.52±0.02	0.89±0.01	1.380	1.526	2.212	
20:39:04.06	42:26:07.77	...	...	...	12.53±0.05	10.57±0.03	9.53±0.03	8.35±0.04	2.93±0.05	1.540	6.824	1.334	
20:39:05.11	41:21:41.19	...	15.91±0.14	13.53±0.04	11.01±0.01	9.88±0.01	8.90±0.01	7.97±0.01	4.81±0.05	-0.01	1.533	0.522	
20:39:05.62	41:18:18.59	...	...	...	...	...	11.18±0.09	...	6.05±0.16	0.380	0.879	-0.56	
20:39:07.25	42:12:15.93	...	...	...	14.21±0.04	13.36±0.02	12.44±0.07	11.33±0.10	5.77±0.24	1.200	1.477	0.043	
20:39:07.30	42:15:34.93	...	15.27±0.11	13.46±0.04	11.45±0.07	10.84±0.06	8.38±0.13	6.80±0.16	1.80±0.03	1.830	1.477	1.939	
20:39:07.41	42:20:55.20	...	14.33±0.04	12.06±0.02	9.73±0.01	8.93±0.01	8.33±0.01	7.88±0.04	3.68±0.21	-0.02	1.456	0.839	
20:39:08.18	42:16:37.94	...	...	14.23±0.07	12.53±0.02	11.74±0.01	10.94±0.08	9.83±0.16	6.03±0.39	0.240	1.582	-0.14	
20:39:08.35	42:15:45.16	16.26±0.11	13.60±0.03	12.14±0.03	10.59±0.04	9.81±0.05	8.64±0.07	...	-0.02±0.03	2.360	1.364	2.704	
20:39:11.47	42:47:53.61	...	...	...	15.31±0.07	14.47±0.04	13.78±0.12	12.64±0.23	7.24±0.12	1.030	5.223	-0.58	
20:39:11.49	41:59:00.68	...	...	...	12.98±0.01	12.00±0.01	11.26±0.03	10.89±0.08	6.57±0.36	0.110	4.403	-0.42	
20:39:13.16	41:56:15.02	...	...	...	13.16±0.02	12.17±0.01	10.42±0.03	8.49±0.03	4.82±0.10	1.120	5.221	0.676	
20:39:13.54	42:47:53.44	...	...	...	15.02±0.11	13.64±0.05	12.45±0.09	11.38±0.17	5.98±0.07	1.380	5.133	0.050	
20:39:14.06	41:59:06.42	...	...	...	13.76±0.02	12.73±0.02	11.74±0.05	10.86±0.08	6.01±0.36	0.800	7.710	-0.10	
20:39:14.28	39:15:37.10	...	...	...	15.10±0.05	13.70±0.02	13.18±0.10	12.77±0.33	6.41±0.10	1.190	0.627	-0.25	
20:39:15.66	41:57:14.03	14.64±0.03	13.38±0.03	12.73±0.03	12.10±0.02	11.81±0.01	10.22±0.05	8.50±0.06	4.52±0.09	0.890	0.879	0.845	
20:39:16.63	42:09:37.90	...	...	...	...	13.82±0.06	...	...	5.50±0.15	1.670	0.610	0.176	
20:39:16.72	42:16:09.32	...	...	12.67±0.04	6.49±0.01	5.17±0.01	4.00±0.01	3.24±0.01	0.25±0.01	-0.05	7.351	2.387	
20:39:16.91	42:09:56.35	...	15.76±0.17	14.47±0.09	12.78±0.03	11.97±0.01	10.99±0.11	9.72±0.16	6.31±0.35	0.210	7.903	-0.15	
20:39:18.17	42:46:38.16	...	...	...	14.41±0.04	13.04±0.02	11.90±0.03	11.12±0.08	7.34±0.22	0.360	0.547	-0.65	
20:39:19.35	42:46:50.32	...	...	...	14.84±0.05	14.00±0.03	13.26±0.10	12.34±0.24	7.48±0.26	0.650	8.778	-0.75	
20:39:19.81	42:13:08.21	13.53±0.02	12.40±0.02	11.65±0.02	10.06±0.01	9.24±0.01	7.69±0.01	5.61±0.01	1.95±0.02	1.060	0.772	1.848	
20:39:20.31	41:24:39.84	...	...	14.54±0.11	10.78±0.01	9.59±0.01	8.64±0.01	7.90±0.02	4.49±0.05	0.010	7.603	0.588	
20:39:21.41	42:35:41.70	...	...	...	13.88±0.02	13.14±0.01	12.05±0.05	10.53±0.06	6.67±0.07	0.610	3.023	-0.31	
20:39:22.33	42:46:26.52	...	...	...	14.98±0.03	13.38±0.01	12.32±0.05	11.32±0.10	6.45±0.08	1.070	7.158	-0.17	
20:39:22.97	41:14:10.94	...	...	...	...	...	...	9.13±0.06	5.43±0.19	0.130	0.801	-0.21	
20:39:25.05	42:19:54.78	...	15.55±0.14	14.96±0.11	13.14±0.02	12.48±0.01	11.56±0.04	9.88±0.04	5.45±0.17	0.880	7.246	0.248	
20:39:26.59	42:28:23.92	...	...	...	...	...	12.87±0.08	11.19±0.09	7.12±0.14	0.690	0.530	-0.60	
20:39:27.28	41:18:51.15	...	10.56±0.02	9.89±0.06	9.43±0.01	9.25±0.01	8.92±0.01	8.04±0.03	2.08±0.12	0.810	0.688	1.671	
20:39:27.57	41:31:15.14	...	...	...	14.68±0.03	13.98±0.02	13.38±0.14	12.45±0.32	6.71±0.23	1.000	9.475	-0.41	

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:39:30.72	41:21:56.20	...	14.35±0.05	12.68±0.03	10.86±0.01	9.91±0.01	9.19±0.01	8.59±0.04	4.16±0.08	0.280	13.46	0.534	
20:39:30.95	41:20:02.77	...	...	...	10.36±0.02	8.91±0.01	7.75±0.01	6.56±0.05	2.24±0.35	0.900	4.063	1.519	
20:39:31.49	41:20:03.00	...	...	14.03±0.08	10.28±0.01	8.74±0.01	7.47±0.03	6.47±0.06	2.12±0.26	0.880	3.616	1.570	
20:39:32.19	39:10:15.24	...	...	...	12.49±0.01	11.50±0.01	10.52±0.01	9.15±0.02	5.39±0.02	0.500	0.707	0.166	
20:39:32.68	42:06:11.14	...	15.53±0.17	13.18±0.05	10.97±0.01	10.09±0.01	9.40±0.04	8.50±0.07	4.63±0.11	0.120	3.763	0.436	
20:39:32.97	42:05:56.39	...	15.63±0.15	13.62±0.05	11.34±0.01	10.43±0.01	9.48±0.04	8.56±0.06	4.85±0.12	0.180	8.699	0.354	
20:39:33.76	41:27:25.79	...	...	...	13.52±0.02	12.77±0.01	12.24±0.12	11.35±0.33	6.16±0.25	0.680	1.362	-0.26	
20:39:35.96	41:19:22.10	14.18±0.04	11.93±0.02	10.68±0.02	8.78±0.01	8.04±0.01	7.34±0.06	6.51±0.14	2.37±0.27	0.190	2.205	1.329	
20:39:40.59	41:17:15.83	14.99±0.03	12.92±0.02	11.66±0.01	10.00±0.01	9.34±0.01	8.77±0.01	7.95±0.01	2.86±0.23	0.580	4.433	1.135	
20:39:42.69	41:15:06.81	...	15.23±0.07	...	11.71±0.01	11.00±0.01	10.44±0.02	9.78±0.05	5.47±0.11	0.110	0.160	0.034	
20:39:44.34	41:24:12.81	...	...	...	12.89±0.02	12.14±0.01	11.48±0.10	10.61±0.24	5.86±0.34	0.500	0.612	-0.16	
20:39:49.27	42:06:48.63	...	...	...	12.74±0.01	10.90±0.01	9.73±0.01	8.85±0.01	4.93±0.13	0.630	0.593	0.434	
20:39:49.84	42:00:30.10	16.62±0.15	14.64±0.07	13.45±0.03	11.89±0.01	11.20±0.01	10.55±0.02	9.84±0.05	5.65±0.21	0.110	0.728	0.088	
20:39:50.03	42:02:22.84	...	...	...	13.65±0.05	12.73±0.02	11.94±0.11	10.47±0.14	7.28±1.06	0.160	2.760	-0.57	
20:39:51.79	42:17:12.91	...	...	...	13.37±0.02	12.47±0.01	11.70±0.06	10.96±0.19	7.32±0.81	-0.04	0.728	-0.58	
20:39:52.91	41:20:13.16	...	...	...	12.98±0.08	...	10.18±0.09	...	5.19±0.34	0.720	3.681	0.091	
20:39:53.34	42:07:11.04	...	...	...	...	13.06±0.03	11.99±0.06	11.31±0.11	4.52±0.05	1.860	3.756	0.712	
20:39:54.05	42:07:08.68	...	...	...	...	13.57±0.01	12.38±0.01	11.18±0.02	10.13±0.03	1.450	0.565	0.658	
20:39:54.06	42:00:51.49	...	15.43±0.16	12.12±0.04	9.75±0.01	8.29±0.01	7.05±0.01	5.63±0.01	1.14±0.01	1.150	4.972	2.029	
20:39:54.16	41:24:14.50	...	...	...	11.87±0.04	10.89±0.03	9.68±0.23	8.36±0.33	4.15±0.06	0.800	4.972	0.722	
20:39:54.37	41:17:18.88	...	15.08±0.08	14.07±0.07	11.71±0.01	10.94±0.01	10.31±0.02	9.56±0.06	6.06±0.17	-0.21	3.991	0.068	
20:39:54.40	42:06:50.38	...	...	...	14.90±0.05	13.64±0.02	12.86±0.14	11.54±0.23	5.95±0.18	1.380	4.414	0.033	
20:39:56.38	41:59:41.73	...	...	...	14.87±0.15	13.65±0.09	...	11.69±0.61	5.27±0.27	1.700	4.381	0.340	
20:39:56.38	38:20:55.60	...	...	...	...	14.68±0.05	13.51±0.11	12.16±0.14	6.81±0.06	1.410	4.591	-0.29	
20:39:56.57	41:28:45.27	...	...	...	13.57±0.03	12.67±0.02	12.04±0.17	11.21±0.43	5.99±0.59	0.750	4.109	-0.16	
20:39:56.88	42:50:37.84	...	...	15.10±0.14	13.81±0.01	12.84±0.01	11.98±0.03	11.08±0.05	7.10±0.09	0.290	0.493	-0.59	
20:39:56.91	41:23:44.30	13.18±0.02	10.76±0.01	9.08±0.01	7.29±0.01	6.45±0.01	5.56±0.01	4.56±0.01	1.61±0.02	-0.21	4.591	1.945	
20:39:56.97	42:06:58.82	...	...	...	13.70±0.01	12.39±0.01	11.46±0.02	10.66±0.06	6.73±0.13	0.330	4.165	-0.46	
20:39:58.90	42:01:22.05	...	...	13.93±0.05	11.06±0.01	10.31±0.01	9.66±0.01	8.95±0.03	4.87±0.14	0.070	0.654	0.306	
20:39:59.70	41:25:39.38	15.05±0.04	12.89±0.02	11.57±0.02	9.81±0.01	8.97±0.01	8.32±0.01	7.61±0.04	3.61±0.02	0.050	0.310	0.915	
20:39:59.77	41:41:09.84	16.66±0.14	14.61±0.06	13.60±0.05	11.34±0.01	10.62±0.01	9.91±0.01	8.84±0.03	4.96±0.04	0.190	1.411	0.305	
20:40:01.28	41:55:36.35	17.30±0.22	15.51±0.12	14.29±0.09	13.15±0.01	12.34±0.01	11.62±0.05	10.51±0.08	6.91±0.13	0.100	1.636	-0.30	
20:40:02.21	41:28:12.16	...	15.23±0.08	12.91±0.02	7.87±0.01	6.77±0.01	5.76±0.01	5.04±0.04	1.38±0.07	0.130	1.733	1.747	
20:40:02.57	40:08:06.99	...	...	...	14.67±0.03	13.64±0.01	12.45±0.04	11.20±0.05	7.18±0.17	0.670	0.260	-0.50	
20:40:02.65	42:12:56.66	...	...	...	14.43±0.04	13.46±0.02	12.39±0.10	10.90±0.13	6.87±0.31	0.740	0.356	-0.36	
20:40:02.76	42:30:58.44	...	...	...	...	14.32±0.06	13.49±0.17	11.66±0.11	7.09±0.16	1.100	0.245	-0.44	
20:40:03.20	41:54:19.32	16.47±0.11	15.12±0.07	14.32±0.08	12.61±0.01	11.79±0.01	10.19±0.01	8.23±0.01	4.61±0.02	0.990	1.676	0.763	
20:40:04.04	41:27:33.55	...	...	14.08±0.07	8.36±0.01	6.56±0.01	5.23±0.01	4.19±0.03	1.14±0.05	0.350	0.281	1.975	
20:40:05.53	41:32:12.76	...	...	...	...	12.07±0.07	11.36±0.11	11.35±0.19	3.02±0.02	2.280	0.430	1.451	
20:40:05.58	41:32:21.29	...	...	...	13.02±0.02	11.27±0.01	10.22±0.01	9.46±0.03	4.11±0.01	1.220	0.338	0.762	
20:40:06.42	42:17:06.79	...	...	14.80±0.10	12.37±0.01	11.57±0.01	10.82±0.03	10.12±0.08	4.67±0.05	0.820	0.168	0.389	
20:40:07.44	41:29:08.18	...	...	...	15.15±0.13	13.16±0.02	12.42±0.26	12.64±1.75	5.70±0.11	1.400	0.255	0.096	
20:40:08.52	41:31:05.73	...	...	...	13.55±0.02	12.44±0.01	11.71±0.05	10.89±0.11	6.19±0.13	0.590	0.326	-0.24	
20:40:11.99	42:54:56.22	15.72±0.07	13.51±0.03	11.87±0.02	9.39±0.01	8.55±0.01	7.78±0.01	6.97±0.01	3.65±0.02	-0.18	0.220	1.028	
20:40:12.04	43:14:57.06	12.54±0.02	11.57±0.02	10.64±0.01	...	9.03±0.01	...	7.91±0.01	4.21±0.01	-0.21	0.915	0.976	
20:40:13.38	42:54:56.76	...	...	14.03±0.07	11.13±0.01	9.88±0.01	8.94±0.01	8.40±0.03	4.50±0.02	0.160	0.852	0.473	
20:40:13.90	41:31:49.06	...	14.80±0.06	12.61±0.02	10.29±0.01	9.44±0.01	8.70±0.01	7.51±0.01	4.14±0.02	0.040	2.298	0.725	
20:40:14.27	42:54:40.80	...	...	...	13.54±0.01	12.35±0.01	11.44±0.03	10.54±0.05	6.81±0.14	0.240	1.076	-0.48	
20:40:15.24	41:54:09.63	...	...	...	13.93±0.06	12.58±0.04	12.06±0.18	...	4.78±0.03	1.500	1.203	0.461	
20:40:16.42	42:54:57.74	...	...	...	14.14±0.03	13.36±0.02	12.80±0.07	12.09±0.12	7.14±0.15	0.480	0.529	-0.70	

- 36 -

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:40:16.75	42:56:29.49	...	...	...	11.40±0.02	9.48±0.01	8.58±0.01	8.06±0.01	1.81±0.01	1.520	0.547	1.715	
20:40:16.82	41:32:15.95	...	...	...	13.74±0.01	12.51±0.01	11.44±0.03	10.44±0.06	6.07±0.04	0.710	0.494	-0.09	
20:40:17.70	42:07:39.99	...	...	...	14.38±0.03	13.42±0.01	12.55±0.06	12.09±0.17	6.15±0.13	1.040	0.547	-0.18	
20:40:18.33	42:14:26.58	...	...	14.74±0.12	12.92±0.01	12.14±0.01	11.43±0.03	10.81±0.06	6.53±0.08	0.160	1.078	-0.37	
20:40:23.68	41:55:03.23	...	15.00±0.08	13.80±0.04	12.61±0.01	11.63±0.01	10.79±0.04	9.70±0.06	6.46±0.30	0.010	1.399	-0.06	
20:40:24.48	42:02:20.19	...	...	...	14.78±0.09	...	11.92±0.09	10.16±0.08	7.30±0.59	0.550	4.033	-0.40	
20:40:24.74	41:51:23.97	16.19±0.09	13.76±0.02	12.45±0.02	10.57±0.01	9.67±0.01	8.92±0.01	8.02±0.02	4.04±0.13	0.210	1.060	0.664	
20:40:25.86	39:13:33.52	...	...	...	12.92±0.01	10.76±0.01	9.60±0.01	8.74±0.02	3.73±0.02	1.260	0.458	0.980	
20:40:25.92	42:37:39.70	...	...	...	14.77±0.04	13.93±0.02	12.88±0.11	11.24±0.11	7.49±0.09	0.630	0.509	-0.61	
20:40:26.33	41:32:13.97	...	...	...	14.06±0.01	12.70±0.01	11.77±0.03	11.01±0.07	6.57±0.04	0.590	1.083	-0.34	
20:40:26.82	41:57:12.93	...	14.11±0.05	11.47±0.02	8.61±0.01	7.74±0.01	6.86±0.01	6.16±0.01	2.89±0.04	-0.20	1.131	1.332	
20:40:27.49	42:01:09.24	...	15.21±0.10	13.84±0.04	11.84±0.01	11.07±0.01	9.67±0.03	7.93±0.04	4.15±0.16	0.850	0.746	0.839	
20:40:27.74	41:50:15.84	...	...	...	13.41±0.04	12.28±0.02	11.52±0.07	10.89±0.23	6.03±0.18	0.580	4.723	-0.19	
20:40:28.48	41:57:11.97	...	...	14.53±0.12	10.83±0.03	9.01±0.03	8.27±0.03	7.95±0.02	1.04±0.02	1.640	4.420	2.036	
20:40:28.74	41:32:43.51	...	15.72±0.12	13.73±0.05	11.24±0.01	10.28±0.01	9.43±0.01	8.64±0.01	4.97±0.02	0.060	1.073	0.353	
20:40:28.98	41:57:07.91	...	15.44±0.12	12.28±0.02	8.79±0.01	7.39±0.01	6.37±0.01	5.43±0.01	1.19±0.02	0.640	3.714	1.862	
20:40:29.21	42:17:59.03	...	...	...	12.95±0.01	12.07±0.01	11.33±0.02	10.41±0.04	6.36±0.14	0.250	1.118	-0.36	
20:40:29.28	41:50:59.44	...	...	14.28±0.08	12.55±0.02	11.74±0.01	11.02±0.08	9.70±0.12	4.66±0.15	0.950	4.129	0.478	
20:40:30.56	42:09:52.76	...	...	...	15.40±0.08	14.24±0.04	12.94±0.10	11.56±0.12	6.44±0.12	1.400	4.386	-0.10	
20:40:30.88	41:55:08.42	17.48±0.25	14.91±0.06	13.44±0.04	12.05±0.01	11.26±0.01	10.50±0.05	9.53±0.12	5.82±0.38	0.090	3.410	0.073	
20:40:30.88	41:55:43.30	...	...	...	13.94±0.10	12.26±0.02	11.44±0.05	10.68±0.13	5.48±0.22	1.010	3.570	0.157	
20:40:31.23	41:50:09.09	...	...	14.96±0.15	11.94±0.01	10.67±0.01	9.76±0.03	8.88±0.06	5.07±0.05	0.300	2.359	0.202	
20:40:31.31	41:49:30.16	...	...	...	15.19±0.07	14.18±0.08	12.22±0.21	10.50±0.25	5.45±0.19	1.810	0.739	0.452	
20:40:31.31	41:45:01.41	...	...	14.69±0.11	11.19±0.01	9.92±0.01	8.81±0.01	7.98±0.01	4.12±0.03	0.390	4.203	0.634	
20:40:31.67	41:50:44.50	...	...	...	12.94±0.02	11.33±0.01	10.16±0.02	9.47±0.06	5.54±0.21	0.470	4.214	0.114	
20:40:31.70	41:49:24.98	...	...	...	14.33±0.04	12.20±0.01	11.06±0.05	10.44±0.17	5.93±0.24	0.860	4.128	0.046	
20:40:31.80	41:35:11.65	...	15.92±0.15	13.59±0.05	9.90±0.01	8.33±0.01	7.24±0.01	6.36±0.01	2.69±0.01	0.400	8.018	1.254	
20:40:31.87	41:58:58.03	...	...	...	...	10.88±0.01	...	...	5.45±0.45	0.070	2.012	-0.33	
20:40:31.99	41:57:57.90	...	...	14.85±0.11	12.60±0.03	11.78±0.02	10.84±0.12	9.72±0.21	5.72±0.36	0.420	0.459	-0.02	
20:40:32.82	41:27:58.36	...	15.43±0.08	14.33±0.08	12.38±0.01	11.48±0.01	10.71±0.03	9.74±0.06	6.67±0.22	-0.20	14.09	-0.09	
20:40:33.48	41:59:00.63	...	...	...	14.38±0.04	11.52±0.01	11.68±0.07	...	3.91±0.10	1.870	0.563	0.953	
20:40:33.51	41:38:39.47	...	...	13.91±0.06	11.36±0.01	10.32±0.01	9.46±0.01	8.48±0.01	5.06±0.03	0.070	16.53	0.339	
20:40:33.86	42:07:18.25	...	...	...	14.40±0.05	13.11±0.02	12.23±0.05	11.51±0.08	6.20±0.16	0.960	17.59	-0.17	
20:40:33.96	41:38:05.14	...	...	14.01±0.07	12.11±0.03	10.88±0.01	9.83±0.01	9.27±0.01	4.39±0.03	0.720	18.64	0.552	
20:40:34.05	41:38:06.47	...	...	...	...	...	9.79±0.02	...	4.39±0.03	0.560	16.42	0.200	
20:40:34.78	41:38:10.51	...	...	...	13.01±0.02	11.67±0.01	10.52±0.01	9.58±0.04	4.68±0.04	1.020	3.550	0.505	
20:40:34.91	41:38:45.06	...	...	...	15.48±0.08	13.43±0.02	13.03±0.10	12.76±0.49	4.75±0.03	2.080	3.059	0.682	
20:40:35.36	41:37:13.38	...	15.40±0.10	14.71±0.12	13.58±0.01	12.85±0.01	12.00±0.03	10.95±0.04	6.56±0.07	0.500	14.09	-0.23	
20:40:35.55	41:49:25.29	15.87±0.06	13.87±0.02	12.76±0.02	11.21±0.01	10.49±0.01	9.81±0.03	9.04±0.08	4.78±0.11	0.200	22.77	0.391	
20:40:35.64	41:56:06.74	...	...	14.06±0.08	9.59±0.01	7.86±0.01	6.54±0.01	5.52±0.01	1.54±0.02	0.780	1.668	1.836	
20:40:35.72	41:56:56.73	...	...	14.53±0.10	12.57±0.03	11.79±0.01	11.03±0.11	10.16±0.13	5.63±0.30	0.450	1.374	-0.02	
20:40:35.75	41:56:31.39	...	...	13.14±0.04	11.35±0.01	10.44±0.01	9.73±0.02	9.21±0.06	4.67±0.13	0.270	0.867	0.298	
20:40:35.89	41:50:53.39	...	...	...	10.82±0.01	9.18±0.01	7.92±0.02	7.18±0.06	3.34±0.17	0.500	2.145	1.029	
20:40:36.71	41:35:09.03	...	...	...	12.50±0.01	11.49±0.01	10.76±0.02	9.90±0.05	5.74±0.04	0.310	0.478	-0.14	
20:40:36.85	42:06:56.12	16.80±0.21	15.44±0.12	14.65±0.09	13.89±0.02	13.16±0.02	12.60±0.07	11.43±0.11	6.99±0.15	0.460	3.004	-0.33	
20:40:38.04	41:36:28.46	...	...	...	14.14±0.03	12.45±0.01	11.16±0.02	10.22±0.04	5.85±0.04	0.910	2.863	0.090	
20:40:38.39	41:53:02.43	...	...	13.86±0.06	12.50±0.01	10.80±0.01	9.36±0.02	7.83±0.04	3.26±0.05	1.410	7.615	1.268	
20:40:39.99	41:53:03.08	...	...	14.95±0.16	12.78±0.06	11.65±0.03	10.59±0.15	8.83±0.15	3.79±0.07	1.450	39.48	0.982	
20:40:40.68	41:36:31.84	...	...	...	12.95±0.01	11.59±0.01	10.70±0.01	9.82±0.02	5.44±0.02	0.610	26.09	0.117	
20:40:40.70	41:53:06.27	...	...	14.84±0.13	12.13±0.02	10.84±0.01	9.72±0.06	8.69±0.12	4.28±0.12	0.790	25.24	0.657	

Table 4—Continued

UKIDSS/2MASS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:40:41.56	39:35:44.59	...	...	...	...	...	...	10.53±0.09	5.96±0.06	0.840	26.78	-0.21	
20:40:45.19	42:02:34.41	...	15.59±0.15	13.38±0.04	10.83±0.01	9.92±0.01	9.13±0.02	8.42±0.06	4.52±0.22	0.090	26.81	0.484	
20:40:50.52	42:06:15.36	...	...	...	15.43±0.85	12.38±0.04	12.02±0.35	...	4.96±0.14	1.780	1.950	0.519	
20:40:51.96	42:09:41.82	...	...	...	13.79±0.04	12.88±0.02	12.13±0.16	10.67±0.23	6.72±0.10	0.510	82.09	-0.39	
20:40:52.81	41:54:52.58	...	14.33±0.04	12.04±0.01	11.06±0.01	9.53±0.01	8.10±0.01	6.72±0.01	3.35±0.03	0.670	82.09	1.212	
20:40:53.29	41:47:17.73	...	...	...	14.28±0.11	13.32±0.05	11.48±0.21	9.94±0.25	5.52±0.44	1.320	1.402	0.336	
20:40:54.14	41:19:36.08	...	...	...	15.58±0.15	14.41±0.07	...	...	6.15±0.05	1.640	2.676	-0.07	
20:40:57.85	41:47:28.82	...	...	14.12±0.06	11.51±0.03	10.56±0.01	9.11±0.05	7.39±0.06	3.59±0.07	0.920	3.220	1.068	
20:40:59.05	41:10:51.62	12.93±0.02	11.17±0.01	9.75±0.01	9.02±0.01	8.05±0.01	7.22±0.01	6.20±0.01	3.04±0.01	-0.08	1.156	1.416	
20:41:01.44	41:26:48.19	...	...	...	14.69±0.02	12.67±0.01	11.44±0.03	10.57±0.04	6.50±0.10	0.790	2.422	-0.14	
20:41:01.78	41:53:34.59	...	15.65±0.11	14.81±0.12	13.23±0.02	12.51±0.01	11.97±0.11	10.78±0.20	6.94±0.54	0.150	4.486	-0.41	
20:41:04.37	41:52:22.88	...	14.66±0.06	...	11.00±0.01	10.30±0.01	9.54±0.02	8.62±0.05	4.94±0.89	0.020	1.335	0.351	
20:41:04.40	42:48:03.96	...	...	...	14.98±0.08	14.08±0.04	12.98±0.17	11.68±0.24	7.31±0.23	0.800	2.217	-0.57	
20:41:05.46	41:57:28.26	...	...	15.29±0.15	14.03±0.07	13.38±0.04	12.19±0.16	10.79±0.09	6.30±0.14	0.890	54.33	-0.10	
20:41:06.43	41:58:00.00	14.83±0.04	12.98±0.02	11.49±0.02	9.93±0.01	9.25±0.01	8.59±0.01	7.42±0.01	3.85±0.04	0.050	2.269	0.884	
20:41:09.82	40:22:58.01	...	...	...	14.37±0.02	13.98±0.02	13.04±0.08	11.70±0.10	6.94±0.10	0.800	0.118	-0.49	
20:41:10.01	42:34:56.35	...	...	...	...	...	...	11.14±0.09	6.50±0.12	0.910	24.25	-0.40	
20:41:14.29	41:56:55.74	16.59±0.12	14.32±0.03	12.70±0.02	10.74±0.01	9.94±0.01	9.31±0.01	8.65±0.03	4.84±0.13	-0.09	5.255	0.484	
20:41:14.61	41:53:02.80	...	...	...	...	14.27±0.06	...	...	6.01±0.54	1.630	2.839	-0.04	
20:41:20.56	42:14:07.54	...	...	14.80±0.11	12.08±0.01	11.02±0.01	10.22±0.01	9.40±0.02	5.85±0.06	0.020	50.79	0.018	
20:41:20.63	39:29:31.95	16.58±0.10	14.67±0.04	12.69±0.02	7.55±0.01	6.57±0.01	5.55±0.01	4.56±0.01	1.37±0.01	0.010	22.93	1.855	
20:41:20.70	42:13:09.30	...	...	...	13.93±0.02	12.83±0.01	11.98±0.05	11.33±0.07	7.20±0.19	0.250	2.558	-0.69	
20:41:21.56	42:17:39.37	15.75±0.08	14.03±0.05	12.99±0.05	11.63±0.01	10.91±0.01	10.23±0.03	9.27±0.06	5.51±0.12	0.050	48.05	0.250	
20:41:21.92	41:14:01.84	...	15.60±0.11	12.48±0.03	8.79±0.01	7.39±0.01	6.40±0.01	5.56±0.01	1.49±0.01	0.480	22.93	1.703	
20:41:22.30	42:02:40.75	...	...	...	12.89±0.01	11.17±0.01	9.78±0.01	8.81±0.01	5.02±0.16	0.690	17.55	0.445	
20:41:23.95	41:59:48.23	14.14±0.02	12.01±0.02	10.42±0.02	8.45±0.01	7.63±0.01	6.79±0.01	5.82±0.01	1.85±0.01	0.270	50.43	1.509	
20:41:24.58	41:18:18.34	...	...	...	14.87±0.09	13.88±0.04	13.39±0.21	12.74±0.64	7.43±0.07	0.660	16.47	-0.78	
20:41:25.05	41:34:10.45	...	...	...	14.19±0.02	13.19±0.01	12.05±0.04	11.05±0.08	7.22±0.14	0.410	53.72	-0.61	
20:41:26.63	42:15:13.07	...	...	14.71±0.10	12.53±0.01	11.71±0.01	10.99±0.02	10.24±0.07	6.44±0.15	0.000	50.22	-0.23	
20:41:28.14	39:33:10.28	...	...	14.64±0.11	12.51±0.01	11.59±0.01	11.05±0.01	10.32±0.03	4.25±0.02	1.090	10.66	0.598	
20:41:28.43	42:12:58.84	...	15.61±0.14	14.27±0.05	13.02±0.01	12.18±0.01	11.45±0.05	10.39±0.08	6.01±0.13	0.480	0.655	-0.07	
20:41:30.24	39:34:12.74	...	...	...	15.02±0.02	13.14±0.01	12.21±0.04	11.19±0.05	5.19±0.03	1.670	0.818	0.427	
20:41:30.53	42:15:51.32	...	...	15.04±0.13	13.52±0.01	12.62±0.01	11.90±0.04	10.91±0.04	7.43±0.21	0.000	0.889	-0.56	
20:41:30.80	41:55:05.12	12.97±0.02	12.03±0.02	11.27±0.02	10.73±0.01	9.85±0.01	8.46±0.01	6.06±0.01	1.23±0.01	1.770	0.889	2.217	
20:41:31.22	39:34:06.86	...	...	...	13.02±0.01	11.62±0.01	10.58±0.01	9.72±0.02	5.83±0.06	0.420	0.627	-0.04	
20:41:32.55	39:37:35.76	...	...	...	12.83±0.01	11.38±0.01	10.38±0.01	9.50±0.02	5.98±0.06	0.240	0.937	-0.09	
20:41:33.39	41:57:26.82	...	...	...	...	...	...	9.87±0.08	6.16±0.12	0.140	4.248	-0.51	
20:41:34.21	39:32:38.82	12.12±0.02	10.99±0.01	10.20±0.01	9.12±0.01	8.34±0.01	7.66±0.01	6.74±0.01	3.54±0.01	-0.24	0.506	1.329	
20:41:35.51	39:37:29.74	...	...	14.66±0.12	12.69±0.01	11.76±0.01	10.92±0.01	9.49±0.01	4.72±0.02	0.960	1.295	0.481	
20:41:36.35	42:01:58.44	...	15.72±0.16	14.37±0.07	12.99±0.01	12.30±0.01	11.91±0.05	11.01±0.11	6.70±0.34	0.150	0.565	-0.36	
20:41:37.15	39:37:34.43	...	14.14±0.03	11.79±0.01	9.48±0.01	8.57±0.01	7.78±0.01	6.78±0.01	3.76±0.02	-0.20	1.813	1.029	
20:41:37.96	39:38:21.11	...	...	...	10.89±0.01	8.92±0.01	7.36±0.01	6.06±0.01	0.84±0.01	1.750	0.557	2.269	
20:41:39.80	39:38:05.93	...	...	...	13.03±0.03	11.42±0.02	10.11±0.02	8.55±0.04	1.98±0.01	2.370	1.829	1.944	
20:41:40.30	39:37:46.21	...	...	...	13.50±0.08	11.73±0.03	10.42±0.02	9.20±0.04	3.16±0.01	1.950	1.659	1.335	
20:41:40.36	39:38:01.31	...	...	13.74±0.08	10.48±0.01	8.50±0.01	6.79±0.01	5.00±0.01	0.88±0.02	1.540	0.240	2.339	
20:41:40.94	39:38:32.66	...	...	...	13.64±0.01	11.48±0.01	10.28±0.01	9.41±0.02	6.18±0.17	0.380	1.507	-0.03	
20:41:40.99	39:40:25.25	...	...	...	13.24±0.01	11.09±0.01	9.50±0.01	8.23±0.01	3.45±0.01	1.570	1.473	1.224	
20:41:41.90	39:37:56.53	...	...	14.53±0.10	11.45±0.01	10.36±0.01	9.48±0.01	8.47±0.01	3.56±0.03	0.860	1.378	0.891	
20:41:42.00	39:38:52.22	...	...	14.04±0.07	11.57±0.01	9.82±0.01	8.35±0.01	7.23±0.01	4.16±0.02	0.450	0.578	0.834	
20:41:42.66	39:39:45.07	...	...	...	14.13±0.02	13.11±0.01	12.31±0.03	11.45±0.07	6.35±0.04	0.820	0.895	-0.26	

Table 4—Continued

UKIDSS/2MASS					IRAC			MIPS			α	$\langle \text{RMEDSQ} \rangle_{D_c}$	$\log(L/L_\odot)$
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6 \mu\text{m}$ (unc)	$4.5 \mu\text{m}$ (unc)	$5.8 \mu\text{m}$ (unc)	$8.0 \mu\text{m}$ (unc)	$24 \mu\text{m}$ (unc)				
20:41:45.46	40:16:32.80	...	15.41±0.11	13.91±0.07	12.56±0.01	11.11±0.01	10.15±0.01	9.31±0.01	4.71±0.02	0.750	0.515	0.498	
20:41:46.25	42:06:20.90	...	...	...	14.10±0.03	13.09±0.02	12.36±0.04	11.87±0.12	7.50±0.44	0.210	0.897	-0.83	
20:41:48.72	41:44:44.26	...	...	...	...	...	11.98±0.09	10.15±0.10	6.06±0.17	0.780	2.518	-0.14	
20:41:49.76	39:41:38.37	...	...	...	15.40±0.08	13.14±0.01	11.67±0.07	10.41±0.11	5.38±0.06	1.670	4.355	0.456	
20:41:50.25	39:40:40.37	...	...	13.04±0.04	8.72±0.01	7.07±0.01	5.71±0.01	4.21±0.01	0.91±0.01	0.700	0.954	2.171	
20:41:50.49	42:24:37.45	...	...	15.00±0.11	13.26±0.01	12.47±0.01	11.85±0.03	10.95±0.07	7.19±0.20	0.010	0.906	-0.51	
20:41:52.87	39:44:35.15	...	...	...	13.97±0.01	12.95±0.01	12.19±0.03	11.23±0.05	7.06±0.05	0.380	0.899	-0.62	
20:41:55.57	42:50:57.22	...	...	...	14.06±0.04	13.03±0.01	11.91±0.08	11.05±0.12	6.45±0.12	0.720	1.781	-0.27	
20:41:55.64	39:46:43.09	...	...	...	12.18±0.01	10.46±0.01	9.28±0.01	8.40±0.01	3.26±0.01	1.230	1.733	1.129	
20:41:56.39	39:44:48.94	...	...	14.78±0.12	12.57±0.01	11.51±0.01	10.78±0.01	9.87±0.01	5.88±0.03	0.260	3.169	-0.13	
20:41:56.94	39:42:03.09	17.46±0.27	15.98±0.15	15.12±0.17	13.13±0.01	12.24±0.01	11.59±0.06	10.77±0.17	5.79±0.07	0.630	3.333	-0.02	
20:41:57.18	42:44:46.07	...	...	15.23±0.15	13.59±0.02	12.60±0.01	12.02±0.06	11.39±0.16	6.94±0.12	0.250	1.380	-0.58	
20:41:57.89	42:47:57.36	...	...	...	12.57±0.01	11.79±0.01	10.85±0.03	9.94±0.07	5.93±0.15	0.290	4.630	-0.20	
20:41:59.67	39:45:40.69	...	15.34±0.09	12.80±0.03	10.28±0.01	9.35±0.01	8.57±0.01	7.67±0.01	4.17±0.02	-0.01	1.470	0.712	
20:42:00.22	42:53:50.72	...	...	...	12.21±0.01	10.83±0.01	9.91±0.02	9.37±0.07	5.97±0.11	-0.07	2.079	0.034	
20:42:00.56	42:46:46.66	...	...	...	...	13.60±0.05	12.62±0.42	10.40±0.28	5.71±0.11	1.450	1.755	0.226	
20:42:00.87	42:14:23.66	...	...	...	14.57±0.03	13.08±0.01	12.51±0.05	12.39±0.16	6.56±0.12	0.800	1.114	-0.39	
20:42:03.11	42:25:16.63	...	...	...	13.13±0.05	12.83±0.04	9.59±0.02	7.98±0.06	5.03±0.08	1.080	0.866	0.787	
20:42:04.94	42:54:01.37	...	...	...	15.08±0.11	13.74±0.04	12.88±0.32	11.90±0.60	6.30±0.27	1.260	0.576	-0.14	
20:42:09.15	42:10:47.09	...	...	...	12.26±0.01	10.66±0.01	9.42±0.01	8.43±0.03	5.27±0.21	0.270	1.705	0.260	
20:42:13.71	39:52:00.10	...	...	...	14.21±0.02	12.52±0.01	11.73±0.02	10.95±0.06	4.52±0.02	1.640	1.578	0.656	
20:42:14.23	42:53:38.69	...	...	13.72±0.06	11.02±0.01	9.96±0.01	9.10±0.03	8.05±0.06	4.20±0.09	0.330	2.133	0.554	
20:42:14.60	42:50:37.98	...	...	...	13.35±0.01	12.49±0.01	11.83±0.04	11.04±0.06	7.32±0.22	-0.04	1.039	-0.60	
20:42:18.97	42:28:41.10	...	...	...	14.67±0.07	12.66±0.01	12.19±0.11	13.95±3.06	4.80±0.04	1.550	2.175	0.464	
20:42:21.19	39:47:26.61	15.76±0.10	13.55±0.05	11.57±0.03	9.73±0.01	8.71±0.01	7.86±0.01	7.11±0.01	3.36±0.01	0.090	1.398	1.005	
20:42:24.10	42:57:31.68	15.31±0.07	13.10±0.04	11.39±0.02	8.69±0.01	7.97±0.01	7.01±0.01	5.99±0.01	2.03±0.04	0.320	2.145	1.408	
20:42:24.19	42:41:38.64	...	...	...	14.19±0.03	12.58±0.01	11.40±0.03	10.28±0.05	5.84±0.05	0.970	3.825	0.094	
20:42:26.38	42:38:51.51	15.04±0.04	13.44±0.03	12.36±0.02	10.43±0.01	9.48±0.01	8.63±0.01	7.77±0.01	4.40±0.02	-0.06	1.490	0.726	
20:42:26.92	42:31:52.91	...	...	...	13.51±0.01	11.95±0.01	10.79±0.02	9.54±0.03	4.30±0.02	1.430	1.109	0.755	
20:42:27.25	42:42:03.73	...	...	15.11±0.13	13.91±0.02	12.69±0.01	12.29±0.08	13.02±0.97	7.15±0.13	0.200	34.88	-0.70	
20:42:28.90	42:54:36.60	16.50±0.12	14.87±0.06	13.94±0.04	12.99±0.01	12.40±0.01	11.94±0.04	10.97±0.07	5.36±0.11	0.860	0.662	0.274	
20:42:30.84	42:41:25.20	...	...	...	15.46±0.08	12.95±0.01	11.91±0.05	11.37±0.17	6.82±0.21	0.900	0.512	-0.28	
20:42:32.21	42:40:48.72	...	...	14.01±0.07	11.88±0.01	10.92±0.01	10.15±0.01	9.23±0.03	5.38±0.04	0.190	0.640	0.111	
20:42:33.32	42:26:06.28	...	...	...	13.37±0.01	12.23±0.01	11.07±0.02	9.90±0.04	6.38±0.12	0.390	0.738	-0.23	
20:42:34.32	42:27:31.62	...	...	...	...	...	9.73±0.01	8.34±0.01	2.02±0.01	2.110	7.856	1.820	
20:42:34.46	42:27:30.47	...	...	...	11.99±0.01	10.59±0.01	...	...	2.02±0.01	1.870	0.810	1.666	
20:42:34.65	42:42:21.01	...	...	14.74±0.09	12.39±0.01	11.59±0.01	10.74±0.02	10.00±0.06	6.07±0.09	0.120	0.966	-0.15	
20:42:35.09	42:54:10.42	16.14±0.12	14.70±0.07	13.83±0.05	12.42±0.01	11.76±0.01	11.08±0.01	10.10±0.02	6.31±0.60	0.060	17.33	-0.06	
20:42:36.81	39:55:46.46	...	...	...	12.96±0.01	11.81±0.01	11.30±0.02	11.09±0.07	4.41±0.01	1.160	5.051	0.516	
20:42:38.42	40:18:12.01	16.01±0.08	13.77±0.04	12.47±0.02	11.06±0.01	10.30±0.01	9.59±0.01	8.59±0.01	5.06±0.02	-0.02	5.051	0.454	
20:42:39.96	42:41:56.31	...	...	...	12.76±0.01	10.99±0.01	9.65±0.01	8.45±0.02	4.99±0.03	0.640	1.111	0.493	
20:42:41.61	42:41:50.11	...	...	15.16±0.14	11.71±0.01	10.51±0.01	9.39±0.01	8.23±0.01	5.18±0.04	0.140	4.558	0.331	
20:42:44.06	42:42:10.69	...	...	...	12.75±0.01	11.31±0.01	10.58±0.01	10.07±0.04	5.29±0.03	0.550	1.067	0.113	
20:42:45.02	42:42:32.19	...	...	14.34±0.09	12.08±0.02	11.11±0.01	10.53±0.03	10.31±0.09	4.84±0.03	0.540	1.067	0.234	
20:42:47.76	42:42:06.05	...	...	...	14.27±0.03	12.53±0.01	11.66±0.02	11.00±0.05	6.24±0.03	0.770	1.051	-0.16	
20:42:58.74	42:41:53.27	...	15.72±0.16	14.51±0.08	12.50±0.01	11.46±0.01	10.74±0.01	9.86±0.03	6.18±0.07	0.070	1.051	-0.10	
20:43:00.15	42:50:44.87	...	...	...	13.22±0.05	12.34±0.03	12.63±0.10	12.72±0.43	5.23±0.08	0.960	0.985	0.088	
20:43:00.37	42:11:18.36	...	...	...	...	14.28±0.05	13.22±0.17	12.07±0.26	6.59±0.40	1.340	3.248	-0.23	
20:43:02.12	42:46:17.24	...	...	15.14±0.13	14.01±0.04	13.59±0.03	12.77±0.05	11.43±0.07	6.39±0.05	0.890	4.178	-0.20	
20:43:03.92	41:58:47.58	...	...	...	...	...	...	10.90±0.08	6.96±0.18	0.330	2.688	-0.85	

39

Table 4—Continued

UKIDSS/2MASS												
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$
20:43:03.93	42:42:11.64	13.77±0.04	12.07±0.03	10.89±0.02	9.51±0.01	8.59±0.01	7.87±0.01	6.83±0.01	3.31±0.02	0.050	0.666	1.138
20:43:04.94	42:42:16.71	...	...	...	12.69±0.01	11.27±0.01	10.37±0.01	9.63±0.02	3.79±0.01	1.290	0.746	0.863
20:43:08.03	42:34:18.28	...	...	...	12.62±0.01	11.16±0.01	10.18±0.01	9.32±0.02	4.56±0.02	0.860	3.248	0.518
20:43:12.97	42:49:44.84	...	...	14.90±0.13	10.45±0.01	8.83±0.01	7.61±0.01	6.71±0.01	4.05±0.01	-0.03	3.248	0.943
20:43:15.24	42:49:36.07	...	...	...	14.00±0.02	12.66±0.01	11.89±0.03	10.99±0.06	6.92±0.10	0.390	0.401	-0.53
20:43:17.28	42:39:35.60	16.62±0.15	15.27±0.12	14.80±0.10	14.90±0.03	14.14±0.02	13.58±0.12	12.42±0.17	7.44±0.21	0.730	0.637	-0.26
20:43:19.54	40:45:11.49	...	...	...	14.81±0.02	12.93±0.01	11.29±0.01	10.15±0.01	5.68±0.02	1.290	0.686	0.281
20:43:22.87	42:50:22.76	...	...	...	...	...	...	11.64±0.08	6.97±0.18	0.930	0.329	-0.58
20:43:24.99	42:22:42.49	...	...	...	13.86±0.02	13.03±0.01	12.26±0.06	11.52±0.11	7.00±0.08	0.390	2.218	-0.64
20:43:25.03	42:48:10.06	...	15.07±0.08	13.56±0.04	11.39±0.01	10.36±0.01	9.47±0.01	8.69±0.01	5.21±0.02	-0.01	0.591	0.330
20:43:25.74	42:22:40.14	...	...	...	15.10±0.04	14.30±0.04	13.39±0.12	11.65±0.11	6.89±0.16	1.120	6.794	-0.35
20:43:28.27	42:49:00.09	...	14.91±0.11	12.66±0.03	8.33±0.01	6.92±0.01	5.60±0.01	4.48±0.01	0.37±0.01	0.820	0.591	2.278
20:43:31.88	42:44:48.03	...	...	...	14.25±0.02	12.54±0.01	11.43±0.02	10.23±0.03	6.45±0.05	0.670	5.159	-0.15
20:43:33.26	42:06:43.66	...	...	...	11.13±0.01	10.18±0.01	9.73±0.01	9.50±0.04	5.00±0.04	-0.02	0.593	0.231
20:43:34.27	42:44:43.32	...	...	15.03±0.13	11.05±0.01	9.24±0.01	8.04±0.01	7.28±0.01	3.54±0.01	0.490	1.170	0.966
20:43:35.07	42:44:16.90	...	...	14.90±0.10	13.73±0.01	12.97±0.01	12.15±0.04	11.15±0.07	7.45±0.15	0.120	0.544	-0.62
20:43:35.96	43:09:42.39	14.75±0.04	13.82±0.14	13.27±0.03	...	12.65±0.01	...	10.43±0.11	5.93±0.12	0.780	0.572	0.369
20:43:36.14	43:12:19.59	14.59±0.03	13.89±0.04	13.48±0.03	...	13.04±0.02	...	...	7.31±0.08	0.240	1.482	-0.10
20:43:38.73	42:47:34.08	...	...	...	13.84±0.01	12.32±0.01	11.35±0.02	10.49±0.04	4.32±0.02	1.590	0.628	0.729
20:43:39.15	43:11:37.16	...	...	...	...	13.24±0.06	...	11.60±0.04	5.66±0.02	1.360	0.493	0.065
20:43:39.47	42:44:02.36	...	...	...	15.84±0.05	14.45±0.02	15.56±0.88	15.53±4.25	5.92±0.03	1.870	0.628	0.111
20:43:39.90	43:11:31.34	...	...	...	...	...	...	9.71±0.02	4.75±0.02	1.170	0.555	0.385
20:43:42.26	42:47:48.25	...	...	...	16.61±0.12	14.49±0.04	...	...	5.44±0.02	2.330	0.628	0.489
20:43:44.15	42:47:33.02	...	...	...	15.02±0.04	13.49±0.02	12.52±0.05	11.97±0.16	6.06±0.04	1.280	0.490	-0.04
20:43:44.32	42:46:03.41	...	...	...	12.05±0.01	10.36±0.01	9.36±0.01	8.42±0.01	4.79±0.02	0.400	0.708	0.417
20:43:45.26	42:47:40.56	...	...	...	13.21±0.01	11.21±0.01	9.64±0.01	8.48±0.01	4.87±0.02	0.860	0.697	0.619
20:43:46.36	42:44:01.60	...	...	...	14.88±0.06	13.60±0.02	12.72±0.07	11.72±0.12	5.93±0.05	1.360	0.542	0.023
20:43:46.47	42:46:45.70	...	...	...	13.51±0.01	11.61±0.01	10.38±0.01	9.33±0.03	5.39±0.03	0.780	0.502	0.303
20:43:46.62	42:47:42.93	...	...	...	17.04±0.15	15.06±0.04	14.16±0.16	...	6.36±0.08	2.110	0.670	0.052
20:43:47.40	42:45:12.19	...	...	...	16.52±0.14	13.83±0.02	12.43±0.05	11.87±0.12	7.35±0.08	1.110	0.563	-0.40
20:43:49.30	42:45:30.29	...	15.88±0.20	13.68±0.05	11.50±0.01	10.49±0.01	9.49±0.01	7.92±0.01	3.48±0.01	0.970	0.760	1.029
20:43:50.12	42:46:15.87	17.09±0.23	15.09±0.08	13.41±0.03	11.25±0.01	10.04±0.01	9.06±0.01	8.05±0.01	4.54±0.02	0.230	0.692	0.509
20:43:51.73	42:46:46.25	...	...	...	14.40±0.04	12.65±0.01	11.77±0.04	11.00±0.03	6.58±0.05	0.670	0.716	-0.29
20:43:52.11	42:08:45.07	...	...	...	15.06±0.04	13.94±0.02	12.98±0.09	12.33±0.23	7.36±0.18	0.740	0.679	-0.67
20:43:55.32	42:48:32.80	...	...	...	14.14±0.03	12.10±0.01	10.81±0.02	10.09±0.04	4.64±0.02	1.440	0.513	0.629
20:43:55.39	42:06:51.72	...	...	...	11.95±0.01	10.49±0.01	9.63±0.01	9.01±0.03	4.48±0.03	0.550	0.620	0.470
20:43:56.49	42:48:08.66	...	...	...	14.22±0.04	13.29±0.02	12.66±0.07	12.24±0.21	6.72±0.09	0.680	0.707	-0.49
20:43:56.54	42:48:33.71	...	...	...	13.13±0.01	11.97±0.01	11.03±0.03	10.31±0.07	6.09±0.07	0.400	0.612	-0.21
20:43:56.85	43:10:22.95	...	...	...	...	12.83±0.01	...	10.76±0.04	6.92±0.06	0.330	0.612	-0.71
20:43:57.92	42:47:53.06	...	...	...	15.63±0.08	14.15±0.02	...	...	5.32±0.03	1.910	0.371	0.355
20:43:58.04	42:48:11.58	...	...	...	...	12.98±0.01	12.26±0.05	11.24±0.09	6.79±0.08	0.540	0.612	-0.53
20:43:58.13	42:48:09.46	...	...	...	14.23±0.02	12.77±0.01	11.88±0.04	10.95±0.08	6.79±0.08	0.550	0.612	-0.41
20:44:04.70	42:07:14.28	...	...	...	14.97±0.05	13.69±0.03	12.92±0.07	11.55±0.10	6.24±0.06	1.270	0.612	-0.09
20:44:07.80	42:43:01.83	...	15.80±0.17	14.25±0.06	12.60±0.01	11.84±0.01	11.19±0.03	10.48±0.05	6.14±0.05	0.200	0.696	-0.20
20:44:08.67	41:20:41.33	15.92±0.07	14.17±0.04	13.13±0.03	11.69±0.01	11.02±0.01	10.58±0.01	9.71±0.01	5.03±0.02	0.340	0.480	0.254
20:44:09.63	42:45:58.73	...	...	15.23±0.14	13.15±0.01	12.05±0.01	11.20±0.01	10.59±0.03	5.87±0.02	0.530	0.237	-0.10
20:44:10.29	43:10:14.45	...	15.49±0.11	14.07±0.05	...	11.50±0.01	...	10.08±0.01	6.66±0.03	-0.23	0.166	-0.28
20:44:10.91	43:10:14.41	...	...	15.21±0.13	...	13.12±0.01	...	11.31±0.04	6.80±0.03	0.600	0.166	-0.50
20:44:12.75	41:36:59.34	...	...	...	14.53±0.01	13.15±0.01	12.31±0.04	11.50±0.09	6.30±0.03	0.960	0.518	-0.19
20:44:12.78	41:36:49.33	...	...	...	15.20±0.05	13.63±0.02	13.51±0.09	...	6.06±0.05	1.470	0.518	-0.06

Table 4—Continued

UKIDSS/2MASS													
IRAC													
MIPS													
RA	Dec	J (unc)	H (unc)	K_s (unc)	$3.6\ \mu\text{m}$ (unc)	$4.5\ \mu\text{m}$ (unc)	$5.8\ \mu\text{m}$ (unc)	$8.0\ \mu\text{m}$ (unc)	$24\ \mu\text{m}$ (unc)	α	$\langle\text{RMEDSQ}\rangle_{D_c}$	$\log(L/L_\odot)$	
20:44:13.52	42:45:42.79	...	...	13.97±0.06	11.70±0.01	10.69±0.01	9.89±0.01	9.10±0.01	5.82±0.03	-0.15	0.239	0.145	
20:44:14.45	42:44:33.72	...	...	...	13.08±0.01	11.99±0.01	11.08±0.01	10.19±0.03	7.13±0.04	-0.13	0.286	-0.37	
20:44:18.09	41:36:50.29	...	14.83±0.06	11.84±0.02	9.16±0.01	7.82±0.01	6.48±0.01	5.18±0.01	0.86±0.01	1.010	0.558	2.116	
20:44:27.94	42:08:02.47	...	...	...	12.85±0.01	11.69±0.01	10.89±0.02	10.24±0.03	6.38±0.05	0.110	0.673	-0.28	
20:44:38.00	42:55:48.21	...	...	...	14.60±0.05	14.00±0.02	12.55±0.05	11.47±0.10	6.74±0.09	0.940	0.761	-0.33	
20:45:03.75	42:07:58.38	...	...	...	13.66±0.03	12.65±0.02	11.45±0.02	9.85±0.01	6.63±0.03	0.460	0.137	-0.24	
20:45:41.39	42:06:31.91	...	...	...	...	...	...	10.75±0.07	6.64±0.04	0.470	0.426	-0.64	